

COD	Alimentare	Tip conector	Putere	Model	Pret RON fara TVA	Pret RON cu TVA
<b>Compaq series</b>						
SC100	18.5V - 1.1A	5.5*2.5*12mm bent head	20W	PA-1650-02C	56,45	70,00
SC101	18.5V - 2.7A	4.8*1.7*12mm black head	50W	ADP-50SB	56,45	70,00
SC102	18.5V - 3.5A	4.8*1.7*12mm yellow head	65W	PA-1650-02C	56,45	70,00
SC103	18.5V - 3.8A	4.8*1.7*12mm black head	70W	Seria PPP002D	72,58	90,00
SC104	18.5V - 4.9A	9.3*6.6*9mm <b>4-hole</b>	90W	PP2032L	76,61	95,00
SC105	18.5V - 4.9A	4.8*1.7*12mm black head	90W	PA-1900-05C1	72,58	90,00
SC106	18.5V - 4.9A	7.4*5.0*12mm <b>with pin</b>	90W	PA-1900-05C1	75,00	93,00
SC107	19V - 3.16A	5.5*2.5*12mm bent head	60W	ADP-50SB	56,45	70,00
SC108	19V - 3.95A	5.5*2.5*12mm bent head	75W	PA-1750-01	72,58	90,00
SC109	19V - 4.8A	5.5*2.5*12mm bent head	90W	PA-1900-05C1	72,58	90,00
SC110	19V - 4.9A	5.5*2.5*12mm bent head	90W	PA-1900-05C1	72,58	90,00
SC111	19V - 6.3A	5.5*2.5*12mm straight head	120W	ADP-50SB	105,65	131,01
SC112	18.5V - 6.5A	5.5*2.5*12mm straight head	120W	ADP-50SB	105,65	131,01
<b>HP series</b>						
SC113	18.5V - 1.1A	5.5*2.5*12mm straight head	20W	PA-1650-02C	56,45	70,00
SC114	18.5V - 3.5A	4.8*1.7*12mm straight head	65W	PPP009H	56,45	70,00
SC115	18.5V - 3.5A	7.4*5.0*12mm <b>with pin</b>	65W	PPP009L	58,06	71,99
SC116	18.5V - 4.74A	5.5*2.5*12mm bent head	90W	ADP-90HB	72,58	90,00
SC117	18.5V - 4.9A	5.5*2.5*12mm bent head	90W	PA-1900-05C1	72,58	90,00
SC118	18.5V - 6.5A	5.5*2.5*12mm straight head	120W	PA-1121-02HD	105,65	131,01
SC119	19V - 3.16A	5.5*2.5*12mm bent head	60W	ADP-50SB	56,45	70,00
SC120	19V - 3.95A	5.5*2.5*12mm bent head	75W	PA-1750-01	72,58	90,00
SC121	19V - 4.74A	4.8*1.7mm <b>Bullet Tip</b>	90W	ADP-90FB	72,58	90,00
SC122	19V - 4.74A	5.5*2.5*12mm bent head	90W	ADP-90FB	72,58	90,00
SC123	19V - 4.74A	7.4*5.0*12mm <b>with pin</b>	90W	ADP-90FB	75,00	93,00
SC124	18.5V - 6.5A	<b>oval</b>	120W	PA-1121-02HD	105,65	131,01
SC125	19V - 7.1A	<b>oval</b>	135W	374427-002/375117-	196,77	243,99
SC126	18.5V - 6.5A	7.4*5.0*12mm <b>with pin</b>	120W	PA-1121-02HD	105,65	131,01
SC127	19V - 9.5A	<b>oval</b>	180W	HSTNN-DA03	196,77	243,99
SC128	18.5V - 4.9A	<b>oval</b>	90W	PA-1900-05C1	76,61	95,00
<b>HPC-COMBO</b>	<b>18.5V - 4.9A</b>	<b>4.8*1.7*12mm black head &amp; 7.4*5.0*12mm with pin</b>	<b>90W</b>		<b>81,45</b>	<b>101,00</b>
<b>Sony series</b>						
SC129	16V - 3.75A	6.5*4.4*10mm <b>with pin</b>	60W	PCGA-AC16V1	56,45	70,00
SC130	16V - 4A	6.5*4.4*10mm <b>with pin</b>	65W	PCGA-AC16V6	56,45	70,00
SC131	19.5V - 2.15A	6.5*4.4*10mm <b>with pin</b>	40W	PCGA-ACX1	56,45	70,00
SC132	19.5V - 3A	6.5*4.4*10mm <b>with pin</b>	60W	PCGA-AC19V1	56,45	70,00
SC133	19.5V - 4.1A	6.5*4.4*10mm <b>with pin</b>	80W	PCGA-AC19V3	72,58	90,00
SC134	19.5V - 4.7A	6.5*4.4*10mm <b>with pin</b>	90W	VGP-AC19V12	72,58	90,00
SC135	19.5V - 5.13A	6.5*4.4*10mm <b>with pin</b>	100W	PCGA-AC19V4	105,65	131,01
SC136	19.5V - 6.15A	6.5*4.4*10mm <b>with pin</b>	120W	PCGA-AC19V7	105,65	131,01
SC137	19.5V - 7.7A	6.5*4.4*10mm <b>with pin</b>	150W	PCGA-AC19V9	196,77	243,99
<b>Toshiba series</b>						
SC138	15V - 3A	6.3*3.0*12mm straight head	45W	PA2450U	56,45	70,00
SC139	15V - 4A	6.3*3.0*12mm straight head	60W	PA3201U-1ACA	56,45	70,00
SC140	15V - 5A	6.3*3.0*12mm straight head	75W	PA3201U-1A1C	72,58	90,00
SC141	15V - 6A	6.3*3.0*12mm straight head	90W	PA3201U-1ACA	72,58	90,00
SC142	15V - 8A	6.3*3.0*12mm straight head	120W	PA3237U-1ACA	105,65	131,01
SC143	15V - 8A	9.6*3.6*9mm <b>4-holes</b>	120W	PA3237U-1ACA	105,65	131,01
SC144	19V - 3.42A	5.5*2.5*12mm straight head	65W	PA-1650-01	56,45	70,00
SC145	19V - 3.95A	5.5*2.5*12mm bent head	75W	PA-1750-01	72,58	90,00
SC146	19V - 4.74A	5.5*2.5*12mm bent head	90W	PA3165U-1A1C	72,58	90,00
SC147	19V - 6.3A	6.3*3.0*12mm straight head	120W	PA3290U-2ACA	105,65	131,01
SC148	19V - 6.3A	5.5*2.5*12mm straight head	120W	PA3290U-2ACA	105,65	131,01
<b>Liteon series</b>						
SC149	19V - 3.16A	5.5*2.5*12mm bent head	60W	PA-1600-01	56,45	70,00
SC150	19V - 3.42A	5.5*2.5*12mm bent head	65W	PA-1700-02	56,45	70,00
SC151	19V - 3.95A	5.5*2.5*12mm bent head	75W	PA-1750-01	72,58	90,00

SC152	19V - 4.74A	5.5*2.5*12mm bent head	90W	PA-1700-01	72,58	90,00
SC153	19V - 6.3A	5.5*2.5*12mm straight head	120W	PA-1121-02	105,65	131,01
SC154	19V - 6.2A	10.0*9.0*6.3mm <b>4-pins</b>	120W	PA-1121-02	105,65	131,01
SC155	20V - 6A	5.5*2.5*12mm straight head	120W	PA-1121-02	105,65	131,01
SC156	19V - 9.5A	10.0*9.0*6.3mm <b>4-pins</b>	180W	HSTNN-DA03	196,77	243,99
<b>Dell series</b>						
SC157	19.5V - 3.34A	7.4*5.0*12mm <b>with pin</b>	65W	AD-90195D/PA-12Family	81,45	101,00
SC158	19.5V - 4.62A	7.4*5.0*12mm <b>with pin</b>	90W	AD-90195D/PA-10Family	84,68	105,00
SC159	19.5V - 3.34A	7.4*5.0*12mm <b>with pin</b>	65W	PA-2E	100,81	125,00
SC160	19.5V - 4.62A	7.4*5.0*12mm <b>with pin</b>	90W	PA-3E	108,87	135,00
SC161	19.5V - 3.34A	<b>octagon</b>	65W	PA-1650-02DWPA-21	69,35	85,99
SC162	20V - 3.5A	7.4*7.3 <b>Dell head 3-holes</b>	70W	AA20031/PA-6Family	69,35	85,99
SC163	20V - 4.5A	7.4*7.3 <b>Dell head 3-holes</b>	90W	ADP-90FB-REVB/PA-	72,58	90,00
SC164	19.5V - 6.7A	7.4*5.0*12mm <b>with pin</b>	130W	PA-13Family/PM-1131-	196,77	243,99
SC165	19.5V - 7.7A	7.4*5.0*12mm <b>with pin</b>	150W	PA-1151-06D/PA-	196,77	243,99
<b>Delta series</b>						
SC166	19V - 2.64A	5.5*2.5*12mm straight head	50W	ADP-50SB	56,45	70,00
SC167	19V - 3.42A	5.5*2.5*12mm bent head	65W	ADP-65DB	56,45	70,00
SC168	19V - 4.74A	5.5*2.5*12mm bent head	90W	ADP-90HB	72,58	90,00
SC169	19V - 6.3A	5.5*2.5*12mm straight head	120W	ADP-120GB	105,65	131,01
<b>Fujitsu series</b>						
SC170	16V - 3.36A	6.5*4.4*10mm <b>with pin</b>	55W	AC01007-0660	56,45	70,00
SC171	16V - 3.75A	6.5*4.4*10mm <b>with pin</b>	60W	AC01007-0660	56,45	70,00
SC172	19V - 3.16A	6.5*4.4*10mm <b>with pin</b>	60W	AC01007-0660	56,45	70,00
SC173	19V - 4.22A	5.5*2.5*10mm <b>with pin</b>	80W	AC01007-0920	72,58	90,00
SC174	20V - 8A	10.0*9.0*6.3mm <b>4-pins</b>	160W	0226A20160	196,77	243,99
<b>IBM series</b>						
SC175	16V - 3.36A	5.5*2.5*12mm straight head	55W	02K6543	56,45	70,00
SC176	16V - 3.5A	5.5*2.5*12mm straight head	55W	02K6810	56,45	70,00
SC177	16V - 4.5A	5.5*2.5*12mm straight head	35W	02K6746	61,29	76,00
SC178	19V - 4.2A	5.5*2.5*12mm straight head	80W	02K6746	72,58	90,00
SC179	20V - 3.25A	7.9*5.4*12mm <b>with pin</b>	65W	92P1107/PA-1900-081	58,06	71,99
SC180	20V - 4.5A	7.9*5.4*12mm <b>with pin</b>	90W	092P1107	78,23	97,01
<b>LS series</b>						
SC181	20V - 3.25A	5.5*2.5*12mm bent head	65W	LSE9802A2060	56,45	70,00
SC182	20V - 6A	5.5*2.5*12mm straight head	120W	LSE0110A20120	105,65	131,01
SC183	20V - 8A	10.0*9.0*6.3mm <b>4-pins</b>	160W	0226A20160	196,77	243,99
<b>NEC series</b>						
SC184	19V - 3.16A	5.5*2.5*12mm bent head	60W	ADP-60NH	56,45	70,00
SC185	19V - 6.3A	5.5*2.5*12mm straight head	120W	PA-1700-01	105,65	131,01
<b>Samsung series</b>						
SC186	14V - 3A	6.5*4.4*10mm <b>with pin</b>	40W	PSCV420102A	56,45	70,00
SC187	16V - 3.75A	5.0*3.0*10mm <b>with pin</b>	60W	PSCV600104A	56,45	70,00
SC188	19V - 3.15A	5.0*3.0*10mm <b>with pin</b>	60W	PSCV600104A	56,45	70,00
SC189	19V - 4.74A	5.0*3.0*10mm <b>with pin</b>	90W	AD-9019	72,58	90,00
<b>Gateway series</b>						
SC190	19V - 3.16A	5.5*2.5*12mm bent head	60W	SA70-3105	56,45	70,00
SC191	19V - 3.68A	5.5*2.5*12mm bent head	70W	SA70-3105	72,58	90,00
SC192	19V - 4.74A	5.5*2.5*12mm bent head	90W	ADP-90HB	72,58	90,00
<b>Acer series</b>						
SC193	19V - 3.16A	5.5*2.5*12mm bent head	60W	PA-1600-01	56,45	70,00
SC194	19V - 3.42A	5.5*2.5*12mm straight head	65W	PA-1700-02	56,45	70,00
SC195	19V - 3.42A	5.5*1.7*12mm straight head	65W	PA-1600-01	56,45	70,00
SC196	19V - 4.74A	5.5*2.5*12mm bent head	90W	PA-1700-02	72,58	90,00
SC196-17	19V - 4.74A	5.5*1.7*12mm straight head	90W	Acer Aspire 8920G	72,58	90,00
SC197	19V - 6.3A	5.5*2.5*12mm straight head	120W	PA-1700-01	72,58	90,00
SC197-17	19V - 6.3A	5.5*1.7*12mm straight head	120W	Acer Aspire 120W	105,65	131,01
SC198	19V - 7.9A	10.0*9.0*6.3mm <b>4-pins</b>	150W	PA-1700-02	196,77	243,99
SC199	20V - 6A	5.5*2.5*12mm straight head	120W	PA-1121-02	105,65	131,01
SC200	19V - 7.3A	5.5*2.5*12mm straight head	140W	PA-1700-02	196,77	243,99
<b>Apple series</b>						
SC201	24V - 2.65A	7.5*2.5mm small head	65W	A1021	58,06	71,99
SC202	24V - 2A	7.5*2.5mm small head	50W		58,06	71,99
SC203	24V - 1.875A	7.5*2.5mm small head	45W	M4402 PSCV450104A	58,06	71,99
SC204	24V - 2.65A	9.5*3.5mm <b>big head</b>	65W	A1021	58,06	71,99
SC205	24V - 2A	9.5*3.5mm <b>big head</b>	50W	ADC.V24W48.046	58,06	71,99
SC206	24V - 1.875A	9.5*3.5mm <b>big head</b>	45W	M4402 PSCV450104A	58,06	71,99







SC207	16.5V - 3.65A	<b>magnet tip</b>	60W	A1184	<b>146,77</b>	181,99
SC208	18.5V - 4.6A	<b>magnet tip</b>	85W	A1172	<b>179,84</b>	223,00
SC209	24V - 1.875A	<b>7.5*2.5mm small head</b>	45W	M4402 PSCV450104A	<b>84,68</b>	105,00
SC210	24V - 2.65A	<b>7.5*2.5mm small head</b>	65W	A1021	<b>89,52</b>	111,00
SC211	DC adapter 18.5V - 4.6A	<b>magnet tip</b>	85W	A1172	<b>152,42</b>	189,00
SC212	DC adapter 16.5V -	<b>magnet tip</b>	60W	A1184	<b>143,55</b>	178,00
<b>Asus series</b>						
SC212	19V - 3.42A	5.5*2.5*12mm bent head	65W	ADP-65DB	<b>56,45</b>	70,00
SC213	19V - 2.64A	5.5*2.5*12mm bent head	50W	ADP-50SB	<b>56,45</b>	70,00
SC214	19V - 4.74A	5.5*2.5*12mm bent head	90W	ADP-90FB	<b>72,58</b>	90,00
<b>LCD Monitor series, routere, switch, HDD extern cu alimentare separata, diverse</b>						
SC215	12V - 3A	5.5*2.5*12mm straight head	35W	ADP-36EH C	<b>54,84</b>	68,00
SC216	12V - 4A	5.5*2.5*12mm bent head	50W	JSJ-LM-12-48	<b>56,45</b>	70,00
SC217	12V - 5A	5.5*2.5*12mm straight head	60W	JSJ-AC201158G	<b>56,45</b>	70,00
<b>Netbook series</b>						
SC218	9.5V - 2.315A	4.8*1.7*12mm yellow head	20W	AD59230	<b>46,77</b>	57,99
SC219	10.5V - 1.9A	4.8*1.7*12mm yellow head	20W	VGP-AV10V2	<b>46,77</b>	57,99
SC220	12V - 3A	4.8*1.7*12mm yellow head	35W	ADP-36EH C	<b>46,77</b>	57,99
SC221	16V - 2.5A	6.5*4.4*10mm <b>with pin</b>	40W	FPCAC28AP	<b>46,77</b>	57,99
SC222	19V - 1.58A	5.5*1.7*12mm straight head	30W	PA-1300-04	<b>46,77</b>	57,99
SC223	19V - 1.58A	4.0*1.7*12mm yellow head	30W	493092-002	<b>46,77</b>	57,99
SC224	19V - 1.58A	5.5*1.7*12mm straight head	30W	PP39S	<b>46,77</b>	57,99
SC225	19V - 2.1A	5.0*3.0*10mm <b>with pin</b>	40W	ADP-40MH	<b>46,77</b>	57,99
SC226	19V - 2.1A	2.35*0.7*7mm bent head	40W	EXA0901XH	<b>46,77</b>	57,99
SC227	20V - 2A	5.5*2.5*12mm straight head	40W	41R4441	<b>46,77</b>	57,99

COD	Alimentare	Tip conector	Putere	Pret RON fara TVA	Pret RON cu TVA
<b>Compaq Series</b>					
CA101	18.5V - 2.7A	4.8*1.7*12mm black head	50W	<b>66,94</b>	83,01
CA102	18.5V - 3.5A	4.8*1.7*12mm yellow head	65W	<b>66,94</b>	83,01
CA103	18.5V - 3.8A	4.8*1.7*12mm black head	70W	<b>66,94</b>	83,01
CA104	18.5V - 4.9A	9.3*6.6*9mm <b>4-hole</b>	90W	<b>76,61</b>	95,00
CA105	18.5V - 4.9A	4.8*1.7*12mm black head	90W	<b>73,39</b>	91,00
CA106	18.5V - 4.9A	7.4*5.0*12mm <b>with pin</b>	90W	<b>76,61</b>	95,00
CA107	19V - 3.16A	5.5*2.5*12mm bent head	60W	<b>73,39</b>	91,00
CA108	19V - 3.95A	5.5*2.5*12mm bent head	75W	<b>73,39</b>	91,00
CA109	19V - 4.8A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
CA110	19V - 4.9A	5.5*2.5*12mm bent head	95W	<b>73,39</b>	91,00
CA111	19V - 6.3A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
CA112	18.5V - 6.5A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
<b>HP Series</b>					
CA114	18.5V - 3.5A	4.8*1.7*12mm straight head	65W	<b>66,94</b>	83,01
CA115	18.5V - 3.5A	7.4*5.0*12mm <b>with pin</b>	65W	<b>70,16</b>	87,00
CA116	18.5V - 4.74A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
CA117	18.5V - 4.9A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
CA118	18.5V - 6.5A	5.5*2.5*12mm straight head	120W	<b>73,39</b>	91,00
CA119	19V - 3.16A	5.5*2.5*12mm bent head	60W	<b>66,94</b>	83,01
CA120	19V - 3.95A	5.5*2.5*12mm bent head	75W	<b>73,39</b>	91,00
CA122	19V - 4.74A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
CA123	19V - 4.74A	7.4*5.0*12mm <b>with pin</b>	90W	<b>76,61</b>	95,00
CA124	18.5V - 6.5A	<b>oval</b>	120W	<b>88,71</b>	110,00
CA126	18.5V - 6.5A	7.4*5.0*12mm <b>with pin</b>	120W	<b>88,71</b>	110,00
CA128	18.5V - 4.9A	<b>oval</b>	90W	<b>76,61</b>	95,00
<b>Sony Series</b>					
CA129	16V - 3.75A	6.5*4.4*10mm <b>with pin</b>	60W	<b>66,94</b>	83,01
CA130	16V - 4A	6.5*4.4*10mm <b>with pin</b>	65W	<b>66,94</b>	83,01
CA131	19.5V - 2.15A	6.5*4.4*10mm <b>with pin</b>	40W	<b>51,61</b>	64,00
CA132	19.5V - 3A	6.5*4.4*10mm <b>with pin</b>	60W	<b>66,94</b>	83,01
CA133	19.5V - 4.1A	6.5*4.4*10mm <b>with pin</b>	80W	<b>73,39</b>	91,00
CA134	19.5V - 4.7A	6.5*4.4*10mm <b>with pin</b>	90W	<b>73,39</b>	91,00
CA135	19.5V - 5.13A	6.5*4.4*10mm <b>with pin</b>	100W	<b>85,48</b>	106,00
CA136	19.5V - 6.15A	6.5*4.4*10mm <b>with pin</b>	120W	<b>85,48</b>	106,00
CA137	19.5V - 7.7A	6.5*4.4*10mm <b>with pin</b>	150W	<b>85,48</b>	106,00
<b>Toshiba Series</b>					
CA138	15V - 3A	6.3*3.0*12mm straight head	45W	<b>51,61</b>	64,00
CA139	15V - 4A	6.3*3.0*12mm straight head	60W	<b>66,94</b>	83,01
CA140	15V - 5A	6.3*3.0*12mm straight head	75W	<b>73,39</b>	91,00
CA141	15V - 6A	6.3*3.0*12mm straight head	90W	<b>73,39</b>	91,00
CA142	15V - 8A	6.3*3.0*12mm straight head	120W	<b>85,48</b>	106,00
CA143	15V - 8A	9.6*3.6*9mm <b>4-holes</b>	120W	<b>88,71</b>	110,00
CA144	19V - 3.42A	5.5*2.5*12mm straight head	65W	<b>66,94</b>	83,01
CA145	19V - 3.95A	5.5*2.5*12mm bent head	75W	<b>73,39</b>	91,00
CA146	19V - 4.74A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
CA147	19V - 6.3A	6.3*3.0*12mm straight head	120W	<b>85,48</b>	106,00
CA148	19V - 6.3A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
<b>Liteon Series</b>					
CA149	19V - 3.16A	5.5*2.5*12mm bent head	60W	<b>66,94</b>	83,01
CA150	19V - 3.42A	5.5*2.5*12mm bent head	65W	<b>66,94</b>	83,01
CA151	19V - 3.95A	5.5*2.5*12mm bent head	75W	<b>73,39</b>	91,00

CA152	19V - 4.74A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
CA153	19V - 6.3A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
CA154	19V - 6.2A	10.0*9.0*6.3mm <b>4-pins</b>	120W	<b>88,71</b>	110,00
CA155	20V - 6A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
<b>Dell Series</b>					
CA157	19.5V - 3.34A	7.4*5.0*12mm <b>with pin</b>	65W	<b>70,16</b>	87,00
CA158	19.5V - 4.62A	7.4*5.0*12mm <b>with pin</b>	90W	<b>76,61</b>	95,00
CA162	20V - 3.5A	7.4*7.3 <b>Dell head 3-holes</b>	70W	<b>88,71</b>	110,00
CA163	20V - 4.5A	7.4*7.3 <b>Dell head 3-holes</b>	90W	<b>88,71</b>	110,00
<b>Delta Series</b>					
CA166	19V - 2.64A	5.5*2.5*12mm straight head	50W	<b>66,94</b>	83,01
CA167	19V - 3.42A	5.5*2.5*12mm bent head	65W	<b>66,94</b>	83,01
CA168	19V - 4.74A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
CA169	19V - 6.3A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
<b>Fujitsu Series</b>					
CA170	16V - 3.36A	6.5*4.4*10mm <b>with pin</b>	55W	<b>66,94</b>	83,01
CA171	16V - 3.75A	6.5*4.4*10mm <b>with pin</b>	60W	<b>66,94</b>	83,01
CA172	19V - 3.16A	6.5*4.4*10mm <b>with pin</b>	60W	<b>66,94</b>	83,01
CA173	19V - 4.22A	5.5*2.5*10mm <b>with pin</b>	80W	<b>73,39</b>	91,00
<b>IBM Series</b>					
CA175	16V - 3.36A	5.5*2.5*12mm straight head	55W	<b>66,94</b>	83,01
CA176	16V - 3.5A	5.5*2.5*12mm straight head	55W	<b>66,94</b>	83,01
CA177	16V - 4.5A	5.5*2.5*12mm straight head	70W	<b>73,39</b>	91,00
CA178	19V - 4.2A	5.5*2.5*12mm straight head	80W	<b>73,39</b>	91,00
CA179	20V - 3.25A	7.9*5.4*12mm <b>with pin</b>	65W	<b>88,71</b>	110,00
CA180	20V - 4.5A	7.9*5.4*12mm <b>with pin</b>	90W	<b>88,71</b>	110,00
<b>LS Series</b>					
CA181	20V - 3.25A	5.5*2.5*12mm bent head	65W	<b>66,94</b>	83,01
CA182	20V - 6A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
<b>NEC Series</b>					
CA184	19V - 3.16A	5.5*2.5*12mm bent head	60W	<b>66,94</b>	83,01
CA185	19V - 6.3A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
<b>Samsung Series</b>					
CA186	14V - 3A	6.5*4.4*10mm <b>with pin</b>	40W	<b>51,61</b>	64,00
CA187	16V - 3.75A	5.0*3.0*10mm <b>with pin</b>	60W	<b>66,94</b>	83,01
CA188	19V - 3.15A	5.0*3.0*10mm <b>with pin</b>	60W	<b>66,94</b>	83,01
CA189	19V - 4.74A	5.0*3.0*10mm <b>with pin</b>	90W	<b>73,39</b>	91,00
<b>Gateway Series</b>					
CA190	19V - 3.16A	5.5*2.5*12mm bent head	60W	<b>66,94</b>	83,01
CA191	19V - 3.68A	5.5*2.5*12mm bent head	70W	<b>66,94</b>	83,01
CA192	19V - 4.74A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
<b>Acer Series</b>					
CA193	19V - 3.16A	5.5*2.5*12mm bent head	60W	<b>66,94</b>	83,01
CA194	19V - 3.42A	5.5*2.5*12mm straight head	65W	<b>66,94</b>	83,01
CA195	19V - 3.42A	5.5*1.7*12mm straight head	65W	<b>66,94</b>	83,01
CA196	19V - 4.74A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
CA197	19V - 6.3A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
CA198	19V - 7.9A	10.0*9.0*6.3mm <b>4-pins</b>	150W	<b>88,71</b>	110,00
CA199	20V - 6A	5.5*2.5*12mm straight head	120W	<b>85,48</b>	106,00
<b>Apple Series</b>					
CA209	24V - 1.875A	<b>7.5*2.5mm small head</b>	45W	<b>91,94</b>	114,01
CA210	24V - 2.65A	<b>7.5*2.5mm small head</b>	65W	<b>91,94</b>	114,01
CA211	18.5V - 4.6A	<b>magnet tip</b>	85W	<b>158,06</b>	195,99
CA212	16.5V - 3.65A	<b>magnet tip</b>	60W	<b>141,94</b>	176,01
<b>Asus Series</b>					
CA212	19V - 3.42A	5.5*2.5*12mm bent head	65W	<b>66,94</b>	83,01
CA213	19V - 2.64A	5.5*2.5*12mm bent head	50W	<b>66,94</b>	83,01
CA214	19V - 4.74A	5.5*2.5*12mm bent head	90W	<b>73,39</b>	91,00
<b>Netbook Series</b>					







CA218	9.5V - 2.315A	4.8*1.7*12mm yellow head	20W	<b>48,39</b>	60,00
CA219	10.5V - 1.9A	4.8*1.7*12mm yellow head	20W	<b>48,39</b>	60,00
CA220	12V - 3A	4.8*1.7*12mm yellow head	35W	<b>48,39</b>	60,00
CA221	16V - 2.5A	6.5*4.4*10mm <b>with pin</b>	40W	<b>48,39</b>	60,00
CA222	19V - 1.58A	5.5*1.7*12mm straight head	30W	<b>48,39</b>	60,00
CA223	19V 1.58A	4.0*1.7*12mm yellow head	30W	<b>48,39</b>	60,00
CA224	19V - 1.58A	5.5*1.7*12mm straight head	30W	<b>48,39</b>	60,00
CA225	9V - 2.1A	5.0*3.0*10mm <b>with pin</b>	20W	<b>48,39</b>	60,00
CA226	19V - 2.1A	2.35*0.7*7mm bent head	40W	<b>48,39</b>	60,00
CA227	20V - 2A	5.5*2.5*12mm straight head	40W	<b>48,39</b>	60,00







Cod	Model	Connectors	Image	Packing	Pret RON fara TVA	Pret RON cu TVA
U-90HM AU9000H	90W Universal Laptop AC Adapter (With 8 Auto Switch DC connectors And Blister Packaging)				104,84	130,00
U-70HM AU7000H	70W Universal Laptop AC Adapter (With 8 Auto Switch DC connectors And Bilster Packaging)				91,13	113,00
U-40HM AU4000H	40W Universal Laptop AC Adapter (With 8 Auto Switch DC connectors And Bilster Packaging)				79,84	99,00





<p>U-120HM AU12000H</p>	<p>120W Universal Laptop AC Adapter (With 8 Auto Switch DC connectors Color box packing)</p>			<p>136,29</p>	<p>169,00</p>
<p>U-120CA U05.V15W120 .000</p>	<p>120W Universal Laptop DC Adapter Auto (With 8 Auto Switch DC connectors and Bilster Packaging)</p>			<p>109,68</p>	<p>136,00</p>
<p>U-120AI U05.V15W120 .000</p>	<p>120W Universal Laptop DC Adapter Auto/Airplane (With 8 Auto Switch DC connectors and Bilster Packaging)</p>			<p>122,58</p>	<p>152,00</p>










<p>U-90CA  <b>U05.V15W90.000</b></p>	<p>90W Universal Laptop DC Adapter AUTO  (With 8 Auto Switch DC connectors and Bilster Packaging)</p>			<p>92,74</p>	<p>115,00</p>
<p>U-90AI  <b>U05.V15W90.000</b></p>	<p>90W Universal Laptop DC Adapter Auto/Airplane  (With 8 Auto Switch DC connectors and Bilster Packaging)</p>			<p>106,45</p>	<p>132,00</p>
<p>U-70CA  <b>U05.V15W70.000</b></p>	<p>70W Universal Laptop DC Adapter AUTO  (With 8 Auto Switch DC connectors and Bilster Packaging)</p>			<p>84,68</p>	<p>105,00</p>

<p>U-70AI U05 V15W70.000</p>	<p>70W Universal Laptop DC Adapter Auto/Airplane (With 8 Auto Switch DC connectors and Bilster Packaging)</p>			<p>97,58</p>	<p>121,00</p>
<p>U-40CA U05.V15W40.000</p>	<p>40W Universal Laptop DC Adapter AUTO (With 8 Auto Switch DC connectors and Bilster Packaging), E1-E8, E9</p>			<p>75,00</p>	<p>93,00</p>
<p>U-90HAC A/DC9000U</p>	<p>90W Universal AC/DC Adapter (With 12 Auto Switch DC Connectors and Auto DC Cable In Input,Standard packaging)</p>			<p>170,97</p>	<p>212,00</p>
	<p>90W Universal AC/DC Adapter (With 8 Auto Switch DC Connectors and Auto DC Cable In Input,Standard packaging)</p>			<p>145,97</p>	<p>181,00</p>








U-90HAI A/DC9000U	90W Universal AC/DC Adapter (With 12 Auto Switch DC Connectors and Auto/Airplane DC Cable In Input,Standard packaging)			179,03	222,00
	90W Universal AC/DC Adapter (With 8 Auto Switch DC Connectors and Auto/Airplane DC Cable In Input,Standard packaging)			154,03	191,00
U-90SL JSJ- AC191185G	90W Ultra-slim Universal Laptop AC Adapter (Included 12 Auto Switch DC Connectors and Standard Packaging)			157,26	195,00
	90W Ultra-slim Universal Laptop AC Adapter (Included 8 Auto Switch DC Connectors and Standard Packaging)			133,07	165,01









U-90UB AC9000U	90W Universal Laptop AC Adapter with a USB interface output (With 12 Auto Switch DC connectors And Blister Packaging)			133,07	165,01
	90W Universal Laptop AC Adapter with a USB interface output (With 8 Auto Switch DC connectors And Blister Packaging)			103,23	128,01
U-90LE DPAC9000U	90W Universal Laptop AC Adapter with A LED Red Screen (With 12 Auto Switch DC connectors And Blister Packaging)			154,03	191,00
	90W Universal Laptop AC Adapter with A LED Red Screen (With 8 Auto Switch DC connectors And Blister Packaging)			129,03	160,00

U-90LD DPAC9000U	<p>90W Universal Laptop AC Adapter with A LCD Blue Screen (With 12 Auto Switch DC connectors And Blister Packaging)</p>			158,87	197,00
	<p>90W Universal Laptop AC Adapter with A LCD Blue Screen (With 8 Auto Switch DC connectors And Blister Packaging)</p>			134,68	167,00
U-90LDCA DPAC9000U	<p>90W Universal Laptop AC/DC Adapter with A LCD Blue Screen (With 12 Auto Switch DC connectors and Auto DC Cable In Input and Blister Packaging)</p>			208,87	259,00
	<p>90W Universal Laptop AC/DC Adapter with A LCD Blue Screen (With 8 Auto Switch DC connectors and Auto DC Cable In Input and Blister Packaging)</p>			183,87	228,00





<p>U-90LDAI DPAC9000U</p>	<p>90W Universal Laptop AC/DC Adapter with A LCD Blue Screen (With 12 Auto Switch DC connectors and Auto/Airplane DC Cable In Input and Blister Packaging)</p>		<p>216,94</p>	<p>269,01</p>
	<p>90W Universal Laptop AC/DC Adapter with A LCD Blue Screen (With 8 Auto Switch DC connectors and Auto/Airplane DC Cable In Input and Blister Packaging)</p>		<p>191,94</p>	<p>238,01</p>










Standard Straight Tips for Laptops						
No	Output Voltage	Tip Size	Replacement Models	Pret fara TVA	Pret cu TVA	Photo Straight
M1	15V(90W Max)	6.3*3.0mm	TOSHIBA:15V/3A,15V/4A,15V/5A,15V/6A NEC:15V/6A etc.	4,84	6,00	
M2	16V(90W Max)	5.5*2.5mm	IBM,Lenovo:16V/2.2A,16V/3.36A,16V/3.5A,16V/4.5A etc.	4,84	6,00	
M3	16V(90W Max)	6.5*4.4mm	SONY: 16V/3.42A,16V/3.75A,16V/4A FUJITSU: 16V/3.36A, 16V/3.75A etc.	4,84	6,00	
M4	18.5V(90W Max)	4.8*1.7mm	HP/COMPAQ:18.5V/2.7A,18.5V/3.5A,18.5V/3.8A,18.5V/4.9A etc.	4,84	6,00	
M5	19V(90W Max)	5.5*2.5mm	IBM:19V/4.2A; HP/COMPAQ:19V/4.9A; DELTA:19V/2.64A ASUS:19V/4.74A NEC:19V/2.64A,19V/3.16A TOSHIBA:19V/3.16A,19V/3.42A,19V/4.74A; GATEWAY:19V/3.16A,19V/3.42A,19V/3.68A,19V/4.74A LITEON:19V/3.16A,19V/3.42A,19V/3.95A,19V/4.74A etc.	4,84	6,00	
M6	19V(90W Max)	5.0*3.0mm	SAMSUNG: 19V/3.16A,19V/3.75A,19V/4.22A,19V/4.74A etc.	4,84	6,00	
M7	19V(90W Max)	5.5*2.1mm	ACER:19V/3.16A,19V/3.42A,19V/4.74A; LITEON:19V/3.16A,19V/3.42A; NEC:19V/3.16A etc.	4,84	6,00	
M8	19.5V(90W Max)	6.5*4.4mm	SONY: 19.5V/2.7A,19.5V/3A,19.5V/4.1A,19.5V/4.7A etc.	4,84	6,00	
Optional Straight Tips for Laptops						
M9	19.5V(90W Max)	7.4*5.0mm	DELL: 19.5V/3.34A, 19.5V/4.62A etc.	10,48	13,00	
M10	20V(90W Max)	3 holes	DELL: 20V/3.5A,20V/4.5A etc.	6,45	8,00	

M11	20V(90W Max)	7.9*5.4mm	IBM/LENOVO: 20V/4.5A,20V/3.25A etc.	6,45	8,00	
M12	18.5V(90W Max)	7.4*5.0mm	HP/COMPAQ: 18.5V/3.5A etc.	6,45	8,00	
M13	24V(90W Max)	7.5*2.5mm	Apple: 24V/1.875A,24V/2A,24V/2.65A	8,87	11,00	
M14	18.5V(90W Max)	OVAL	HP/COMPAQ: 18.5V/4.9A etc.	8,87	11,00	
M15	19V(90W Max)	5.5*1.7mm	TOSHIBA: 19V/3.95A ACER: 19V/3.42A	4,84	6,00	
M16	16.5V(90W Max)	Magnetic	Apple: Mac book 16.5V 3.65A	46,78	58,01	
M17	18.5V(90W Max)	Magnetic	Apple: Mac book 18.5V 4.59A	46,78	58,01	
M4B	18.5V(90W Max)	4.8*1.7mm Bullet	HP/COMPAQ:18.5V/2.7A,18.5V/3.5A,1 8.5V/3.8A,18.5V/4.9A etc.	4,84	6,00	

#### Standard Tips for Laptops

No	Output Voltage	Tip Size	Replacement Models	Pret fara TVA	Pret cu TVA	Photo
						Bent
M1	15V(90W Max)	6.3*3.0mm	TOSHIBA:15V/3A,15V/4A,15V/5A,15V/ 6A NEC:15V/6A etc.	3,23	4,01	
M2	16V(90W Max)	5.5*2.5mm	IBM,Lenovo:16V/3.36A,16V/3.5A,16V/4 .5A etc.	3,23	4,01	
M3	16V(90W Max)	6.5*4.4mm	SONY: 16V/3.42A,16V/3.75A,16V/4A FUJITSU: 16V/3.36A, 16V/3.75A etc.	3,23	4,01	
M4	18.5V(90W Max)	4.8*1.7mm	HP/COMPAQ:18.5V/2.7A,18.5V/3.5A,1 8.5V/3.8A,18.5V/4.9A etc.	3,23	4,01	

M5	19V(90W Max)	5.5*2.5mm	<b>IBM:</b> 19V/4.2A <b>HP/COMPAQ:</b> 19V/4.9A; <b>TOSHIBA:</b> 19V/3.16A,19V/3.42A,19V/4.74A; <b>LITEON:</b> 19V/3.16A,19V/3.42A,19V/3.95A,19V/4.74A; <b>GATEWAY:</b> 19V/3.16A,19V/3.42A,19V/3.68A,19V/4.74A <b>NEC:</b> 19V/2.64A,19V/3.16A; <b>DELTA:</b> 19V/2.64A; <b>ASUS:</b> 19V/4.74A etc.	3,23	4,01	
M6	19V(90W Max)	5.0*3.0mm	<b>SAMSUNG:</b> 19V/3.16A,19V/3.75A,19V/4.22A,19V/4.74A etc.	3,23	4,01	
M7	19V(90W Max)	5.5*2.1mm	<b>ACER:</b> 19V/3.16A,19V/3.42A,19V/4.74A; <b>LITEON:</b> 19V/3.16A,19V/3.42A; <b>NEC:</b> 19V/3.16A etc.	3,23	4,01	
M8	19.5V(90W Max)	6.5*4.4mm	<b>SONY:</b> 19.5V/2.7A,19.5V/3A,19.5V/4.1A,19.5V/4.7A etc.	3,23	4,01	
<b>Optional Tips for Laptops</b>						
M9	19.5V(90W Max)	7.4*5.0mm	<b>DELL:</b> 19.5V/3.34A, 19.5V/4.62A etc.	10,48	13,00	
M10	20V(90W Max)	3 holes	<b>DELL:</b> 20V/3.5A,20V/4.5A etc.	6,45	8,00	
M11	20V(90W Max)	7.9*5.4mm	<b>IBM/LENOVO:</b> 20V/4.5A,20V/3.25A etc.	6,45	8,00	
M12	18.5V(90W Max)	7.4*5.0mm	<b>HP/COMPAQ:</b> 18.5V/3.5A etc.	6,45	8,00	
M13	24V(90W Max)	7.5*2.5mm	<b>Apple:</b> 24V/1.875A,24V/2A,24V/2.65A	8,87	11,00	
M4B	18.5V(90W Max)	4.8*1.7mm Bullet	<b>HP/COMPAQ:</b> 18.5V/2.7A,18.5V/3.5A,18.5V/3.8A,18.5V/4.9A etc.	3,23	4,01	
<b>Standard Tips for E-PC</b>						
No	Output Voltage	Tip Size	Replacement Models	Pret fara TVA	Pret cu TVA	Photo Bent
E1	9.5V(40W Max)	4.8*1.7mm	<b>Asus:</b> 9.5V/2.315A	3,23	4,01	

E2	10.5V(40W Max)	4.8*1.7mm	Sony:10.5V/1.9A	3,23	4,01	
E3	12V(40W Max)	4.8*1.7mm	Asus: 12V/3A	3,23	4,01	
E4	19V(40W Max)	4.0*1.7mm	HP: 19V/1.58A	3,23	4,01	
E5	19V(40W Max)	5.5*1.7mm	Acer:19V/1.58A, Dell: 19V/1.58A	3,23	4,01	
E6	19V(40W Max)	5.5*3.0mm	Samsung: 19V/2.1A	3,23	4,01	
E7	19V(40W Max)	2.35*0.7mm	Asus: 19V/2.1A	3,23	4,01	
E8	20V(40W Max)	5.5*2.5mm	Lenovo/LS:20V/2A	3,23	4,01	
E9	19V(40W Max)	5.5*5.5mm Bullet	Toshiba: 19V/2.1A	3,23	4,01	