





Portable CNC Tube Cutting Machine



Model : SNR-KB-XG






Brief introduction:

SNR-KB-XG is the new type of the tube cnc cutting machine, equipped with one portable cnc cutting machine and the chuck system. Produced by Beijing Seignior, both can cut the plate sheet metal and the tube (pipe). According the different diameter of the tube, we will use the different motor and reducer. This kind of the portable tube cutting machine will reduce the worker and the cut quality is more stable and perfect than the handle cut. As the optional we will supply one pipe nesting software, named SNR FreePipe , you can use the SNR FreePipe to draw or load in your CAD drawing, nesting freedom, and can reduce programming time

The most important is, its price is very good, most customer have a ability to own one set.

Features

- NEW tube CNC controller
- Panasonic motor
- High accuracy chuck
- Auto torch height controller
- Tube nesting software (optional)
- 24KGS STEEL rail for the tube.
- Standard effective cutting: 800x3000mm , 800X6000mm





Parameters

Model:	SNR-KB-XG	Motor:	Step and Panasonic servo
Cut area:	0.8x3.0M/ 6.0m	CNC:	7.0 inch color
Move speed:	0-8M/min	Input:	220V 20/60Hz
Tube diameter:	φ 50—250mm	Cut type:	Gas and plasma
Tube thickness	≅ 15mm	Nest software	SNR FreePipe





8/14

Contact:: Windy Zhao
Email:summer@snrnc.com

Mobile: 0086-13520106018
Add: Shijingshan District, Beijing, China




Cut samples

Contact: Windy Zhao
Email: summer@snrnc.com


Mobile: 0086-13520106018
Add: Shijingshan District, Beijing, China



New tube nesting software: SNR FreePipe



support many kinds of Tube types



Adjust the parameter and angle freely



Portable tube cutting machine configuration

<i>Model No.</i>	<i>SNR-KB-XG</i>			
	<i>D250-W</i>	<i>D250-P</i>	<i>D500-W</i>	<i>D500-P</i>
<i>Plate cut area</i>	<i>According to customer's requirements</i>			
<i>Tube diameter</i>	<i>50-250mm</i>	<i>50-250mm</i>	<i>50-500mm</i>	<i>50-500mm</i>
<i>Reducer</i>	<i>Worm reducer</i>	<i>Planetary reducer</i>	<i>Worm reducer</i>	<i>Planetary reducer</i>
<i>Chuck motor</i>	<i>Panasonic 400W</i>		<i>Panasonic 750W</i>	
<i>Plate cut speed</i>	<i>8M/min</i>			
<i>Tube weight</i>	<i>≤250kgs</i>	<i>≤400kgs</i>	<i>≤250kgs</i>	<i>≤600kgs</i>
<i>Input voltage</i>	<i>AC 220V</i>			
<i>power</i>	<i>800W</i>		<i>1100W</i>	
<i>Roller No.</i>	<i>According the tube length and weight</i>			
<i>Cut accuracy</i>	<i>0.5mm</i>			
<i>Cut type</i>	<i>Plasma and gas cut</i>			
<i>Dust Extraction</i>	<i>optional</i>			

Cooperator:

