

/Moon

**Masini de taiat pentru piatra naturala,
materiale compozite si ceramica**

Cutting machines for natural stones,
agglomerates and tiles



Moon

Masina de taiat semi-automata cu cale de rulare fixa a capului de debitare, pentru marmura, granit si ceramica.

Semi-automatic bench saw with fixed bridge for cutting marble, granite and ceramic.



Opritor lateral.
Manual back stop.



Masa cu role (frontala sau posterioara).
Idle roller table (front or back).

Accesorii standard / Accessories

- ✓ **Axele X si Z motorizate**
Motorized "X" and "Z" Axis.
- ✓ **Opritor lateral**
Lateral rollaway back stop.
- ✓ **Rezervor apa cu pompa de recirculare**
Water tank with recirculation pump.

Optionale

- ✓ **Opritor lateral posterior**
Manual rollaway back stop.
- ✓ **Laser linie taiere**
Laser for cutting line.
- ✓ **Masa cu role.**
Nr. 2 idle roller tables (front or back).



Miscare motorizata pe axa Z.
Motorized lifting head "Z" Axis.
SPECIFICATII TEHNICE



Rezervor apa cu pompa de recirculare.
Water tank with recirculation pump.

| Model | | MOON |
|---|-------------|---|
| Cursa max. lungime (axa X) Max. longitudinal stroke X axis | mm Inch. | 3300 130" |
| Cursa max. verticala (axa Z) Max. vertical stroke Z axis | mm Inch. | 200 7.87" |
| Inclinare manuala cap taiere (axa A) Manual tilting head A axis | ° | 0 / 45 |
| Putere motor principal(S6) Main motor power (S6) | kW-Hp | 5.5 - 7.5 / 7.5 - 10 |
| Viteza rotatie disc Speed main motor | Rpm | 1400 / 2800 1700 / 3400* |
| Diametru min / max. disc Min/Max. blade diameter / blade hole | mm Inch. | 300 - 500 / 35 11.81 - 19.68" / 1.38" |
| Adancime max.taiere Max. cutting thickness | mm Inch. | 150 5.90" |
| Greutate aprox. Approximate weight | kg lb | 1150 2535 |
| Dimensiuni Dimensions | mm Inch. | 4590 x 1150 x 2150 180.70" x 45.27" x 84.64" |
| Tensiune standard Standard voltage | V-Hz | 400 / 50 230 / 60 3Ph * |

* Solo versione UL/CSA - UL/CSA version only

Datele tehnice si imaginile din oferta au caracter indicativ si pot suferi modificari.

The above technical datas and the pictures included in this leaflet, are for general information only and they can be changed without notice.