



Rainwater harvesting in style

CATALOGUE - STYLISH TANKS



CLASSIC LINE

EXCLUSIVE LINE

BASIC LINE

We love
our garden!



There's a stylish tank to suit all tastes



Make some serious savings

Mains water is an expensive commodity – much too expensive to be used for watering plants. Rainwater harvesting is a perfectly available alternative. GRAF offers a range of stylish harvesting rainwater tanks for your garden which are both kind on your purse and extremely pleasing to the eye.

Smart people water their garden with rainwater

For plants, there's no water better than rainwater. It's clean, soft, well-behaved, free and falls from the sky on a regular basis. It's much better than tap water and groundwater, which are cold and often hard. Rainwater tanks are therefore becoming an increasingly common feature in gardens.

A special filter, which filters the precious resources and prevents the tank from overflowing, makes the ideal connection to the downpipe.


Choose your tank from more than 50 sizes, shapes and colours



CLASSIC LINE

CLASSIC LINE


Page 4-15 Decorative rainwater tanks – choose the design you like best



EXCLUSIVE LINE

EXCLUSIVE LINE

Page 16-23 The new design line for the highest quality standards



BASIC LINE

BASIC LINE

Page 24-29 Essential for outstanding water quality and convenient use





Rainwater amphora

Bringing a Mediterranean flair to your garden



For suitable taps and accessories, see page 30





For outstanding water quality: downpipe filters from page 32



Threaded connection as standard! Tap can be fitted with ease without drilling

- Mediterranean-style rainwater storage tank
- Large storage volume with little space requirement
- Wind protection included in the scope of supply
- Winterproof – leave tap open if there is a risk of frost. Residual water can remain in the tank
- Pre-fitted inlet seal DN 50
- Particularly UV-stable and weather-resistant

Rainwater amphora

Content [L]	US gallons	Ø max. [cm]	Height [cm]	Ø cover opening [cm]	Weight [kg]	 Terracotta Order no.	 Sand Order no.
300	79	68	129	18	12	211701	211703
500	132	79	150	18	17	211702	211704

Picture shows rainwater amphora with tap (accessories, page 30)

Rainwater wall amphora

Mediterranean flair for small spaces



- Mediterranean-style rainwater storage tank
- Particularly space-saving – tank is just 55 cm deep
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Wind protection and inlet seal DN 50 included in scope of supply
- Winterproof – leave tap open if there is a risk of frost. Residual water can remain in the tank
- Threaded connection as standard! No drilling required to install the tap
- Particularly UV-stable and weather-resistant



For suitable taps and accessories, see page 30



For outstanding water quality: downpipe filters from page 32

Rainwater wall amphora

Content [L]	US gallons	Width [cm]	Depth [cm]	Height [cm]	Ø cover opening [cm]	Weight [kg]	Terracotta Order no.
350	92	79	55	150	18	21	211705

Picture shows rainwater wall amphora with tap (accessories, page 30)

Column wall tank


Stylish and space-saving



- Particularly space-saving – tank is just 48 cm deep (350 l tank)
- Elegant and extremely stable
- Wind protection and inlet seal DN 50 included in scope of supply
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Winterproof – leave tap open if there is a risk of frost. Residual water can remain in the tank
- Threaded connection as standard! No drilling required to install the tap
- Particularly UV-stable and weather-resistant






For suitable taps and accessories, see page 30



For outstanding water quality: downpipe filters from page 32

Column wall tank

Content [L]	US gallons	Width [cm]	Depth [cm]	Height [cm]	Ø cover opening [cm]	Weight [kg]	 Sand beige Order no.	 Stone grey Order no.	 Dark green Order no.
350	92	73	48	193	18	25	326526	-	-
550	146	88	52	212	18	37	326521	326520	326525

Picture shows column wall tank with tap (accessories, page 30)




Column tank

The stylish rainwater tank



For suitable taps and accessories, see page 30






For outstanding water quality: downpipe filters from page 32



Threaded connection as standard! Tap can be fitted with ease without drilling

- Classic design – extremely stable
- Wind protection and inlet seal DN 50 included in scope of supply
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Winterproof – leave tap open if there is a risk of frost. Residual water can remain in the tank
- Particularly UV-stable and weather-resistant

Column tank

Content [L]	US gallons	Ø max. [cm]	Height [cm]	Ø cover opening [cm]	Weight [kg]	 Sand beige Order no.	 Stone grey Order no.	 Dark green Order no.
330	87	59	161	18	14	326530	326531	-
500	132	73	193	18	25	326510	326512	-
1000	264	91	222	18	44	326505	326506	326503
2000	528	118	223	18	75	326540	-	-

Picture shows column tank with tap (accessories, page 30)



Elegance wall tank

Timelessly elegant



For suitable taps and accessories, see page 30





For outstanding water quality: downpipe filters from page 32



Threaded connection as standard! Tap can be fitted with ease without drilling

- Stylish and timeless rainwater storage tank
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Wind protection and inlet seal DN19/32 included in scope of supply
- Winterproof – leave tap open if there is a risk of frost. Residual water can remain in the tank
- Particularly UV-stable and weather-resistant

Elegance wall tank

Content [L]	US gallons	Width [cm]	Depth [cm]	Height [cm]	Weight [kg]	 Sand beige Order no.	 Stone grey Order no.
400	105	60	60	180	18	212302	212301

Picture shows Elegance wall tank with tap (accessories, page 30)



Wall tank

With a natural stone finish



For suitable taps and accessories, see page 30





For outstanding water quality: downpipe filters from page 32



Threaded connection as standard! Tap can be fitted with ease without drilling

- Tank features a natural stone finish so it can be installed next to an outside wall
- Large storage volume with little space requirement
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Wind protection and inlet seal DN 19/32 included in scope of supply
- Incl. tap opening to empty the storage tank before the weather turns frosty
- Particularly UV-stable and weather-resistant

Wall tank

Content [L]	US gallons	Width [cm]	Depth [cm]	Height [cm]	Weight [kg]	 Sand beige Order no.	 Stone grey Order no.
300	89	120	40	100	40	326121	326120

Picture shows wall tank with tap (accessories, page 30)



2in1 water tank

Modern dual-function unit



For suitable taps and accessories, see page 30






For outstanding water quality: downpipe filters from page 32



Threaded connection as standard! Tap can be fitted with ease without drilling

- The dual-function tank for rainwater harvesting and decoration
- Integrated plant cup for an individual design
- Plant cup can be removed for planting or cleaning
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Winterproof – leave tap open if there is a risk of frost. Residual water can remain in the tank
- Wind protection, inlet seal DN 19/32 and plant fleece included in scope of supply
- Particularly UV-stable and weather-resistant

2in1 water tank with plant cup

Content [L]	US gallons	Ø max. [cm]	Height [cm]	Weight [kg]	 Sand beige Order no.	 Zink grey Order no.	 Mocca Order no.
300	79	62	145	16	326110	326111	326109

Picture shows 2in1 water tank with tap (accessories, page 30). Decoration is not included in the scope of supply.

EXCLUSIVE LINE



Each tank
is unique



Surface-structure looks
surprisingly realistic

Antique amphora

Give your home a Mediterranean flair



EXCLUSIVE LINE

Antique amphora / Antique plant amphora

EXCLUSIVE LINE



① Antique amphora

- Faithful replication of a terracotta vase
- Each tank is unique
- Integrated plant cup for an individual design
- Highly elaborate details
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Winterproof – leave tap open if there is a risk of frost. Residual water can remain in the tank

- Inlet seal DN 19/32 and plant fleece included in scope of supply
- Particularly UV-stable and weather-resistant

② Antique plant amphora

- Can be used for decoration or simply as a planter

Tipp

Half-fill your planter with expanded clay and then get planting.



High-quality brass thread for easy installation of the tap without drilling



For outstanding water quality: downpipe filters from page 32



For suitable taps and accessories, see page 30



① Antique amphora

Content [L]	US gallons	Ø max. [cm]	Width above handles [cm]	Height [cm]	Weight [kg]	Sand stone Order no.	Terracotta Order no.
200	52	70	79	108	15	211605	211601
360	95	78	88	120	20	211606	211602
600	158	92	104	142	30	211613	211612

Picture shows antique amphora with tap (accessories, page 30) Decoration is not included in the scope of supply.



5
years
warranty



FILTER TIP!
page 34
REGENDIEN DE LUXE

③ Antique wall amphora

- Faithful replication of a terracotta vase
- Each tank is unique
- Particularly space-saving – tank is just 54 cm deep
- Integrated plant cup for an individual design
- Highly elaborate details
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Winterproof – leave tap open if there is a risk of frost. Residual water can remain in the tank
- Wind protection, inlet seal DN 19/32 and plant fleece included in scope of supply
- Particularly UV-stable and weather-resistant





② Antique plant amphora

Width [cm]	Height [cm]	Ø max. [cm]	Weight [kg]	 Sand stone Order no.	 Terracotta Order no.
59	80	52	7	211604	211600




③ Antique wall amphora

Content [L]	US gallons	Width [cm]	Depth [cm]	Height [cm]	Weight [kg]	 Sand stone Order no.	 Sand stone Order no.
260	68	88	54	120	20	211607	211603

Picture shows wall tank antique amphora with tap (accessories, page 30) and antique plant pot. Decoration is not included in the scope of supply.



Extremely high-quality
workmanship



Surface-structure looks
surprisingly realistic



Sunda wall tank

Modern wicker finish



For suitable taps and accessories, see page 30



For outstanding water quality: downpipe filters from page 32



Threaded connection as standard! Tap can be fitted with ease without drilling

- Very high-quality tank with a modern wicker finish
- Unique design and surface
- Winterproof – leave tap open if there is a risk of frost. Residual water can remain in the tank
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Wind protection and inlet seal DN 19/32 included in scope of supply
- Particularly UV-stable and weather-resistant

Sunda wall tank



Content [L]	Width [cm]	Depth [cm]	Height [cm]	Weight [kg]	Mocca Order no.
300	80	40	118	15	212100

Picture shows Sunda wall tank with tap (accessories, page 30)



Each tank is
unique



Surface-structure looks
surprisingly realistic



Woody wall tank

With a wooden finish



For suitable taps and accessories, see page 30





For outstanding water quality: downpipe filters from page 32



High-quality brass thread for easy installation of the tap without drilling

- Particularly robust decorative rain-water storage tank with a wooden finish so it can be installed next to an outside wall
- Large storage volume with little space requirement
- Wind protection and inlet seal
DN 19/32 included in scope of supply
- Connect two tanks or to empty the storage tank before the weather turns frosty
- Water can be extracted with ease using the tap or universal hose kit (accessories, page 30)
- Tap can be installed with ease (accessories, page 30) thanks to preformed threaded connection
- Particularly UV-stable and weather-resistant

Woody wall tank

Content [L]	US gallons	Width [cm]	Depth [cm]	Height [cm]	Weight [kg]	 darkwood Order no.	 lightwood Order no.
350	92	124	40	100	40	212200	212201

Picture shows woody wall tank with tap (accessories, page 30)

Garden tank

With integrated level indicator



- Suited for garden and cellar installation
- Can be extended in any way
- Convenient cleaning thanks to large cover

- Cover with child-proof lock
- Transparent universal hose kit, can also be used as level indicator



For outstanding water quality: downpipe filters from page 32

Garden tank

Content [L]	US gallons	Width [cm]	Depth [cm]	Height [cm]	Ø cover opening [cm]	Weight [kg]	Dark green Order no.
500	132	88	72	108	38	20	326022
750	198	88	72	161	38	30	326010
1000	264	105	77	174	38	43	326011
2000 Set*	528			see 1000 l tank			326015


*Kit consists of 2 x 1000 l tank, including connection kit

Top tank

Large storage capacity at an attractive price



- Reasonably priced solution for above-ground rainwater harvesting
- Extremely stable
- Can be extended in any way
- UV-stable and 100 % recyclable
- Preformed connections: 2 x DN 70, 2 x DN 100 and 1 x DN 200 suitable for standard high-temperature wastewater pipes.



Easy of transport.
Half-shells are stackable



For suitable taps and accessories, see page 30



For outstanding water quality: downpipe filters from page 32

Top tank accessories

Drill DN 70

With mounting shank

Order no. 202002

Suction fitting or hose

(floating)

Order no. 330054

Extension kit DN 70

Consisting of 2 special seals

Order no. 322010

Top tank

Content [L]	US gallons	Ø max. [cm]	Height [cm]	Weight [kg]	Dark green Order no.
1300	343	118	156	30	323001

Picture shows Top tank with extension kit DN 70 with tap (accessoires, page 30)

Toscana water butt

Mediterranean flair at an attractive price



- Plastic water butt combined with the classic shape of a terracotta plant pot
- Available with matching stand to allow rainwater to be easily extracted into a watering can using the tap
- Incl. child-proof lock and Aqua-Quick plastic tap with a brass finish, size 3/4"



Stand for Toscana water butt
Water butt stand for Toscana water butts. For conveniently extracting water to a watering can using the tap.



For suitable taps and accessories, see page 30

Toscana water butt

Content [L]	US gallons	Ø max. [cm]	Height [cm]	Terracotta Order no.
300	79	82	86	500216



Stand for Toscana water butt

Suitable for [L]	US gallons	Height [cm]	Terracotta Order no.
300	79	33	502010



Picture shows Toscana 300 l water butt with stand (accessory)

Lanzarote water butt

Water butt in a different way- trendy colour



- Plastic water butt in a trendy colour
- Also available with matching stand to allow rainwater to be easily extracted into a watering can using the tap
- Incl. child-proof lock and Aqua-Quick plastic tap with a brass finish, size 3/4 "



Stand for Lanzarote water butt
 Water butt stand for Lanzarote water butts. For conveniently extracting water to a watering can using the tap.



For suitable taps and accessories, see page 30

Lanzarote water butt				
Content [L]	US gallons	Ø max. [cm]	Height [cm]	Graphite grey Order no.
300	79	82	86	500222

Picture shows Toscana 300 l water butt with stand (accessory)

Stand for Lanzarote water butt		
Suitable for [L]	Height [cm]	Graphite grey Order no.
300	33	502015

Round water butt

The classic



- Maximum stability thanks to stable base and stacking edge design
- Tap can be installed with ease thanks to mounting surface with hole pattern
- Including tap and cover
- Available with water butt stand as an option



Round water butt stand

Water butt stand for round water butts. For conveniently extracting water to a watering can using the tap.



For suitable taps and accessories, see page 30

Round water butt

Content [L]	US gallons	Ø max. [cm]	Height [cm]	Dark green Order no.
210	55	77	80	500212
310	81	80	94	500213
510	134	100	110	500214

Picture shows 310 l water butt with stand (accessory)

Round water butt stand

Suitable for [L]	US gallons	Height [cm]	Dark green Order no.
210	55	33	502001
310	81	33	502002
510	134	33	502003

Square water butt

The space-saving alternative



BASIC LINE

Square water butts

Square water butts with cover and tap.
Available in 203 l, 300 l and 520 l sizes.
Including metal bracing for increased stability



203 L



300 L / 520 L



For suitable taps and accessories, see page 30

Heavy version

Robust, heavy version with very thick walls. Available in 210 l, 400 l and 650 l sizes.

Square stand

Water butt stand for square water butts.
For conveniently extracting water to a watering can using the tap.

Square water butt

Content [L]	US gallons	Width [cm]	Depth [cm]	Height [cm]	Dark green Order no.
203*	53	70	70	82	501205
300	79	80	66	92	501206
520	137	125	80	93	501207

Square stand

Suitable for [L]	US gallons	Height [cm]	Dark green Order no.
203	53	33	502001
300	79	33	502004
520	135	33	502005


Heavy version

Content [L]	US gallons	Width [cm]	Depth [cm]	Height [cm]	Dark green Order no.
210	55	81	63	69	501201
400	105	96	75	84	501202
650	171	126	100	87	501203

Picture shows square water butt with stand (accessory) / *without metal bracing

Accessories

For water butts and above-ground tanks



Tap

A must for all stylish tanks! Suitable for all tanks of Exclusiv - and Classic range, 1,9 cm (3/4") size, incl. Teflon sealing tape

Brass: Order no. 220011

Chrome: Order no. 330282



Tap with tank screw connection

For Herkules, Top and Garden tank, 1,9 cm (3/4") size, incl. Teflon sealing tape.

Tap colour: brass

Order no. 330044



Aqua-Quick 4-part plastic tap kit

For accelerated water flow! Plastic tap with brass finish in complete kit consisting of: tap with seal and screw connection, connecting pieces for common system, 1,3 cm (1/2") and 1,9 cm (3/4"), union nuts and seals

Order no. 504044



Universal hose kit

Aqua-Quick plastic tap with brass finish, suitable for all above-ground tanks and water butts, 1,9 cm (3/4") size.

Order no. 504040



Tap for water butts

Water butt tap with sealing ring and lock nut, 1,9 cm (3/4")

Order no. 504011

Water butt connection kit

Kit for complete water extraction and water level display for above-ground rainwater storage tanks. Consisting of 2.15 m flexible hose, extraction tap and various connection options. Suitable for all storage tanks.

Order no. 220015



Tank screwing 1,9 cm (3/4")

1,9 cm (3/4")

Order no. 504025



Overflow bend

With hose connection 3,2 cm (1 1/4") size

Order no. 330041



5,1 cm (2") size

Order no. 330043



Child-proof lock / wind protection

For water butt cover (reusable), 4 items

Order no. 504016



Water butt connection kit

Consisting of two hose connections with lock nut and 25 cm hose



size	Order no.
1,9 cm (3/4")	504017
1,9 cm (3/4") with drill	504018
3,2 cm (1 1/4")	330031
5,1 cm (2")	330040

Rondo tap pillar

Practical and attractive



- Made from particularly robust and weather-resistant plastic
- The convenient way of extracting water in the garden
- Ideal as an additional extraction point for rainwater harvesting systems

- Option of connecting from below using 1,9 cm (3/4") hose connection
- With drain tap
- Simple installation – holes already in base



Rondo tap pillar

Ø Pillar [cm]	Ø Foot [cm]	Height [cm]	Stone grey Order no.	Sand beige Order no.
12	19	90	356021	356022

Downpipe filter

For every tank the right filter



	Speedy	Quattro Twist	Quattro	Regendieb de luxe	Regendieb	Filling device de luxe	Filling device	Foliage guard
Downpipe sizes 7-10 cm	•	•	•	•	•	•	•	•
Overflow stop function	•	•	•	•	•	•	•	•
Max. roof area	80 m ²	80 m ²	50 m ²	100 m ²	80 m ²	80 m ²	50 m ²	80 m ²
Summer/winter operation								
through turning the filter insert					•			
through change over on the filter body	•	•	•	•		•	•	
through removal of the filter insert								•
Measurements								
Depth	13 cm	20 cm	13,3 cm	-	20 cm	-	-	18 cm
Width	-	16 cm	10,3 cm	-	15 cm	-	-	11 cm
Height	9 cm	24,5 cm	11,9 cm	31,5 cm	25 cm	15 cm	11,5 cm	35 cm
Diameter	6 cm			17,5 cm	-	15 cm	13 cm	-
Rainwater butt connection	3,2 cm (1 ¼")			DN 70 / DN 50 3,2 cm (1 ¼")	DN 70 / DN 50 3,2 cm (1 ¼")	3,2 cm (1 ¼")	2,5 cm (1")	-
Filter cartridge								
Plastic sieve	•	•	•			•	•	•
Stainless steel sieve				•	•			
Colors								
anthracite	•							
grey		•	•	•	•	•	•	•
brown		•	•	•	•	•	•	•
beige		•	•					

**THE INSTALLATION
CHAMPION**
Installed in 5 minutes



- No removal of the downpipe for the installation
- Distance between downpipe and wall is irrelevant
- Including filter and overflow function

- Summer/winter operation
- Downpipe sizes 7-10 cm
- Including core drill and connection seal



Speedy Rain collector

Anthracite: Order no. 503040

Drill



Plug in



Done!



Quattro Twist, Quattro and Regendieb de luxe



Quattro Twist

- Suitable for oval and square downpipes
- Easy to switch from summer to winter operation
- High water yield (approx. 90 %)
- With internal sieve
- Turnable 90 °, patented
- 1" side outlet

Quattro Twist

Grey: Order no. 503050

Brown: Order no. 503051

Beige: Order no. 503052



Quattro


- Suitable for oval and square downpipes
- Easy to switch from summer to winter operation
- High water yield (approx. 90 %)
- 3/4" side outlet
- With internal sieve

Quattro

Grey: Order no. 503060

Brown: Order no. 503061

Beige: Order no. 503062



Regendieb de luxe

- Highest water-quality - reliably filters contaminations out of the rainwater
- Self-cleaning downpipe filter with stainless steel fine filter
- Fills the rainwater tank and prevents full rainwater storage tank from overflowing
- Can be easily switched from summer to winter use by rotating on housing
- Downpipe sizes 7-10 cm
- High water yield (approx. 90%)
- Incl. inlet seal DN 19/32 suitable for all above ground tanks

Regendieb de luxe

Grey: Order no. 344104


Brown: Order no. 344105

Accessories

Water butt connection kit
(hose and screw connection)

Order no. 343500

Regendieb, Filling device de luxe, Filling device and Foliage guard



Regendieb

- Highest water-quality - reliably filters contaminations out of the rainwater
- Self-cleaning downpipe filter with stainless steel fine filter
- Fills the rainwater tank and prevents full rainwater storage tank from overflowing
- Can be easily switched from summer to winter use by turning over the filter insert
- Downpipe sizes 7-10 cm
- High water yield (approx. 90%)
- Incl. inlet seal DN 19/32 suitable for all above ground tanks

Regendieb

Grey: Order no. 343011
Brown: Order no. 343010

Accessories

Water butt connection kit
(hose and screw connection)
Order no. 343500



Filling device de luxe

- Reliably filters out large contaminants (e.g. leaves)
- Prevents full water butts from overflowing
- Can be easily switched from summer to winter use
- Downpipe sizes 7-10 cm
- 3,2 cm (1 1/4") side outlet, with hose and screw connection
- Recommended roof surface max. 80 m²

Filling device de luxe


Grey: Order no. 503015
Brown: Order no. 503014

Filling device

- Like filling device
- 2,5 cm (1") side outlet, with hose and screw connection
- Recommended roof surface max. 50 m²

Filling device

Grey: Order no. 503011
Brown: Order no. 503010



Foliage guard

- Reliably traps leaves and large contaminants, preventing the downpipe from getting blocked
- Ideal in areas with a lot of leaves e.g. as pre-filter
- Self-cleaning and low-maintenance
- Convenient removal of screen area without having to dismantle the filter for cleaning or before frost period
- Can be easily switched from summer to winter use
- Downpipe sizes 7-10 cm

Foliage guard

Grey: Order no. 346013
Brown: Order no. 346011



RAINWATER HARVESTING



INFILTRATION



WASTEWATER TREATMENT SOLUTIONS



MULTIPURPOSE CONTAINERS



Rainwater harvesting solutions

For more information about our rainwater harvesting solutions, ask for our catalogue.

Prices:

A price list with our export conditions is available on request.

Warranty clause:

The warranty mentioned in this brochure only refers to the tank in question and not to the accessories. Within the warranty period we grant free replacement of the material. Further benefits are excluded. Pre-condition for warranty benefits are proper handling, assembly and installation according to the mounting guidelines.

N.B. Protect tanks from frost when installed above-ground! In case of groundwater installation, please contact us for further information previous to the purchase!

For all indications of measurements in this brochure we reserve a tolerance of +/- 3 %. The useful volume of the tanks may be up to 10 % lower than the tank capacity, according to the connecting option.

Technical modifications and further development of the different products are subject to change. Errors excepted.

For all our offers and conclusions of contract are only valid our General Terms and Conditions of Business dated 01/03/2010 which we will send to you on request.

Otto Graf GmbH
Kunststofferzeugnisse
Carl-Zeiss-Straße 2-6
D-79331 Teningen

Phone: +49(0)76 41/5 89-0
Fax: +49(0)76 41/5 89-50
mail@graf.info
www.graf.info

© Otto Graf GmbH, Teningen, Germany
Reproduction – also in extracts –
only with written authorisation
Art.-Nr. 960456/EN