Attachment Of Contract BRT20190930

Machines list:

| No | Item | Parameter | Photo | Qty |
|----|--|---|-------|-----|
| 1. | Flour Mixer Power:4kw Dimension(m):1.2*0.78*1.3 | Main motor:4kw Working Capacity:40kg per batch To mix all kinds of powder together evenly, It mainly consists of frame, agitator and barrel parts. The barrel and the mixing surface of the machine are made of stainless steel to ensure long-term work is non-rust, non-corrosive, non-toxic and harmless. | | 1 |
| 2. | Screw Conveyor Power:1.1kw Dimension(m):2.1*1.4*2.4 | Main motor:0.75kw Material:stainless steel It is suitable for continuous metering and batching of powder materials in various industrial production Environments. it adopts a number of advanced technologies, reliable operation and high control Precision. | | 1 |
| 3. | DSE70 Extruder Power:45kw Dimension(m):2.6*1.0*1.3 Inventer: Delta With cooling system | 1. Main motor power:37kw, frequency control 2.Feeding power:0.75kw frequency control 3. Cutting power: 0.75kw frequency control 4. Gear box oil lubrication pump: 0.37kw 5. Heating power: 10kw 6. Size: 2900x870x1950mm 7. Screw diameter 70mm 8. Screw length 1520mm 9. Screw materials 38CrMoAl 10. Barrel Steel 45# with 11. Other Material: Cutter: Mn-steel Mould: 45# steel Gear box: QT400 Gear: 20CrMoTi Gear shaft: 40Cr Bearing: NSK Feeder, cutter shield, protect plate: stainless steel Support frame: carbon steel 12. Working Capacity: 200kg/h | | 1 |

| 4. | High Hoister Power:0.55kw Dimension(m):1.7*0.52*1.9 | Main motor: 0.37kw Working Capacity: 0-500 kg/h Protect plate: stainless steel Support frame: stainless steel Belt: food grade pvc Size: 2000×600×1700 | 1 |
|----|--|--|---|
| 5. | Electric Dryer(5Layers-5m) Power:45kw Dimension(m):5.3*1.5*2.3 | Main motor:45kw Working Capacity:200kg per batch Belt speed:0.1-10m/minutes, Temperature: 20-200℃ There are Five layer inside, each layer is 5 meters long, it can save space and energy. Electricity heating, used to bake and dry food. There have 40mm thickness asbestos insides the cover to keep the temperature. When the dryer working we tough the cover it is not hot. | 1 |
| 6. | Middle Hoister Power:0.55kw | Main motor: 0.37kw Working Capacity: 0-500 kg/h Protect plate: stainless steel Support frame: stainless steel Belt: food grade pvc Size: 2000×600×1700 | 1 |
| 7. | Double roller Power:0.75kw+0.37kw Dimension(m):3.8*0.8*2.0 | Functions: Flavoring equipment. All stainless steel. Material:stainless steel 201 Function: sprays the oil from the feeding end of the roller the n sprays the flavoring on the surface Feature: Stainless steel material used for flavoring food to make nice taste | 1 |
| 8. | Oil sprayer Power:4.37kw Dimension(m):0.94*0.64*0.79 | Capacity:200-300kg/h Material:stainless steel 201 make the liquid oil and the solid fat be heated, then spray the food surface by the o il pump. Feature: play a role in mixing with the oil and flavoring. Spraying all kinds of oil and fat | 1 |

| 9. | Cooling machine Power:1.23kw Dimension(m):5.3*0.6*1.4 | Capacity: 500 - 600 kg / h Material: food contact 201 Stainless Steel | 1 |
|-----|---|--|---|
| 10. | Accessories | Packing machine | 1 |

IV: About Free Accessories And

Service: a.Free Accessories

| Acceptains | Quantity |
|--|-----------|
| Accessories | Quantity |
| Machine instruction book | 1 |
| 2. Frequency inverter instruction book | |
| 3. Temperature control table | 1 |
| 4. Relays | 1 |
| 5. Contactor | 1 |
| 6. Heating ring | 1 |
| 7. thermocouple | 1 |
| 8. Cutter Belt | 1 |
| 9. Cutter | 12 pieces |
| 10. Electricity Button | 4 |
| 11. Inner hexagon | 1 set |
| 12. Open spanner | 1 set |
| 13. Screwdriver | 1 set |
| 14. Mould | 6 pcs |
| 15. Gloves | 1 |
| 16. Removal Tools | 1 set |
| 17. Bolt and nut for cutter | 1 set |