



WWS

PORTABLE PLATFORMS
FOR VEHICLE WEIGHING



**The best solution
is in your hand!**




WWS

THE STATE OF THE ART VEHICLE WEIGHING SOLUTION EASY TO USE, QUICK, APPROVED.

Dini Argeo, an Italian company specializing in the design and manufacture of scales and weighing systems, is pleased to introduce the WWS platforms, an innovative and technological product, designed and manufactured completely in Italy for the weighing of vehicles and large objects.

The WWS platforms can be used in all the applications in which it is necessary to quickly and simply weigh vehicles or structures with multiple mounting points, such as automobiles, tractors, carts, airplanes, trucks, tankers, containers, bins, bottles, buckets, etc.

They are particularly suitable for creating mobile weighing stations: thanks to their reduced weight and the ease in moving and placing them, in a few minutes it's possible to create a weighing station on any type of firm flat surface.





MODULAR SYSTEM
FROM 2 TO 20 PLATFORMS.



A COMPLETE RANGE
TO MEET YOUR NEEDS

WWS

- **Loading surface** from 400x300 mm to 900x700 mm.
- **Capacity** from 600 to 25.000 kg.
- **Connectable** to the main weight indicator via cable or wireless.
- **Versions** for internal use only or Trade Approved, wheel weighing or axle weighing (OIML R134).

GREAT VERSATILITY OF USE

- **Checking the weight** of the materials transported by vehicles creating easy Delivery/Dispatch product records.
- **Verify the weight** of each single wheel, of each single axle, and then the total weight sums.
- **Calculate the centre of gravity coordinates** of the weighted structure.
- **Weigh** for limited periods of time (harvests, crops, etc.), without the need for permanent foundations.
- Check for possible **vehicle overloading**, avoiding any unpleasant sanctions.
- **The wireless platform**, with its integrated indicator, can be used individually making it very useful for use in many Industry sectors.



INDUSTRY



LOGISTICS



FOODSTUFF



CHEMISTRY



BUILDING




BOATYARD



WOOD
INDUSTRY



FUELS




WWS installed flush floor to the road surface, for dynamic weighing.



QUALITY AND TECHNOLOGY
AT YOUR SERVICE

WWS



WWSE RF
WIRELESS VERSION.

THE RANGE



WWSB

400x300mm
from 600 to 8000kg



WWSC

500x400mm
from 1500 to 15000kg



WWSE / WWSE-RF

700x450mm
from 6000 to 15000kg



WWSD / WWSD-RF

900x500mm
from 6000 to 20000kg



WWSF


900x700mm
from 10000 to 25000kg



WWS

TECHNICAL FEATURES

WIRELESS VERSION




- Reduced high, only 50mm.
- Structure made in a special alloy, extremely sturdy and strong.
- IP68 stainless steel **load cells**.
- IP68 protection degree.
- **Built-in weight indicator** into the platform and protected thanks to an IP68 hermetic box.
- **Built-in radio module** for weight transmission to a remote indicator or external device.
- Integrated wheels to facilitate the transport.
- **Internal rechargeable battery** with a long life.
- Nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Patented technology: patent number 1.342.302.

AVAILABLE ALSO IN:

- CE-M approved version.

VERSION WITH CABLE



- Reduced high, only 50mm.
- Extremely sturdy structure, made in a special alloy of high resistance.
- IP68 protection degree of the load cells and the connectors, for using in presence of water, mud, or dust.
- **Cable storage**, standard fitted in all the models.
- **10 m extension cable** for the connection to the indicator.
- Integrated wheels to facilitate the transport.
- Nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Patented technology: patent number 1.342.302.

AVAILABLE ALSO IN:

- CE-M approved version.
- R134 approved for the dynamic weighing.



1.342.302



R-76/EN 45501



SPECIAL ALLOY



R134 DYNAMIC
WEIGHING



IP 68




WIRELESS



NONSLIP RUBBER

for good grip on all types of surfaces.




INTEGRATED LEVEL

for the correct positioning of the platform.



INTEGRATED WEIGHT INDICATOR

with IP68 protection (Wireless version).



ERGONOMIC TRANSPORT HANDLE

MOBILE, MULTIFUNCTION, WEIGHING
STATION FOR WWS PLATFORMS,
3590E WEIGHT INDICATOR

3590E



RED LED DISPLAY
for a clear display of the total weight.



LCD BACKLIT DISPLAY
able to show the weight of each platform and the centre of gravity.



COMPLETELY CUSTOMIZABLE TICKET.





WWS

THE FUNCTIONS

- Weighing of the entire vehicle in a single operation (**wheel weighing mode**), which requires a number of platforms WWS equal to the wheels of the vehicle to be weighed.
- Weighing of the vehicle by summing the weight of each axle (**axle weighing mode**), which requires only two WWS platforms and the sum axle by axle.
- The acquisition of the weight of each axle can be done manually by pressing a button when the axle is stopped and correctly positioned on the platforms or automatically during the transit of vehicle on the platforms.
- Management of the in/out weighing for the calculation and the recording of the weight of the materials, transported by the vehicles entering or leaving by the company/construction site.
- Automatic calculation of x and y coordinates of the centre of gravity (wheel weighing mode).
- 3 total levels, zeroable and printable in an independent way:
 - total weight of the current vehicle
 - total weight of all weighed vehicles
 - grand total.
- Management of the vehicle tare.
- Database which can be compiled manually by the operator (registration, license plate, transported material, customer, vendor, etc.).
- Database of 1000 records, with configurable password, each composed of 5 alphanumeric descriptions, for vehicle, client, and material management.
- Alibi memory for legal for trade use of the system.

TICKETS

COMPLETELY CUSTOMIZABLE

A **JOHN SMITH LTD**
5TH AVENUE - LONDON
www.john-smith.ltd.uk
0044 - 712648446

B **JOHN SMITH**
5TH AVENUE LONDON

WHEEL	AXLE	WEIGHT
WHEEL 1	AXLE 1	5000kg
WHEEL 2	AXLE 2	5000kg
WHEEL 3	AXLE 3	10000kg
WHEEL 4	AXLE 4	5000kg
WHEEL 5	AXLE 5	10000kg
WHEEL 6	AXLE 6	5000kg
WHEEL 7	AXLE 7	10000kg
WHEEL 8	AXLE 8	5000kg
WHEEL 9	AXLE 9	10000kg
WHEEL 10	AXLE 10	5000kg
WHEEL 11	AXLE 11	10000kg
WHEEL 12	AXLE 12	5000kg
WHEEL 13	AXLE 13	10000kg
WHEEL 14	AXLE 14	5000kg
WHEEL 15	AXLE 15	10000kg
WHEEL 16	AXLE 16	5000kg
WHEEL 17	AXLE 17	10000kg
WHEEL 18	AXLE 18	5000kg
WHEEL 19	AXLE 19	10000kg
WHEEL 20	AXLE 20	5000kg
WHEEL 21	AXLE 21	10000kg
WHEEL 22	AXLE 22	5000kg
WHEEL 23	AXLE 23	10000kg
WHEEL 24	AXLE 24	5000kg
WHEEL 25	AXLE 25	10000kg
WHEEL 26	AXLE 26	5000kg
WHEEL 27	AXLE 27	10000kg
WHEEL 28	AXLE 28	5000kg
WHEEL 29	AXLE 29	10000kg
WHEEL 30	AXLE 30	5000kg
WHEEL 31	AXLE 31	10000kg
WHEEL 32	AXLE 32	5000kg
WHEEL 33	AXLE 33	10000kg
WHEEL 34	AXLE 34	5000kg
WHEEL 35	AXLE 35	10000kg
WHEEL 36	AXLE 36	5000kg
WHEEL 37	AXLE 37	10000kg
WHEEL 38	AXLE 38	5000kg
WHEEL 39	AXLE 39	10000kg
WHEEL 40	AXLE 40	5000kg
WHEEL 41	AXLE 41	10000kg
WHEEL 42	AXLE 42	5000kg
WHEEL 43	AXLE 43	10000kg
WHEEL 44	AXLE 44	5000kg
WHEEL 45	AXLE 45	10000kg
WHEEL 46	AXLE 46	5000kg
WHEEL 47	AXLE 47	10000kg
WHEEL 48	AXLE 48	5000kg
WHEEL 49	AXLE 49	10000kg
WHEEL 50	AXLE 50	5000kg
WHEEL 51	AXLE 51	10000kg
WHEEL 52	AXLE 52	5000kg
WHEEL 53	AXLE 53	10000kg
WHEEL 54	AXLE 54	5000kg
WHEEL 55	AXLE 55	10000kg
WHEEL 56	AXLE 56	5000kg
WHEEL 57	AXLE 57	10000kg
WHEEL 58	AXLE 58	5000kg
WHEEL 59	AXLE 59	10000kg
WHEEL 60	AXLE 60	5000kg
WHEEL 61	AXLE 61	10000kg
WHEEL 62	AXLE 62	5000kg
WHEEL 63	AXLE 63	10000kg
WHEEL 64	AXLE 64	5000kg
WHEEL 65	AXLE 65	10000kg
WHEEL 66	AXLE 66	5000kg
WHEEL 67	AXLE 67	10000kg
WHEEL 68	AXLE 68	5000kg
WHEEL 69	AXLE 69	10000kg
WHEEL 70	AXLE 70	5000kg
WHEEL 71	AXLE 71	10000kg
WHEEL 72	AXLE 72	5000kg
WHEEL 73	AXLE 73	10000kg
WHEEL 74	AXLE 74	5000kg
WHEEL 75	AXLE 75	10000kg
WHEEL 76	AXLE 76	5000kg
WHEEL 77	AXLE 77	10000kg
WHEEL 78	AXLE 78	5000kg
WHEEL 79	AXLE 79	10000kg
WHEEL 80	AXLE 80	5000kg
WHEEL 81	AXLE 81	10000kg
WHEEL 82	AXLE 82	5000kg
WHEEL 83	AXLE 83	10000kg
WHEEL 84	AXLE 84	5000kg
WHEEL 85	AXLE 85	10000kg
WHEEL 86	AXLE 86	5000kg
WHEEL 87	AXLE 87	10000kg
WHEEL 88	AXLE 88	5000kg
WHEEL 89	AXLE 89	10000kg
WHEEL 90	AXLE 90	5000kg
WHEEL 91	AXLE 91	10000kg
WHEEL 92	AXLE 92	5000kg
WHEEL 93	AXLE 93	10000kg
WHEEL 94	AXLE 94	5000kg
WHEEL 95	AXLE 95	10000kg
WHEEL 96	AXLE 96	5000kg
WHEEL 97	AXLE 97	10000kg
WHEEL 98	AXLE 98	5000kg
WHEEL 99	AXLE 99	10000kg
WHEEL 100	AXLE 100	5000kg
WHEEL 101	AXLE 101	10000kg
WHEEL 102	AXLE 102	5000kg
WHEEL 103	AXLE 103	10000kg
WHEEL 104	AXLE 104	5000kg
WHEEL 105	AXLE 105	10000kg
WHEEL 106	AXLE 106	5000kg
WHEEL 107	AXLE 107	10000kg
WHEEL 108	AXLE 108	5000kg
WHEEL 109	AXLE 109	10000kg
WHEEL 110	AXLE 110	5000kg
WHEEL 111	AXLE 111	10000kg
WHEEL 112	AXLE 112	5000kg
WHEEL 113	AXLE 113	10000kg
WHEEL 114	AXLE 114	5000kg
WHEEL 115	AXLE 115	10000kg
WHEEL 116	AXLE 116	5000kg
WHEEL 117	AXLE 117	10000kg
WHEEL 118	AXLE 118	5000kg
WHEEL 119	AXLE 119	10000kg
WHEEL 120	AXLE 120	5000kg
WHEEL 121	AXLE 121	10000kg
WHEEL 122	AXLE 122	5000kg
WHEEL 123	AXLE 123	10000kg
WHEEL 124	AXLE 124	5000kg
WHEEL 125	AXLE 125	10000kg
WHEEL 126	AXLE 126	5000kg
WHEEL 127	AXLE 127	10000kg
WHEEL 128	AXLE 128	5000kg
WHEEL 129	AXLE 129	10000kg
WHEEL 130	AXLE 130	5000kg
WHEEL 131	AXLE 131	10000kg
WHEEL 132	AXLE 132	5000kg
WHEEL 133	AXLE 133	10000kg
WHEEL 134	AXLE 134	5000kg
WHEEL 135	AXLE 135	10000kg
WHEEL 136	AXLE 136	5000kg
WHEEL 137	AXLE 137	10000kg
WHEEL 138	AXLE 138	5000kg
WHEEL 139	AXLE 139	10000kg
WHEEL 140	AXLE 140	5000kg
WHEEL 141	AXLE 141	10000kg
WHEEL 142	AXLE 142	5000kg
WHEEL 143	AXLE 143	10000kg
WHEEL 144	AXLE 144	5000kg
WHEEL 145	AXLE 145	10000kg
WHEEL 146	AXLE 146	5000kg
WHEEL 147	AXLE 147	10000kg
WHEEL 148	AXLE 148	5000kg
WHEEL 149	AXLE 149	10000kg
WHEEL 150	AXLE 150	5000kg
WHEEL 151	AXLE 151	10000kg
WHEEL 152	AXLE 152	5000kg
WHEEL 153	AXLE 153	10000kg
WHEEL 154	AXLE 154	5000kg
WHEEL 155	AXLE 155	10000kg
WHEEL 156	AXLE 156	5000kg
WHEEL 157	AXLE 157	10000kg
WHEEL 158	AXLE 158	5000kg
WHEEL 159	AXLE 159	10000kg
WHEEL 160	AXLE 160	5000kg
WHEEL 161	AXLE 161	10000kg
WHEEL 162	AXLE 162	5000kg
WHEEL 163	AXLE 163	10000kg
WHEEL 164	AXLE 164	5000kg
WHEEL 165	AXLE 165	10000kg
WHEEL 166	AXLE 166	5000kg
WHEEL 167	AXLE 167	10000kg
WHEEL 168	AXLE 168	5000kg
WHEEL 169	AXLE 169	10000kg
WHEEL 170	AXLE 170	5000kg
WHEEL 171	AXLE 171	10000kg
WHEEL 172	AXLE 172	5000kg
WHEEL 173	AXLE 173	10000kg
WHEEL 174	AXLE 174	5000kg
WHEEL 175	AXLE 175	10000kg
WHEEL 176	AXLE 176	5000kg
WHEEL 177	AXLE 177	10000kg
WHEEL 178	AXLE 178	5000kg
WHEEL 179	AXLE 179	10000kg
WHEEL 180	AXLE 180	5000kg
WHEEL 181	AXLE 181	10000kg
WHEEL 182	AXLE 182	5000kg
WHEEL 183	AXLE 183	10000kg
WHEEL 184	AXLE 184	5000kg
WHEEL 185	AXLE 185	10000kg
WHEEL 186	AXLE 186	5000kg
WHEEL 187	AXLE 187	10000kg
WHEEL 188	AXLE 188	5000kg
WHEEL 189	AXLE 189	10000kg
WHEEL 190	AXLE 190	5000kg
WHEEL 191	AXLE 191	10000kg
WHEEL 192	AXLE 192	5000kg
WHEEL 193	AXLE 193	10000kg
WHEEL 194	AXLE 194	5000kg
WHEEL 195	AXLE 195	10000kg
WHEEL 196	AXLE 196	5000kg
WHEEL 197	AXLE 197	10000kg
WHEEL 198	AXLE 198	5000kg
WHEEL 199	AXLE 199	10000kg
WHEEL 200	AXLE 200	5000kg
WHEEL 201	AXLE 201	10000kg
WHEEL 202	AXLE 202	5000kg
WHEEL 203	AXLE 203	10000kg
WHEEL 204	AXLE 204	5000kg
WHEEL 205	AXLE 205	10000kg
WHEEL 206	AXLE 206	5000kg
WHEEL 207	AXLE 207	10000kg
WHEEL 208	AXLE 208	5000kg
WHEEL 209	AXLE 209	10000kg
WHEEL 210	AXLE 210	5000kg
WHEEL 211	AXLE 211	10000kg
WHEEL 212	AXLE 212	5000kg
WHEEL 213	AXLE 213	10000kg
WHEEL 214	AXLE 214	5000kg
WHEEL 215	AXLE 215	10000kg
WHEEL 216	AXLE 216	5000kg
WHEEL 217	AXLE 217	10000kg
WHEEL 218	AXLE 218	5000kg
WHEEL 219	AXLE 219	10000kg
WHEEL 220	AXLE 220	5000kg
WHEEL 221	AXLE 221	10000kg
WHEEL 222	AXLE 222	5000kg
WHEEL 223	AXLE 223	10000kg
WHEEL 224	AXLE 224	5000kg
WHEEL 225	AXLE 225	10000kg
WHEEL 226	AXLE 226	5000kg
WHEEL 227	AXLE 227	10000kg
WHEEL 228	AXLE 228	5000kg
WHEEL 229	AXLE 229	10000kg
WHEEL 230	AXLE 230	5000kg
WHEEL 231	AXLE 231	10000kg
WHEEL 232	AXLE 232	5000kg
WHEEL 233	AXLE 233	10000kg
WHEEL 234	AXLE 234	5000kg
WHEEL 235	AXLE 235	10000kg
WHEEL 236	AXLE 236	5000kg
WHEEL 237	AXLE 237	10000kg
WHEEL 238	AXLE 238	5000kg
WHEEL 239	AXLE 239	10000kg
WHEEL 240	AXLE 240	5000kg
WHEEL 241	AXLE 241	10000kg
WHEEL 242	AXLE 242	5000kg
WHEEL 243	AXLE 243	10000kg
WHEEL 244	AXLE 244	5000kg
WHEEL 245	AXLE 245	10000kg
WHEEL 246	AXLE 246	5000kg
WHEEL 247	AXLE 247	10000kg
WHEEL 248	AXLE 248	5000kg
WHEEL 249	AXLE 249	10000kg
WHEEL 250	AXLE 250	5000kg
WHEEL 251	AXLE 251	10000kg
WHEEL 252	AXLE 252	5000kg
WHEEL 253	AXLE 253	10000kg
WHEEL 254	AXLE 254	5000kg
WHEEL 255	AXLE 255	10000kg
WHEEL 256	AXLE 256	5000kg
WHEEL 257	AXLE 257	10000kg
WHEEL 258	AXLE 258	5000kg
WHEEL 259	AXLE 259	10000kg
WHEEL 260	AXLE 260	5000kg
WHEEL 261	AXLE 261	10000kg
WHEEL 262	AXLE 262	5000kg
WHEEL 263	AXLE 263	10000kg
WHEEL 264	AXLE 264	5000kg
WHEEL 265	AXLE 265	10000kg
WHEEL 266	AXLE 266	5000kg
WHEEL 267	AXLE 267	10000kg
WHEEL 268	AXLE 268	5000kg
WHEEL 269	AXLE 269	10000kg
WHEEL 270	AXLE 270	5000kg
WHEEL 271	AXLE 271	10000kg
WHEEL 272	AXLE 272	5000kg
WHEEL 273	AXLE 273	10000kg
WHEEL 274	AXLE 274	5000kg
WHEEL 275	AXLE 275	10000kg
WHEEL 276	AXLE 276	5000kg
WHEEL 277	AXLE 277	10000kg
WHEEL 278	AXLE 278	5000kg</


APPLICATION EXAMPLES THE SOLUTIONS

WWS


WIRELESS WEIGHING



**WEIGHING
OF THE
ENTIRE
VEHICLE
up to 20
Platforms**



**AXLE
WEIGHING
through 2
Platforms**



2-AXLE VEHICLE WEIGHING



More economical: static axle weighing



More precise: static wheel weighing



2-Axle

1-Axle

2 PLATFORMS

- Excellent weighing accuracy on the vehicle total.
- Easy to install.
- Great money saving.
- Axle by axle weighing.

4 PLATFORMS

- Elevated accuracy weighing on the vehicle total.
- Only 1 weighing operation to obtain all of the weight data: single wheel, single axle, total weight, load center calculation and overload check.
- Weighing with static vehicle.


3, 4, 5... "N"-AXLE VEHICLE WEIGHING



More economical: static axle weighing



Faster: dynamic axle weighing



More precise: static wheel weighing



...



...



n-Axle

2-Axle

1-Axle

2 PLATFORMS

- Excellent weighing accuracy on the vehicle total.
- Easy to install.
- Great money saving.
- Axle by axle weighing.

2 PLATFORMS AND "N" LEVELLING MODULES

- Excellent weighing accuracy on the vehicle total.
- Easy to install and move.
- Great saving in time in the weighing operations.
- Weighing during the transit of the vehicle.

"N" PLATFORMS

- Elevated accuracy weighing on the vehicle total.
- Only 1 weighing operation to obtain all of the weight data: single wheel, single axle, total weight, load center calculation and overload check.





“YOUR WORLDWIDE PARTNER FOR WEIGHING”

**DINI ARGEO
FRANCE sarl**
Nogent-sur-Marne - France
info.fr@diniargeo.com

**DINI ARGEO
GMBH**
Sinsheim - Germany
info.de@diniargeo.com

**DINI ARGEO
UK Ltd**
Taunton - United Kingdom
info.uk@diniargeo.com

**DINI ARGEO WEIGHING
INSTRUMENTS Ltd**
Shanghai - China
info.cn@diniargeo.com

**DINI ARGEO
WEIGHBRIDGES**
Calto (RO) – Italy
info@diniargeo.com



HEAD OFFICE

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418 Fax. +39.0536 843521
info@diniargeo.com

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784 Fax. +39.0536 926654
service@diniargeo.com

