VETTER®
Krantechnik

THE BRAND NEW MOBILUS

Mobile. Smooth-running. Modular.

VETTER – Lifts and moves.

MOBILE.
SMOOTH-RUNNING.
MODULAR.

VETTER-MOBILUS
Mobile column-mounted slewing jib crane

Mobilus by VETTER is a mobile slewing jib crane featuring a capacity range of 125 – 1000 kg and an outreach of up to 6 m.

The new Mobilus has been designed for flexible use as crane assisting in the feeding of machines, for temporary maintenance and repair or as flexible means at assembly and picking places – wherever you need it.

Thanks to the counter weight integrated in the crane base, Mobilus is completely independent. Neither any fastening to the foundation nor any doweling of the crane on the concrete floor is required. The new Mobilus can thereby be used, where floor is not suitable for doweling.

Find brand-new video here:

Scan code to learn more!

THE MOBILUS COUNTER WEIGHT BASE
Transport options

Mobilus counter weight provides di erent transport options and easy installation.



TRANSPORT

For easy displacing, MOBILUS is provided with di erent options.

01

Forklift pockets

Galvanized forklift pockets allow lifting and displacing by means of a forklift truck.

02

Crane trolley with drawbar

The crane trolley with drawbar enables manual traversing.

03

Lifting lugs

Using the lifting lugs an overhead crane can move Mobilus safely to its new place of use.

04

Coupling for towing transport

By retro tting the coupling, Mobilus can be pulled by a forklift truck.

COMMISSIONING

At its destination, Mobilus can be commissioned **quickly** and **easily**:
First, the crane is aligned horizontally using the integrated adjusting screws. Afterwards, it must be connected to the power supply with the plug connection and your Mobilus is ready for use.

05

Alignment

Level the Mobilus with four adjusting screws.

06

Power supply

Easy and quick power supply with plug connection.