

ALUMINIU

Formate si grosimi standard

INFORMATIV

M R G Stainless Group S.R.L.
Bulevardul 1Mai nr. 32 Bucuresti
Telefon +40 31-410 48 12 * Fax +40 31-410 48 12
Mobil +40 72-134 40 99
e-mail: mrgstainlessgroup@yahoo.com
www.mrgstainlessgroup.home.ro
www.aluminiu-cupru-inox.home.ro

Table neallate, nevopsite (DIN 1745 / 1783, EN 485 / 515 / 573)			Al 99,5 - EN AW 1050 A
Cod	Dimensiuni (mm)	Stare	kg/tabla
	0,4 x 1000 x 2000	H 14	2,250
	0,5 x 1000 x 2000	H 14	2,770
	0,6 x 1000 x 2000	H 14	3,300
	0,8 x 1000 x 2000	H 14	4,500
	0,8 x 1250 x 2500	H 14	6,900
	0,8 x 1500 x 3000	H 14	9,920
	1 x 1000 x 2000	H 14	5,600
	1 x 1250 x 2500	H 14	8,700
	1 x 1500 x 3000	H 14	12,500
	1,2 x 1000 x 2000	H 14	6,870
	1,2 x 1250 x 2500	H 14	10,500
	1,2 x 1500 x 3000	H 14	14,990
	1,5 x 1000 x 2000	H 14	8,320
	1,5 x 1250 x 2500	H 14	12,980
	1,5 x 1500 x 3000	H 14	18,700
	2 x 1000 x 2000	H 14	11,080
	2 x 1250 x 2500	H 14	17,300
	2 x 1500 x 3000	H 14	24,910
	2 x 2000 x 4000	H 14	45,000
	3 x 1000 x 2000	H 14	16,610
	3 x 1250 x 2500	H 14	25,960
	3 x 1500 x 3000	H 14	37,370
	4 x 1000 x 2000	H 14	22,140
	4 x 1500 x 3000	H 14	49,820
	5 x 1000 x 2000	H 14	27,680
	5 x 1500 x 3000	H 14	62,300

Table aliate, nevopsite (DIN 1745 / 1783, EN 485 / 515 / 573)			AlMg 3 - EN AW 5754
Cod	Dimensiuni (mm)	Stare	kg/tabla
	1 x 1000 x 2000	H 22	5,540
	1 x 1250 x 2500	H 22	8,650
	1 x 1500 x 3000	H 22	12,460
	1,5 x 1000 x 2000	H 22	8,310
	1,5 x 1250 x 2500	H 22	12,980
	1,5 x 1500 x 3000	H 22	18,680
	2 x 1000 x 2000	H 22	11,170
	2 x 1250 x 2500	H 22	17,300
	2 x 1500 x 3000	H 22	24,950
	3 x 1000 x 2000	H 22	16,610
	3 x 1250 x 2500	H 22	25,960
	3 x 1500 x 3000	H 22	37,370
	4 x 1000 x 2000	H 22	22,500
	4 x 1000 x 2000	H 111	22,140
	4 x 1250 x 2500	H 22	35,100
	4 x 1500 x 3000	H 22	49,840
	5 x 1000 x 2000	H 22	27,680
	5 x 1500 x 3000	H 22	63,800
	6 x 1000 x 2000	H 22	33,210
	6 x 1500 x 3000	H 22	74,730

* piese componente supuse solicitărilor mici, panouri publicitare, plăci frontale

Table anodizabile, cu folie de protecție (DIN 1745 / 1783, EN 485 / 515 / 573)			AlMg 1 - EN AW 5005
Cod	Dimensiuni (mm)	Stare	kg/tabla
	1,5 x 1000 x 2000	H 14 / H 24	8,310
	2 x 1000 x 2000	H 14 / H 24	11,070
	3 x 1000 x 2000	H 14 / H 24	16,610

* piese componente de electronică, carcase, plăci frontale

Table aliate, nevopsite (DIN 1745 / 1783, EN 485 / 515 / 573)			AISI 1 MgMn - EN AW 6082
Cod	Dimensiuni (mm)	Stare	kg/tabla
	1 x 1000 x 2000	T 6	5,740
	1,5 x 1000 x 2000	T 6	8,410
	2 x 1000 x 2000	T 6	11,180
	3 x 1000 x 2000	T 6	16,810
	3 x 1250 x 2500	T 6	25,150
	4 x 1000 x 2000	T 6	22,360
	4 x 1500 x 3000	T 6	49,900
	5 x 1000 x 2000	T 6	20,330
	5 x 1500 x 3000	T 6	62,270
	6 x 1020 x 2020	T 6	34,430
	6 x 1520 x 3020	T 6	76,400

* piese componente supuse solicitărilor mari, elemente de structură

Table striate (DIN 1745 / 1783, EN 485 / 515 / 573; EN 1386)			AlMg 3 - EN AW 5754
Cod	Dimensiuni (mm)	Stare	kg/tabla
	1.5/2 x 1000 x 2000	Diamond	9,100
	1.5/2 x 1250 x 2500	Diamond	12,650
	1.5/2 x 1000 x 2000	Quintett	9,100
	2/2.5 x 1250 x 2500	H 114	18,600
	2/2.5 x 1000 x 2000	H 114	12,350
	2/3.5 x 1000 x 2000	H 114	12,450
	2/3.5 x 1250 x 2500	H 114	19,860
	2.5/4 x 1250 x 2500	H 114	24,350
	2.5/4 x 1000 x 2000	ENAW 1050	16,250
	3/4.5 x 1250 x 2500	H 114	29,000
	3/4.5 x 1500 x 3000	H 114	41,520
	5/6.5 x 1500 x 3000	H 114	65,960

Table STUCCO (DIN EN 573, 485 - 1,2, 4)			AlMg 99.5% - EN AW 1050
Cod	Dimensiuni (mm)	Stare	kg/tabla
	0.8 x 1000 x 2000	H 14 / H 24	4,410
	0.8 x 1250 x 2500	H 14 / H 24	6,900
	1 x 1250 x 2500	H 14 / H 24	8,650

Table anodizate/vopsite si lacuite, cu folie de protectie (DIN 1745 / 1783, EN 485-2, 485-3, 573-3)			AlMg 1 - EN AW 5005
Cod	Dimensiuni (mm)	Stare	kg/tabla
	1 x 1500 x 3000 (eloxate)	H 14	12,640
	1,5 x 1500 x 3000 (eloxate)	H 14	18,910
	1,5 x 1500 x 3000 (alb)	H 42	18,930
	2 x 1500 x 3000 (gri)	H 42	24,930
	2 x 1500 x 2500 (alb)	H 42	20,760
	2 x 1500 x 3000 (eloxate)	H 14	24,930
	3 x 1500 x 3000 (eloxate)	H 14	37,360

* piese componente de electronică, carcase, plăci frontale

Table vopsite RAL 9010 (alb), cu folie de protectie (DIN 1745 / 1783, EN 485-2, 485-3, 573-3)			AlMg 1 - EN AW 5005
Cod	Dimensiuni (mm)	Stare	kg/tabla
	1 x 1245 x 2500	F 15	8,500
	(rulou) 1 x 1250 x 2500 mm	F 16	8,500
	(rulou) 1 x 1250 x 3000 mm	F 17	10,200
	rulou 1 x 500 , 1250 mm	F 18	2.72 kg/m2

Table groase (DIN 1745 / 59600, EN 485-2, 485-3, 573-3)			AlMg 3 - EN AW 5754
Cod	Dimensiuni (mm)	Stare	kg/tabla
	8 x 1000 x 2000	O/H111	44,300
	8 x 1250 x 2520	O/H111	68,800

	10 x 1000 x 2000	O/H111	55,350
	10 x 1270 x 2520	O/H111	92,300
	12 x 1000 x 2000	O/H111	69,700
	15 x 1020 x 2020	O/H111	85,500
	15 x 1270 x 2520	O/H111	134,600
	15 x 1520 x 3020	O/H111	193,100
	20 x 1020 x 2020	O/H111	116,300
	20 x 1520 x 3020	O/H111	252,900
	25 x 1000 x 2000	O/H111	139,810

* piese componente de electrotehnică, plăci de bază și frontale

Table groase AlMg 4,5 Mn 0,7 - EN AW 5083
(DIN 1745 / 59600, EN 485-2, 485-3, 573-3)

Cod	Dimensiuni (mm)	Stare	kg/tabla
	6 x 1500 x 3000	O/H111	74,000
	8 x 1000 x 2000	O/H111	44,700
	8 x 1250 x 2500	O/H111	69,600
	8 x 1520 x 3020	O/H111	105,860
	10 x 1020 x 2020	O/H111	57,650
	10 x 1250 x 2520 (2000 ?)	O/H111	89,100
	10 x 1520 x 3020	O/H111	128,450
	12 x 1270 x 2520	O/H111	106,700
	12 x 1520 x 3020	O/H111	153,900
	15 x 1020 x 2020	O/H111	86,500
	15 x 1270 x 2520	O/H111	133,500
	15 x 1520 x 3020	O/H111	192,440
	20 x 1020 x 2020	O/H111	114,700
	20 x 1520 x 3020	O/H111	256,430
	25 x 1520 x 3020	O/H111	320,900
	30 x 1020 x 2020	O/H111	172,000
	30 x 1520 x 3020	O/H111	372,000
	35 x 1520 x 3020	O/H111	446,700
	40 x 1020 x 2020	O/H111	224,800
	40 x 1270 x 2520	O/H111	351,200
	40 x 1520 x 3020	O/H111	500,800
	50 x 1020 x 2020	O/H111	286,600
	50 x 1520 x 3020	O/H111	638,400
	60 x 1020 x 2020	O/H111	336,300
	60 x 1520 x 3020	O/H111	761,000
	70 x 1020 x 2020	O/H111	392,700
	70 x 1520 x 3020	O/H111	884,900
	80 x 1020 x 2020	O/H111	448,400
	80 x 1520 x 3020	O/H111	1010,000
	90 x 1520 x 3020	O/H111	1115,000
	100 x 1020 x 2020	O/H111	556,300
	110 x 1020 x 2020	O/H111	631,000
	120 x 1020 x 2020	O/H111	675,000

* structuri sudate, tehnica ambalarii (matrite), piese componente de masini supuse solicitărilor medii

Tabla de precizie (Laminate, frezate 2 + folie) AlMg 4,5 Mn 0,7 - EN AW 5083
(DIN 1745 / 59600, EN 485-2, 485-3, 573-3) ± 0,1 mm

Cod	Dimensiuni (mm)	Stare	kg/tabla
	6 x 1520 x 3020	H111	
	8 x 1520 x 3020	H111	
	10 x 1520 x 3020	H111	
	12 x 1520 x 3020	H111	
	15 x 1520 x 3020	H111	
	16 x 1520 x 3020	H111	
	20 x 1520 x 3020	H111	
	25 x 1520 x 3020	H111	
	30 x 1520 x 3020	H111	
	35 x 1020 x 2020	H111	

Table groase (DIN 1745 / 59600, EN 485-2, 485-3, 573-3)		AlMg 4,5 Mn 0,7 - EN AW 5003	
Cod	Grosimele (mm)	Stare	kg/tabla
	180	O3	
	200	O3	
	220	O3	
	alte grosimi pana la 620 mm	O3	

Tabla de precizie (turnate, frezate 2 - folie) (DIN 1745 / 59600, EN 485-2, 485-3, 573-3)		AlMg 4,5 Mn 0,7 - EN AW 5083 ± 0,1 mm	
Cod	Dimensiuni (mm)	Stare	kg/tabla
	6,35 x 1500 x 3000	H111	
	8 x 1500 x 3000	H111	
	10 x 1500 x 3000	H111	
	12 x 1500 x 3000	H111	
	15 x 1500 x 3000	H111	
	16 x 1500 x 3000	H111	
	20 x 1500 x 3000	H111	
	25 x 1500 x 3000	H111	
	30 x 1500 x 3000	H111	
	40 x 1500 x 3000	H111	
	50 x 1500 x 3000	H111	
	60 x 1500 x 3000	H111	
	70 x 1500 x 3000	H111	

Table groase (DIN 1745 / 59600, EN 485-2, 485-3, 573-3)		AlCu4MgSi - EN AW 2017A	
Cod	Dimensiuni (mm)	Stare	kg/tabla
	10 x 1020 x 2020	T 451	60,000
	12 x 1020 x 2020	T 451	69,800
	15 x 1520 x 3020	T 451	193,900
	20 x 1020 x 2020	T 451	117,500
	25 x 1020 x 2020	T 451	149,600
	30 x 1020 x 2020	T 451	176,400
	35 x 1020 x 2020	T 451	200,500
	40 x 1020 x 2020	T 451	233,000
	50 x 1020 x 2020	T 451	293,400
	60 x 1020 x 2020	T 451	344,500
	70 x 1020 x 2020	T 451	401,900
	80 x 1020 x 2020	T 451	459,300
	90 x 1020 x 2020	T 451	516,300
	100 x 1020 x 2020	T 451	574,100
	120 x 1020 x 2020	T 451	889,000
	130 x 1020 x 2020	T 451	746,000

Table groase (DIN 1745 / 59600, EN 485-2, 485-3, 573-3)		AlSi 1 MgMn - EN AW 6082	
Cod	Dimensiuni (mm)	Stare	kg/tabla
	8 x 1020 x 2020	T 651	49,000
	8 x 1520 x 3020	T 651	103,510
	10 x 1020 x 2020	T 651	57,400
	10 x 1520 x 3020	T 651	131,700
	12 x 1020 x 2020	T 651	63,900
	12 x 1520 x 3020	T 651	158,100
	15 x 1020 x 2020	T 651	86,100
	15 x 1520 x 3020	T 651	197,600
	20 x 1020 x 2020	T 651	115,940
	20 x 1520 x 3020	T 651	254,700
	25 x 1020 x 2020	T 651	145,100
	25 x 1520 x 3020	T 651	320,000
	30 x 1020 x 2020	T 651	174,020
	30 x 1520 x 3020	T 651	395,200
	35 x 1020 x 2020	T 651	200,900
	40 x 1020 x 2020	T 651	229,600
	40 x 1520 x 3020	T 651	495,000
	50 x 1020 x 2020	T 651	287,000
	50 x 1520 x 3020	T 651	625,000
	60 x 1020 x 2020	T 651	344,500
	70 x 1020 x 2020	T 651	401,900

	80 x 1020 x 2020	T 651	459,300
	80 x 1520 x 3020	T 651	1008,000
	90 x 1020 x 2020	T 651	516,700
	100 x 1020 x 2020	T 651	574,100
	110 x 1020 x 2020	T 651	640,000
	120 x 1020 x 2020	T 651	672,500

* piese componente de masini, structuri sudate, structuri supuse solicitărilor medii ...

Table groase (DIN 1745 / 59600, EN 485-2)		Al Zn 4 Mg 2 - EN AW 7019	
Cod	Grosime (mm)	Stare	kg/tabla
	15	T 66	0,000
	40	T 66	0,000
	50	T 66	0,000
	60	T 66	0,000

Tabla de precizie (turnate, frezate 2 + folie) (DIN 1745 / 59600, EN 485-2, 485-3, 573-3)		Al Zn Mg - EN 7XXX ± 0,1 mm	
Cod	Dimensiuni (mm)	Stare	kg/m
	20		56,670
	30		85,000
	40		113,440

Table groase (DIN 1745 / 59600, EN 485-2, 485-3, 573-3)		AlZn5.5 MgCu - EN AW 7075	
Cod	Dimensiuni (mm)	Stare	kg/tabla
	10 x 1520 x 3020	T 651	133,800
	15 x 1520 x 3020	T 651	200,700
	20 x 1520 x 3020	T 651	267,600
	25 x 1520 x 3020	T 651	332,650
	30 x 1520 x 3020	T 651	401,830
	40 x 1520 x 3020	T 651	510,000
	50 x 1520 x 3020	T 651	670,020
	60 x 1520 x 3020	T 651	778,000
	80 x 1020 x 2020	T 651	475,000
	110 x 1020 x 2020	T 651	661,000

Table groase (DIN 1745 / 59600, EN 485-2, 485-3, 573-3)		AlZn 5 Mg 3 Cu - EN AW 7022	
Cod	Dimensiuni (mm)	Stare	kg/tabla
	10 x 1520 x 3020	T 651	133,800
	15 x 1520 x 3020	T 651	200,700
	20 x 1020 x 2020	T 651	120,300
	20 x 1520 x 3020	T 651	267,600
	25 x 1520 x 3020	T 651	332,650
	30 x 1020 x 2020	T 651	180,400
	30 x 1520 x 3020	T 651	393,600
	35 x 1020 x 2020	T 651	210,500
	40 x 1020 x 2020	T 651	240,600
	40 x 1520 x 3020	T 651	510,000
	50 x 1020 x 2020	T 651	300,800
	50 x 1520 x 3020	T 651	654,100
	60 x 1020 x 2020	T 651	360,900
	60 x 1520 x 3020	T 651	778,000
	70 x 1020 x 2020	T 651	420,000
	80 x 1020 x 2020	T 651	475,000
	90 x 1020 x 2020	T 651	535,000
	100 x 1020 x 2020	T 651	601,600
	110 x 1020 x 2020	T 651	655,000
	120 x 1020 x 2020	T 651	710,000
	140 x 1020 x 2020	T 651	825,000
	150 x 1020 x 2020	T 651	916,570

* aliaj cu rezistenta ridicata, ideal pentru piese componente si structuri supuse solicitărilor mari ...

Bare dreptunghiulare, extrudate, lungimea STAS 3000 mm
(DIN 1747 / 1770, EN 573-3, EN 755)

AlMgSi - EN AW 6060

Cod	Dimens. (mm)	Stare	kg/ml
	15 x 5	T 6	0,210
	20 x 10	T 66	0,560
	20 x 15	T 66	0,800
	25 x 3 x 6000	T 66	0,220
	25 x 5 x 4000	T 6	0,350
	25 x 8	T 66	0,570
	25 x 10	T 66	0,700
	25 x 15	T 66	1,050
	30 x 3	T 66	0,270
	30 x 5	T 66	0,420
	30 x 8	T 66	0,670
	30 x 10	T 66	0,840
	30 x 15	T 66	1,260
	30 x 20	T 66	1,680
	40 x 3	T 66	0,340
	40 x 5 x 3250	T 66	0,570
	40 x 10	T 66	1,150
	40 x 15	T 66	1,680
	40 x 20	T 66	2,230
	40 x 25	T 66	2,800
	40 x 30	T 66	3,400
	50 x 5	T 66	0,700
	50 x 8	T 66	1,150
	50 x 10	T 66	1,400
	50 x 15	T 66	2,100
	50 x 20	T 66	2,800
	50 x 30	T 66	4,190
	60 x 5	T 66	0,840
	60 x 10	T 66	1,680
	60 x 12	T 66	2,000
	60 x 15	T 66	2,500
	60 x 20	T 66	3,390
	80 x 5	T 66	1,120
	80 x 10	T 66	2,230
	80 x 15	T 66	3,510
	80 x 20	T 66	4,620
	100 x 10	T 66	2,800
	100 x 12	T 66	3,470
	100 x 15	T 66	4,200
	100 x 20	T 66	5,820
	120 x 20	T 66	6,970

Bare dreptunghiulare, extrudate, lungimea STAS 3000 mm
(DIN 1747 / 1770, EN 573-3, EN 755)

AISI 1 MgMn - EN AW 6082

Cod	Dimens. (mm)	Stare	kg/ml
	60 x 30	T 6	5,100
	60 x 40	T 6	6,770
	70 x 45	T 6	9,430
	70 x 50	T 6	10,200
	70 x 60	T 6	11,690
	72 x 30	T 6	6,000
	75 x 50	T 6	10,670
	80 x 30	T 6	6,600
	80 x 40	T 6	9,100
	80 x 60	T 6	13,530
	100 x 40	T 6	11,330
	100 x 50	T 6	13,940

Bare dreptunghiulare, trase, lungimea STAS 3000 mm
(EN 573-3, EN 754)

AISI 1 MgMn - EN AW 6082

Cod	Dimens. (mm)	Stare	kg/ml
	30 x 15	T 6	1,250
	32 x 16	T 6	1,440
	40 x 15	T 6	1,700
	40 x 20	T 6	2,240
	40 x 30	T 6	3,380
	55 x 25	T 6	3,900
	52 x 26	T 6	3,800
	75 x 71	T 6	14,500

Bare dreptunghiulare, extrudate, lungimea STAS 3000 mm
(EN 573-3, 755)

AlMgSiPb - EN AW 6012

Cod	Dimens. (mm)	Stare	kg/ml
	83 x 78	T 6	18,400

Bare dreptunghiulare, trase, pt. automate, lungimea STAS 3000 mm
(DIN 1747 / 1769, EN 573-3, 754)

AlMgSiPb - EN AW 6012

Cod	Dimens. (mm)	Stare	kg/ml
	40 x 16	T 6	1,840
	70 x 45	T 6	9,130
	77 x 40	T 6	8,600
	80 x 40	T 6	9,130
	89 x 40	T 6	9,950

Bare dreptunghiulare, trase, pt. automate, lungimea STAS 3000 mm
(DIN 1747 / 1769, EN 573-3, 754)

AlCu 4 PbMgMn - EN AW 2007

Cod	Dimens. (mm)	Stare	kg/ml
	20 x 12	T 351	0,630
	20 x 15	T 351 PQ	0,840
	22 x 16	T 351 PQ+abatere	1,000
	25 x 10	T 351	0,700
	25 x 20	T 351	1,410
	30 x 16	T 351 PQ	1,440
	30 x 20	T 351 PQ+abatere	1,750
	32 x 15	T 351 PQ	1,390
	32 x 22	T 351 PQ	2,050
	36 x 18	T 351 PQ+abatere	1,970
	36 x 22	T 351 PQ+abatere	2,360
	40 x 20	T 351 PQ	2,340
	40 x 22	T 351 PQ+abatere	2,550
	50 x 20	T 351 PQ+abatere	2,930
	50 x 25	T 351 PQ+abatere	3,700
	50 x 30	T 351 PQ+abatere	4,390
	60 x 30	T 351 PQ+abatere	5,260
	60 x 40	T 351	6,940
	62 x 55	T 351 PQ	9,790
	70 x 25	T 351 PQ+abatere	5,100
	70 x 45	T 351 PQ	9,130
	80 x 25	T 351 PQ	5,900

Bare dreptunghiulare, extrudate, lungimea STAS 3000 mm
(EN 573-3, 755)

AlCu 4 PbMgMn - EN AW 2007

Cod	Dimens. (mm)	Stare	kg/ml
	20 x 10	T 4	0,600
	25 x 10	T 4	0,700
	25 x 15	T 4	1,020
	30 x 10	T 4	0,850
	30 x 15	T 4	1,200
	30 x 20	T 4	1,700
	40 x 10	T 4	1,200
	40 x 15	T 4	1,760
	40 x 20	T 4	2,340
	40 x 30	T 4	3,510
	45 x 30	T 4	4,000
	50 x 10	T 4	1,470
	50 x 15	T 4	2,200
	50 x 20	T 4	2,930
	50 x 30	T 4	4,390
	50 x 40	T 4	5,800
	55 x 40	T 4	6,360
	60 x 15	T 4	2,510
	60 x 20	T 4	3,510
	60 x 30	T 4	5,260
	60 x 40	T 4	7,020
	80 x 15	T 4	3,350
	80 x 20	T 4	4,680
	80 x 30	T 4	6,700
	80 x 35	T 4	8,560
	80 x 40	T 4	9,350
	80 x 50	T 4	11,690
	90 x 30	T 4	7,950
	100 x 10	T 4	2,930
	100 x 20	T 4	5,850
	100 x 40	T 4	11,590
	100 x 50	T 4	14,610
	120 x 50	T 4	19,700
	120 x 60	T 4	20,910
	150 x 50	T 4	21,630

Bare dreptunghiulare, extrudate, (pt. MATRITE), lungimea STAS 3000 mm
(EN 573-3, 755)

AlZn5.5MgCu - EN AW 7075

Cod	Dimens. (mm)	Stare	kg/ml
	50 x 300	T 6510	42,840
	80 x 150	T 6510	34,270
	80 x 250	T 6510	57,120
	100 x 150	T 6510	42,840
	120 x 200	T 6510	68,540

Bare patrate, extrudate, lungimea STAS 3000 mm
(DIN 1747 / 59700, EN 573-3, 755)

AISI 1 MgMn - EN AW 6082

Cod	Dimens. (mm)	Stare	kg/ml
	10 x 10	T 6	0,300
	15 x 15 x 3250	T 6	0,700
	20 x 20	T 6	1,120
	25 x 25	T 6	1,800
	30 x 30	T 6	2,550
	35 x 35	T 6	3,640
	40 x 40	T 6	4,550
	50 x 50	T 6	6,970
	55 x 55	T 6	8,720
	60 x 60	T 6	10,200
	70 x 70	T 6	13,850
	80 x 80	T 6	17,850
	90 x 90	T 6	22,760
	100 x 100	T 6	28,000
	110 x 110	T 6	32,950
	120 x 120	T 6	42,130
	130 x 130	T 6	46,740
	150 x 150	T 6	67,810

Bare patrate, trase, lungimea STAS 3000 mm
(EN 573-3, 754)

AISI 1 MgMn - EN AW 6082

Cod	Dimens. (mm)	Stare	kg/ml
	30 x 30	T 6	2,570
	40 x 40	T 6	4,500
	46 x 46	T 6	5,950
	50 x 50	T 6	6,970
	80 x 80	T 6	17,850

Bare patrate, trase, pt. automate, lungimea STAS 3000 mm
trase (EN 573-3, 754); extrudate (EN 755)

AlCu 4 PbMgMn - EN AW 2007

Cod	Dimens. (mm)	Stare	kg/ml
	22 x 22	T 351 PQ	1,440
	25 x 25	T 351	1,830
	30 x 30	T 351 PQ	2,670
	35 x 35	T 351 PQ	3,590
	40 x 40	T 351 PQ	4,620
	50 x 50	T 351 PQ	7,330
	55 x 55	T 351 PQ	8,500
	60 x 60	T 351 PQ	10,520
	65 x 65	T 351	12,200
	66 x 66	T 351 PQ	12,610

Bare patrate, extrudate, lungimea (L - 3000 mm)
(EN 755)

AlCu 4 PbMgMn - EN AW 2007

Cod	Dimens. (mm)	Stare	kg/ml
	15 x 15	T 4	0,630
	20 x 20	T 4	1,170
	25 x 25	T 4	1,850
	40 x 40	T 4	4,700
	50 x 50	T 4	7,310
	70 x 70	T 4	14,150
	80 x 80	T 4	18,700
	90 x 90	T 4	23,670
	100 x 100	T 4	29,220
	120 x 120	T 4	42,500

Bare patrate, extrudate, pt. automate, lungimea STAS 3000 mm (EN 573-3, 755)			AlMgSiPb - EN AW 6012
Cod	Dimens. (mm)	Stare	kg/ml
	50 x 50	T 6	7,540
	70 x 70	T 6	13,840
	80 x 80	T 6	17,790
	90 x 90	T 6	22,550

Bare patrate pt automate, trase (L - 3000 mm) (EN 573-3, 754)			AlCuMgSn - AA 2015
Cod	Dimens. (mm)	Stare	kg/ml
	25 x 25	T 351	1,890
	30 x 30	T 351	2,660
	50 x 50 (rotunjit)	T 351	7,100

Bare rotunde, trase, lungimea STAS 3000 mm (DIN 1747 / 1798, EN 573-3, 754)			AISI 1 MgMn - EN AW 6082
Cod	Dimens. (mm)	Stare	kg/ml
	5	T 6	0,100
	8	T 6	0,150
	10	T 6	0,230
	12	T 6	0,330
	14	T 6	0,450
	15	T 6	0,510
	16	T 6	0,640
	18	T 6	0,750
	20	T 6	0,870
	22	T 6	1,100
	24	T 6	1,360
	25	T 6	1,370
	26	T 6	1,560
	28	T 6	1,850
	30	T 6	2,000
	32	T 6	2,330
	35	T 6	2,700
	40	T 6	3,600
	63	T 6	8,860

Bare rotunde, extrudate, lungimea STAS 3000 mm (DIN 1747 / 1799, EN 573-3, 755)			AISI 1 MgMn - EN AW 6082
Cod	Dimens. (mm)	Stare	kg/ml
	8 (AlMgSi0.5 - moale)	T 6	0,150
	15	T 6	0,510
	18	T 6	0,800
	20	T 6	0,900
	25	T 6	1,410
	30	T 6	2,000
	32	T 6	2,260
	35	T 6	2,770
	40	T 6	3,600
	42	T 6	3,950
	44	T 6	4,260
	45	T 6	4,410
	50	T 6	5,500
	55	T 6	6,580
	56	T 6	7,000
	60	T 6	7,900
	65	T 6	9,350
	70	T 6	10,650

	75	T 6	12,230
	80	T 6	13,900
	83	T 6	15,380
	85	T 6	16,610
	90	T 6	18,380
	95	T 6	20,620
	100	T 6	21,770
	110	T 6	26,000
	120	T 6	32,680
	125	T 6	34,030
	130	T 6	38,750
	140	T 6	42,950
	150	T 6	48,800
	160	T 6	59,350
	170	T 6	63,550
	180	T 6	71,250
	190	T 6	79,030
	200	T 6	86,920
	210	T 6	104,400
	220	T 6	109,170
	240	T 6	123,500
	250	T 6	135,300
	280	T 6	174,250
	300	T 6	195,780
	350	T 6	268,550

Bare rotunde pt. automate, anodizabile, lungimea STAS 3000 mm
trase (EN 573-3, 754); extrudate (EN 755)

AlMgSiPb - EN AW 6012

Cod	Dimens. (mm)	Stare	kg/ml
	12	T 6	0,330
	14	T 6	0,450
	15	T 6	0,540
	16	T 6	0,570
	18	T 6	0,750
	20	T 6	0,950
	22	T 6	1,100
	25	T 6	1,400
	26	T 6	1,540
	28	T 6	1,850
	30	T 6	2,160
	32	T 6	2,260
	33	T 6	2,420
	35	T 6	2,710
	36	T 6	3,070
	40	T 6	3,800
	42	T 6	3,910
	43	T 6	4,470
	45	T 6	4,510
	48	T 6	5,130
	50	T 6	5,800
	51	T 6	5,950
	55	T 6	6,880
	56	T 6	7,430
	60	T 6	8,170
	65	T 6	9,430
	80	T 6	14,250
	100	T 6	23,120
	110	T 6	26,650
	120	T 6	32,900
	150	T 6	50,230

Bare rotunde cu rezistență ridicată, trase, lungimea STAS 3000 mm
trase (EN 573-3, 754); extrudate (EN 755)

AlZn 5.5 Mg Cu - EN AW 7075

Cod	Dimens. (mm)	Stare	kg/ml
	9	T 651	0,200
	12	T 651	0,340
	20	T 651	0,910
	22	T 651	1,210
	25	T 651	1,410
	30 (EN 755 extrudate)	T 651	2,140
	40	T 651	3,610
	45 (EN 755 extrudate)	T 651	4,570
	50	T 651	5,700
	55	T 651	6,850
	60	T 651	8,120
	70	T 651	11,050
	80	T 651	14,430
	90	T 651	18,250
	100	T 6	22,580
	110	T 6510	27,270
	120	T 6	32,500
	130	T 6	38,080
	140	T 6	44,180
	150	T 6	51,100
	160	T 6	58,800
	170	T 6	64,000
	180	T 6	72,990
	200	T 6	91,260
	220	T 6	113,270
	250	T 6	141,450
	300	T 6	205,000
	350	T 6	278,800

Bare rotunde, trase, pt. automate, lungimea STAS 3000 mm
(DIN 1747 / 1798, EN 573-3, 754)


AlCu 4 PbMgMn - EN AW 2007

Cod	Dimens. (mm)	Stare	kg/ml
	6	T 351	0,080
	8	T 351	0,150
	10	T 351	0,230
	11	T 351	0,270
	12	T 351	0,340
	13	T 351	0,390
	14	T 351	0,450
	15	T 351	0,520
	16	T 351	0,620
	18	T 351	0,810
	19	T 351	0,830
	20	T 351	0,910
	22	T 351	1,150
	23	T 351	1,210
	24	T 351	1,420
	25	T 351	1,500
	26	T 351	1,690
	27	T 351	1,750
	28	T 351	1,800
	30	T 351	2,100
	32	T 351	2,460
	35	T 351	2,800
	36	T 351	2,980
	38	T 351	3,390
	38,5	T 351	3,420
	40	T 351	3,630
	42	T 351	4,000


	42,2	T 351	4,110
	44	T 351	4,430
	45	T 351	4,550
	48	T 351	5,050
	50	T 351	5,680
	50,6	T 351	5,900
	52	T 351	6,210
	55	T 351	6,870
	56	T 351	7,430
	60	T 351	8,200

Bare rotunde, extrudate, pt. automate, lungimea STAS 3000 mm AlCu 4 PbMgMn - EN AW 2007
(DIN 1747 / 1799, EN 573-3, 755) 

Cod	Dimens. (mm)	Stare	kg/ml
	20	T 4510	0,930
	25	T 4510	1,440
	30	T 4510	2,210
	32	T 4510	2,360
	35	T 4510	2,870
	40	T 4510	3,630
	45	T 4510	4,600
	50	T 4510	5,700
	55	T 4510	6,870
	56	T 4510	7,440
	60	T 4510	8,200
	63	T 4510	9,020
	65	T 4510	9,590
	70	T 4510	10,990
	71	T 4510	11,480
	72	T 4510	11,700
	75	T 4510	12,900
	80	T 4511	14,680
	85	T 4	16,200
	90	T 4	18,580
	100	T 4	22,690
	105	T 4	25,900
	110	T 4	27,460
	120	T 4	32,680
	125	T 4	33,970
	130	T 4	38,800
	140	T 4	44,950
	150	T 4	51,600
	160	T 4	58,710
	170	T 4	65,600
	180	T 4	73,240
	200	T 4	92,720
	210	T 4	103,100

Bare rotunde, trase, pt. automate, lungimea STAS 3000 mm AlCu 4 Mg 1 - EN AW 2024
(DIN 1747 / 1798, EN 573-3, 754) 

Cod	Dimens. (mm)	Stare	kg/ml
	25	T 3	1,400

Bare rotunde, trase, pt. automate, lungimea STAS 3000 mm AlCu 6Bi Pb - EN AW 2011
(DIN 1747 / 1798, EN 573-3, 754) 

Cod	Dimens. (mm)	Stare	kg/ml
	48	T 3	5,600
	58	T 3	7,400

Bare rotunde eloxabile trase, pt. automate, ecologice, lungimea STAS 3 m AlMgSiSnBi - AA 6023
(DIN 1747 / 1798, EN 573-3, 754) fara plumb

Cod	Dimens. (mm)	Stare	kg/ml
	15	T 9	0,550
	18	T 9	0,820
	20	T 9	0,930
	22	T 9	1,130
	25	T 9	1,440
	26	T 9	1,560
	28	T 9	1,850
	30	T 9	2,160
	33	T 6	2,600
	36	T 9	2,980
	36,5	T 9	3,030
	40	T 9	3,690
	50	T 6	5,800
	50	T 9	5,800
	51	T 6	5,950
	55	T 6	6,920

Bare rotunde eloxabile trase, pt. automate, ecologice, lung. STAS 3000 mm AlCuSnBi - AA 2111 B
(DIN 1747 / 1798, EN 573-3, 754) fara plumb

Cod	Dimens. (mm)	Stare	kg/ml
	20	T 6	0,930
	60	T 6	8,310

Bare rotunde eloxabile extrudate, pt. automate, ecologice, STAS 3000 mm AlMgSiSnBi - AA 6023
(DIN 1747 / 1798, EN 573-3, 755) fara plumb

Cod	Dimens. (mm)	Stare	kg/ml
	51	T 6	5,950
	53	T 6	6,350
	100	T 6	23,000
	120	T 6	31,300


Bare rotunde eloxabile trase, pt. automate, ecologice, L. STAS 3000 mm AlCuMgSn - AA 2015
(DIN 1747 / 1798, EN 573-3, 754) fara plumb

Cod	Dimens. (mm)	Stare	kg/ml
	18	T 351	0,820
	20	T 351	0,930
	22	T 351	1,130
	25	T 3	1,400
	26	T 3	1,520
	30	T 351	2,160
	32	T 3	2,360
	45	T 3	4,100
	50	T 351	5,800

Bare rotunde eloxabile extrudate, pt. automate, ecologice, STAS 3000 mm AlCuMgSn - AA 2015
(DIN 1747 / 1798, EN 573-3, 755) fara plumb


Cod	Dimens. (mm)	Stare	kg/ml
	50	T 4511	5,800
	70	T 4511	11,130
	100	T 4511	23,120

Bare hexagonale, trase, pt. automate, lungimea STAS 3000 mm
(EN AW 573-3, 754) AISI 1 MgMn - EN AW 6082




Cod	Dimens. (mm)	Stare	kg/ml
	24	T 6	1,230
	30	T 6	1,890
	41	T 6	4,305

Bare hexagonale, trase, pt. automate, lungimea STAS 3000 mm
(EN AW 573-3, 754) AlMgSiPb - EN AW 6012




Cod	Dimens. (mm)	Stare	kg/ml
	24	T 6	1,370

Bare hexagonale, trase, pt. automate, lungimea STAS 3000 mm
(EN AW 573-3, 754) AlCu 4 PbMgMn - EN AW 2007




Cod	Dimens. (mm)	Stare	kg/ml
	17	T 3	0,778
	19	T 4	0,950
	22	T 3	1,260
	27	T 351	1,910
	30	T 351	1,950
	32	T 351	2,260
	36	T 3	3,330
	46	T 3	5,660

Tevi rotunde cu pereti grosi, cu rezist. ridic., extrudate STAS 3000 mm
(DIN 1748 / 9107, EN 573-3, 755) AlCu 4 PbMgMn - EN AW 2007



Cod	Dimens. (mm)	Stare	kg/ml
	50,5 x 5,5	T 451	2,000
	60,5 x 5,5	T 451	2,600
	42 x 6	T 451	2,000

Profile "L", extrudate lungimea STAS 6000-6500 mm,
(DIN 1747 / 1771, EN 573-3, 755) AlMgSi - EN AW 6060



Cod	Dimens. (mm)	Stare	kg/ml
	15 x 15 x 2	T 66	0,170
	20 x 20 x 1.5	T 66	0,200
	20 x 20 x 2	T 66	0,240
	25 x 25 x 1.5	T 66	0,240
	25 x 25 x 2	T 66	0,300
	30 x 20 x 2	T 6	0,270
	30 x 15 x 3	T 66	0,370
	30 x 30 x 1.5	T 66	0,310
	30 x 30 x 2	T 66	0,350
	30 x 30 x 3	T 66	0,530
	35 x 35 x 2	T 66	0,400
	40 x 20 x 2	T 66	0,340
	40 x 40 x 2	T 66	0,440
	40 x 40 x 3	T 66	0,650
	40 x 40 x 4	T 66	0,850
	50 x 50 x 3	T 66	0,810
	50 x 50 x 5	T 66	1,350
	60 x 20 x 2	T 66	0,440
	60 x 30 x 3	T 66	0,720
	60 x 60 x 2	T 66	0,660
	60 x 60 x 6	T 66	2,061
	80 x 40 x 5	T 66	1,640
	80 x 80 x 6	T 66	2,640
	80 x 80 x 8	T 66	3,500
	100 x 50 x 5	T 66	2,650
	100 x 100 x 10	T 66	5,540

Profile "U", extrudate lungimea STAS 6000- 6500 mm
(DIN 1747 / 1771, EN 573-3, 755)

AlMgSi - EN AW 6060



Cod	Dimens. (mm)	Stare	kg/ml
	15 x 15 x 2	T 6	0,230
	20 x 20 x 2 x 6500	T 6	0,350
	25 x 25 x 2	T 6	0,400
	30 x 30 x 2	T 6	0,490
	30 x 30 x 3	T 6	0,710
	40 x 20 x 2,5	T 6	0,520
	40 x 20 x 4	T 6	0,802
	40 x 40 x 3	T 6	0,950
	40 x 40 x 4	T 6	1,220
	50 x 30 x 4	T 6	1,129
	60 x 40 x 4	T 6	1,430
	65 x 55 x 2,5	T 6	1,180
	80 x 30 x 3	T 6	1,120
	80 x 40 x 3	T 6	1,290
	80 x 40 x 4	T 6	1,720
	80 x 45 x 6	T 6	2,530
	100 x 50 x 5	T 66	2,600

Profile "T", extrudate 6500 mm
(DIN 1747 / 1771, EN 573-3, 755)

AlMgSi - EN AW 6060



Cod	Dimens. (mm)	Stare	kg/ml
	20 x 20 x 2	T 6	0,220
	25 x 25 x 2	T 6	0,300
	25 x 25 x 3	T 6	0,400
	30 x 30 x 3	T 6	0,465
	40 x 40 x 3	T 6	0,700
	40 x 40 x 4	T 6	0,850
	80 x 50 x 5	T 6	1,717

Tevi rotunde, extrudate lungimea STAS 6000 mm
(DIN 1748 / 9107, EN 573-3, 755)

AlMgSi - EN AW 6060



Cod	Dimens. (mm)	Stare	kg/ml
	10 x 1,5	T 66	0,130
	15 x 1,5	T 66	0,200
	16 x 1,5	T 66	0,250
	18 x 1,5	T 66	0,270
	18 x 2	T 66	0,290
	20 x 2	T 66	0,320
	20 x 2,5	T 66	0,380
	20 x 3	T 66	0,440
	22 x 1,5	T 66	0,280
	22 x 2 x 6500	T 66	0,350
	25 x 1,5	T 66	0,320
	25 x 3	T 66	0,600
	25 x 6	T 66	0,980
	30 x 2	T 66	0,640
	30 x 3	T 66	0,710
	30 x 5	T 66	1,100
	35 x 2	T 66	0,580
	40 x 2	T 66	0,740
	40 x 3	T 66	1,000
	40 x 5 (4)	T 66	1.6 (1.25)
	45 x 3	T 66	1,100
	45 x 5	T 66	1,750
	50 x 1,5	T 66	0,640
	50 x 2	T 66	0,857
	50 x 5	T 66	1,960

Panouri compozite din Aluminu - ALUXBOND (pentru FATADE)

*miez polietilena

Cod	Dimens. (mm)	Culoare	m ² / buc
	≠ 3 x 1200 x 3200	AX-004 - Metallic Silver	3,840
	≠ 4 x 1200 x 3200	AX-004 - Metallic Silver	3,840
	≠ 4 x 1200 x 3200	AX-018 - Metallic Coffee	3,840
	≠ 4 x 1220 x 3200	AX-029 - Dark Blue	3,904
	≠ 4 x 1220 x 3200	AX-005 - Metallic Cham	3,904
	≠ 4 x 1220 x 3200	AX-025 - Mail Green	3,904

Profile din Aluminu pentru montaj panouri ALUXBOND

AlMgSi - EN AW 6060

Cod	Dimens. (mm)	kg/m
	Profil Alucobond exterior 52 x 6000	0,360
	Profil Alucobond interior 52 x 6000	0,350
	Profil Alucobond legatura (H) 25.5 x 8 x 4 x 6000	0,250
	Profil Alucobond legatura (H) 19.5 x 7 x 3 x 6000	0,200
	Profil Alucobond capat (U) 10.5 x 7 x 3 x 6000	0,170

*** Disponibile si alte dimensiuni / aliaje, din stocurile extene ale companiei sau fabrica

M R G Stainless Group S.R.L.
Bulevardul 1Mai nr. 32 Bucuresti
Telefon +40 31-410 48 12 * Fax +40 31-410 48 12
Mobil +40 72-134 40 99
e-mail: mrgstainlessgroup@yahoo.com
www.mrgstainlessgroup.home.ro
www.aluminu-cupru-inox.home.ro