


Tabla perforata - ITALIA - fabrica din Milano

Round holes



Produced on any material with the exception of stone and glass starting from hole diameter 0,4 mm

Shape and size of holes



R 10 - Round


Symbol **R** followed by hole diameter

Arrangement and pitch of holes



T 15 - 60° Staggered pitch


Symbol **T** followed by pitch = 15 mm



U 15 - 90° Square pitch

Symbol **U** followed by pitch = 15 mm

Square holes



Produced on any material with the exception of stone and glass starting from hole 2 x 2 mm

Shape and size of holes



C 10 - Square

Symbol **C** followed by length of hole side


Arrangement and pitch of holes



U 15 - 90° Square pitch


Symbol **U** followed by pitch = 15 mm

Slot holes




Produced on any material with the exception of stone and glass starting from hole 1 mm x length

Shape and size of holes



LR 5 X 20 – Round ended slots


Symbol **LR** followed by length of short and long axis



LC 5 X 20 – Square ended slots


Symbol **LC** followed by length of short and long sides

Arrangement and pitch of holes



U 25 X 20 – Straight pitch

Symbol **U** followed by pitches p1 and p2 (pitch p1 parallel to the smaller axis of the hole is indicated first)




Z 25 X 20 – Staggered pitch


Symbol **Z** followed by pitches p1 and p2 (pitch p1 parallel to the smaller axis of the hole is indicated first)

Decorative patterns


Material: Aluminium 99,5%
Standard size: mm 1000 x 2000
Supplied untreated or anodized (natural, gold bronze) and on request powder coated



FTS 8 Bis



FTS 9 Bis




FTS 19

S.C. MRG STAINLESS GROUP S.R.L.


www.mrg-group.ro

office@mrg-group.ro


0727253092 072134409




FTS 19 Bis



FTS 45



FTS 13




FTS 8

S.C. MRG STAINLESS GROUP S.R.L.

www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409




FTS 9

Decorative patterns

ADERSTOP

The safety of an antislippery metal sheet



ADERSTOP walkway surfaces combine rigidity and anti-slip features and provide the following characteristics:

- 360° ANTI-SLIP: provided by countersunk round holes
- DRAINAGE: flat round holes provide easy drainage for liquids
- HEEL PROTECTION: 8 mm diameter of both countersunk and flat holes avoid high heels to be trapped
- ANTIPANIC: transparency is limited (10% open area)


ADERSTOP metal sheets can be manufactured in mild steel (hot dipped galvanized on request), stainless steel, and aluminium

S.C. MRG STAINLESS GROUP S.R.L.

www.mrg-group.ro

office@mrg-group.ro


0727253092 072134409



ADERSTOP SHEET

1000 x 2000
1250 x 2500
1500 x 3000


THICKNESS: mm 1,5 - 2
- 3



ADERSTOP PROFILE

| l | b | h |
|---------------|-----|----|
| 500 ÷ 4000 | 250 | 58 |


THICKNESS: mm 1,5 - 2



ADERSTOP INDUSTRIAL STAIRTREAD

| l | b | h |
|------|-----|----|
| 1000 | 250 | 40 |
| 900 | 250 | 40 |
| 800 | 250 | 40 |
| 700 | 250 | 40 |
| 600 | 250 | 40 |
| 500 | 250 | 40 |

THICKNESS: mm 2 - 3




ADERSTOP CIVIL STAIRTREAD

HOT DIPPED
GALVANIZED

| l | b | h |
|------|-----|----|
| 2000 | 300 | 70 |
| 1800 | 300 | 70 |
| 1500 | 300 | 70 |
| 1200 | 300 | 70 |

THICKNESS: mm 3




ADERSTOP LANDING
PANEL

HOT DIPPED
GALVANIZED
SIZES ON REQUEST
THICKNESS: mm 3

Embossed metal


Produced in mild steel and stainless steel from 1 mm to 3 mm thickness in sheets



B 1 - mm 11,5 x 21 Z 27 x 46 LC

MILD STEEL , STAINLESS STEEL,
ALUMINIUM

THICKNESS: mm 0,8 ÷ 6



B 2 - mm 10 X 15 Z 19 x 28,5 C

MILD STEEL , STAINLESS STEEL,
ALUMINIUM


THICKNESS: mm 0,8 ÷ 3

S.C. MRG STAINLESS GROUP S.R.L.

www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409



B 7 - mm 15 X 15 U 23

MILD STEEL , STAINLESS STEEL,
ALUMINIUM

THICKNESS: mm 0,8 ÷ 2

Hammered

Produced in brass and copper from 0,5 mm to 0,8 mm thickness in sheets and rolls



S.C. MRG STAINLESS GROUP S.R.L.


www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409

Special items


With more than 3000 tools, a well equipped tool department and a new cnc punching machine we can manufacture non-standard perforations to meet any customer specifications...



FORTOP HOLES

MILD STEEL


THICKNESS: mm 0,8 - 1 - 1,5



LIPPED HOLES

MILD STEEL, STAINLESS STEEL,
GALVANIZED STEEL AND ALUMINIUM

THICKNESS: mm 1,2 - 1,5 - 2



COUNTERSUNK HOLES

MILD STEEL, STAINLESS STEEL,
GALVANIZED STEEL AND ALUMINIUM

THICKNESS: mm 0,8 - 1 - 1,5 - 2 - 2,5 - 3

S.C. MRG STAINLESS GROUP S.R.L.

www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409



BRIDGE SLOT HOLES

MILD STEEL AND STAINLESS STEEL

THICKNESS: mm 3 - 4 - 5 - 6




TUBULUS

STAINLESS STEEL

THICKNESS: mm 0,8 - 1

...and specially designed perforations



S.C. MRG STAINLESS GROUP S.R.L.

www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409

Perforated profiles

Profiles carried out by the cold working of the galvanized, pickled, black sheet and stainless steel sheet.

Type of sections:

- Metallic structure in for plasterboard walls and ceilings
- Fastening profiles used in the electric and hydraulic field
- Profiles for greenhouses in glass and plastic material
- Stiffening profiles for pvc window and door frame
- Piles and stakes for vines
- Profiles for beverage transport systems
- Profiles for swimming pools
- Profiles in reinforced concrete for sheds
- Profiles for industrial vehicle platforms
- Profiles for vehicles destined for glass transport
- Sections based on drawing




S.C. MRG STAINLESS GROUP S.R.L.


www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409



PERFORATED TUBES



We are glad to inform our customers that we can offer also welded perforated tubes according to the following specifications:

S.C. MRG STAINLESS GROUP S.R.L.

www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409

Material: Stainless Steel (all kind) and Titanium (no in mild steel, galvanized and alluminium)

Diameter: minimum 15 mm - maximum 89,0 mm

Thickness: minimum 0,5 mm - maximum 1,5 mm

Lenght: there are no particular limits

Perforated tubes are welded by a Tig welding process. An unperforated zone 8 mm ca large will be present on the welding line.

Applications

Perforated metal is a self supporting "through" surface. These characteristics make it a widely diffused product in all type of industry



S.C. MRG STAINLESS GROUP S.R.L.

www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409



S.C. MRG STAINLESS GROUP S.R.L.

www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409

Stock 1000x2000, 1250x2500 e 1500x3000

1: Size 1000x2000; **2:** Sizes 1000x2000 e 1250x2500; **3:** Sizes 1000x2000, 1250x2500 e 1500x3000

F: Gold anodised; **G:** Bronze anodised; **I:** White coated; **A:** AISI 316L 1000x2000

| Round holes | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|------|-----|------------|-----|---|-----|---|---|---|---|---|---|------------|------|---|-----|-----------------|-----|-----|----|-----|---|-----------|-----|---|-----|
| R | T | V/P | Mild steel | | | | | | | | | | Galvanized | | | | Stainless steel | | | | | | Aluminium | | | |
| | | | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 0,75 | 1 | 1,5 | 2 | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 0,5 | 1 | 1,5 |
| 0,5 | 1,25 | 15 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 0,5 | 1,5 | 10 | | | | | | | | | | | | | | | 1 | | | | | | | | | |
| 0,6 | 1,5 | 15 | | | | | | | | | | | | | | | 1 | | | | | | | | | |
| 0,8 | 1,5 | 26 | | | | | | | | | | | | | | | 1 | | | | | | | | | |
| 0,8 | 1,6 | 23 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 0,8 | 2 | 15 | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 23 | 1 | 1 | 1 | | | | | | | | | | | | 1 | 1 | | | | | | | | |
| 1 | 2,2 | 19 | | | | | | | | | | | | | | | | | 1 | | | | | | | |
| 1,25 | 2,3 | 27 | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| 1,5 | 2,5 | 33 | 1 | 1 | 1 | | | | | | | | | | | | 1 | | 1 | | | | | | | |
| 1,5 | 2,6 | 30 | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| 1,5 | 3 | 23 | | | | 1 | | | | | | | | | | | | 1 | 1 | | | | | | | |
| 1,5 | 3,5 | 17 | | | | | | | | | | | | | | | | | | 1 | | | | | | |
| 1,75 | 3 | 31 | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| 2 | 3 | 40 | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| 2 | 3,2 | 35 | | | | | | | | | | | | | | | 1 | | | | | | | | | |
| 2 | 3,5 | 30 | 1 | 1 | 2 | 1 | 1 | | | | | | | 1 | | | | 1 | 1 | 1 | | | | | 1 | |
| 2 | 4 | 23 | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | |
| 2 | 4,5 | 18 | | | | | | | | | | | | | | | | | | | | 1 | | | | |
| 2,5 | 3,5 | 46 | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| 2,5 | 4 | 35 | | | 1 | 1 | 1 | | | | | | | | | | | | 1 | 1 | | | | | | |
| 3 | 4 | 51 | | 1 | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| 3 | 5 | 33 | 1 | 1 | 2 | 2 | 2 | | | | | | | 2 | 2 | 2 | 1 | 1 | 1 | 2A | 2 | | | | 1 | 1 |
| 3 | 5,5 | 27 | | | | | | 1 | | | | | | | | | | | | | | 1 | | | | |
| 3 | 6 | 23 | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| 3,5 | 5 | 44 | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| 4 | 6 | 40 | 1 | 1 | 3 | 3 | 2 | | | | | | | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | | | | 1 | |
| 4 | 7 | 30 | | | | | | 1 | | | | | | | | | | | | | | | 1 | 1 | | |
| 4 | 7,7 | 25 | | | | | | | | 1 | | | | | | | | | | | | | | | | |
| 5 | 7 | 46 | | | 1 | 1 | | | | | | | | | 1 | | | | | | | | | | | |
| 5 | 7,5 | 40 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 8 | 35 | | 1 | 3 | 3 | 3 | 2 | 1 | | | | | 2 | 2 | 2 | 2 | | 1 | 2A | 2 | 1 | 1 | | 1 | 1 |
| 5 | 10 | 23 | | | | | | | | 1 | | | | | | | | | | | | | | | | |
| 6 | 9 | 40 | | 1 | 2 | 2 | 2 | 1 | | | | | | | 2 | 2 | 2 | | 1 | 1 | 1 | 1 | | | | |
| 6 | 10 | 33 | | | | | | | | 1 | | | | | | | | | | | | | | 1 | | |
| 6 | 12 | 23 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | |
| 7 | 10 | 44 | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| 8 | 11 | 48 | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | |
| 8 | 12 | 40 | | 1 | 2 | 2 | 2 | 1 | 1 | | | | | | 1 | 2 | 1 | | | 1 | 1 | 1 | 1 | | | |
| 8 | 14 | 30 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | |
| 8 | 15 | 26 | | | | | | | | | | | 1 | | | | | | | | | | | | | |
| 10 | 14 | 46 | | | 1 | 1 | 1 | | | | | | | | | 1 | | | | | | | | | | |
| 10 | 15 | 40 | | | 2 | 2 | 3 | 2 | 1 | | | | | | 2 | 2 | 2 | | | 1 | 2 | 1 | 1 | | | |
| 10 | 16 | 35 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | |
| 10 | 17 | 31 | | | | | | | | | | | 1 | | | | | | | | | | | | | |
| 10 | 20 | 23 | | | | | | | | | | | | | | | 1 | | | | | | | | | |
| 12 | 16 | 51 | | | 1 | 1 | 1 | 1 | | | | | | | | | | | | | 1 | | | | | |
| 12 | 18 | 40 | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | |
| 12 | 20 | 33 | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 | 20 | 51 | | | 1 | 2 | 2 | 1 | | | | | | | | | | | | | | | 1 | | | |

Stock 1000x2000, 1250x2500 e 1500x3000

1: Size 1000x2000; 2: Sizes 1000x2000 e 1250x2500; 3: Sizes 1000x2000, 1250x2500 e 1500x3000

F: Gold anodised; G: Bronze anodised; I: White coated; A: AISI 316L 1000x2000

| Round holes | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|----|-----|------------|-----|---|-----|---|---|---|---|---|---|------------|------|---|-----|-----------------|-----|-----|---|-----|-----------|---|-----|---|-----|
| R | T | V/P | Mild steel | | | | | | | | | | Galvanized | | | | Stainless steel | | | | | Aluminium | | | | |
| mm | mm | % | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 0,75 | 1 | 1,5 | 2 | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 0,5 | 1 | 1,5 |
| 15 | 23 | 39 | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | |
| 20 | 28 | 46 | | | 1 | 2 | 2 | 1 | 1 | 1 | | | | | | | | | | 1 | | | | | | |
| 20 | 30 | 40 | | | | | | | | | | 1 | | | | | | | | | | | | | | |
| 25 | 35 | 46 | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| 30 | 40 | 51 | | | | | | 1 | | | | | | | | | | | | | | | | | | |

| Square holes | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|----|-----|------------|-----|---|-----|---|---|---|---|---|---|------------|------|---|-----|-----------------|-----|-----|---|-----|-----------|---|-----|---|-----|
| C | U | V/P | Mild steel | | | | | | | | | | Galvanized | | | | Stainless steel | | | | | Aluminium | | | | |
| mm | mm | % | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 0,75 | 1 | 1,5 | 2 | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 0,5 | 1 | 1,5 |
| 5 | 7 | 51 | | | 2 | 1 | | | | | | | | | | | | | 1 | 1 | | | | | | |
| 5 | 8 | 39 | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | |
| 8 | 10 | 64 | | | 1 | 1 | | | | | | | | | | | | | | 1 | | | | | | |
| 8 | 12 | 44 | | | 2 | 2 | 2 | | | | | | | | 2 | | | | | 1 | 1 | | | | | |
| 10 | 12 | 69 | | | 1 | 1 | | | | | | | | | | | | | | 1 | 1 | | | | | |
| 10 | 14 | 51 | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | |
| 10 | 15 | 44 | | | 2 | 3 | 2 | | | | | | | | 2 | 2 | | | | 1 | 1 | | | | | |
| 15 | 20 | 56 | | | | 1 | | | | | | | | | | | | | | | | | | | | |

| Slot holes | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|-------|-----|------------|-----|---|-----|---|---|---|---|---|---|------------|------|---|-----|-----------------|-----|-----|---|-----|-----------|---|-----|---|-----|
| LR | Z | V/P | Mild steel | | | | | | | | | | Galvanized | | | | Stainless steel | | | | | Aluminium | | | | |
| mm | mm | % | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 0,75 | 1 | 1,5 | 2 | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 0,5 | 1 | 1,5 |
| 4x20 | 16x25 | 38 | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| 5x20 | 20x25 | 38 | | | | 1 | | | | | | | | | | | | | | | | | | | | |

| Fantasy holes | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|-----|------------|-----|---|-----|---|---|---|---|---|---|------------|------|---|-----|-----------------|-----|-----|---|-----|-----------|---|-----|---|-----|-------|
| Decorative patte | V/P | Mild steel | | | | | | | | | | Galvanized | | | | Stainless steel | | | | | Aluminium | | | | | |
| | % | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 0,75 | 1 | 1,5 | 2 | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 0,5 | 1 | 1,5 | |
| FS 45 U 20 | 44 | | | 1 | | | | | | | | | | | | | | | | | | | | | | I FGI |
| FS 8 BIS Z 10 | 43 | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| FS 8 U 9 | 37 | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | | I FGI |
| FS 9 U 16 | 34 | | | | 1 | | | | | | | | | | | | | | | | | | | | | 1 |

| Aderstop | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|-----|------------|-----|---|-----|---|---|---|---|---|---|------------|------|---|-----|-----------------|-----|-----|---|-----|-----------|---|-----|---|-----|---|
| | V/P | Mild steel | | | | | | | | | | Galvanized | | | | Stainless steel | | | | | Aluminium | | | | | |
| | % | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 0,75 | 1 | 1,5 | 2 | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 0,5 | 1 | 1,5 | |
| Aderstop | 6 | | | | | | 2 | | | | | | | | | | | | | | | | | | | 1 |

| Fori FORTOP | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|-----|------------|-----|---|-----|---|---|---|---|---|---|------------|------|---|-----|-----------------|-----|-----|---|-----|-----------|---|-----|---|-----|--|
| Fortop | V/P | Mild steel | | | | | | | | | | Galvanized | | | | Stainless steel | | | | | Aluminium | | | | | |
| | % | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 0,75 | 1 | 1,5 | 2 | 0,5 | 0,8 | 1 | 1,5 | 2 | 3 | 0,5 | 1 | 1,5 | |
| LC | 18 | | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| LL | 18 | | | 1 | | | | | | | | | | | | | | | | | | | | | | |

| Other | | | | | |
|----------|----------|------------|-----------|------------------------|-----|
| | Material | Dimensions | Thickness | Products | V/P |
| Hammered | Copper | 1000x10000 | 0,6 | NASTRO RAME MARTELLATO | 0 |

S.C. MRG STAINLESS GROUP S.R.L.

www.mrg-group.ro

office@mrg-group.ro

0727253092 072134409