

Lista de pret - REZERVOARE DE EXPANSIUNE

Denumire produs	Model
VASE DE EXPANSIUNE	
VERTICALE CU PRINDERE IN FLANSA Membrana interschimbabila EPDM, Presiune de preincarcare 1.5 Bar, Presiune maxima 8 bar Temperatura de lucru = - 10°C/+100°C	
Vas Expansiune, Vol= 8 litri,	VR 8
Vas Expansiune, Vol= 12 litri,	VR 12
Vas Expansiune, Vol= 18 litri,	VR 18
Vas Expansiune, Vol= 24 litri,	VR 24
Vas Expansiune, Vol= 35 litri,	VR 35
Vas Expansiune, Vol= 50 litri,	VR 50
VASE DE EXPANSIUNE	
VERTICALE CU SUPTOR DE SUSTINERE Membrana interschimbabila EPDM, Presiune de preincarcare 1.5 Bar, Presiune maxima 8 bar Temperatura de lucru = - 10°C/+100°C	
Vas Expansiune, Vol= 35 litri,	VRV 35
Vas Expansiune, Vol= 50 litri,	VRV 50
Vas Expansiune, Vol= 60 litri,	VRV 60
Vas Expansiune, Vol= 80 litri,	VRV 80
Vas Expansiune, Vol= 100 litri,	VRV 100
Vas Expansiune, Vol= 120 litri,	VRV 120
Vas Expansiune, Vol= 150 litri,	VRV 150
Vas Expansiune, Vol= 200 litri,	VRV 200
Vas Expansiune, Vol= 250 litri,	VRV 250
Vas Expansiune, Vol= 300 litri,	VRV 300
Vas Expansiune, Vol= 400 litri,	VRV 400
Vas Expansiune, Vol= 500 litri,	VRV 500
Vas Expansiune, Vol= 600 litri,	VRV 600



**VASE DE EXPANSIUNE
VERTICALE CU SUPT DE
SUSTINERE**

**Membrana interschimbabila tip
EPDM ptr. VRV750-VRV1500,**

Membrana tip BUTYL ptr.

VRV2000-VRV5000

Presiune de preincarcare 4 Bar ,

Presiune maxima 10 Bar

Temperatura de lucru VRV750-

VRV1500= -10°C/+110°C

Temperatura de lucru VRV2000-

VRV5000= -10°C/+70°C

Vas Expansiune, Vol= 750 litri,

VRV 750

Vas Expansiune, Vol= 1000 litri,

VRV 1000

Vas Expansiune, Vol= 1500 litri,

VRV 1500

Vas Expansiune, Vol= 2000 litri,

VRV 2000

Vas Expansiune, Vol= 3000 litri,

VRV 3000

Vas Expansiune, Vol= 4000 litri,

VRV 4000

Vas Expansiune, Vol= 5000 litri,

VRV 5000



QY srl
nr 47/B
f1993
00
93 200
any.ro

