


**SNEC DIN OTEL NORMAL FE 360 – GROSIME DE LA 3 LA 5mm**

**Sectiune Spirala**



Dimensiune (mm)			Greutate KG/M	Grosime (mm)	
ØA	B	ØC		D	D1
50	50	13	0.6	2.5	1.5
60	60	22	0.7	3	1.5
80	80	17	1.2	3.5	1.5
80	80	22	1.0	3	1.5
80	65	22	1.1	3	1.5
80	80	27	1.0	3	1.5
90	90	22	1.2	3	1.5
90	90	27	1.1	3	1.5
100	100	22	1.6	3.5	1.7
100	100	27	1.5	3.5	1.5
100	100	34	1.3	3	1.5
120	120	27	1.5	3	1.5
120	120	34	1.6	3	1.5
125	125	34	1.8	3	1.5
130	130	27	2.0	3.5	1.5
130	130	34	1.9	3.5	1.5
130	130	42	1.9	3	1.5
135	135	27	2.0	3.5	1.5
135	135	34	1.9	3.5	1.5
140	140	34	2.1	3.5	1.5
140	140	42	1.9	3.5	1.5
150	150	34	2.4	3.5	1.5
150	150	42	2.1	3.5	1.5
150	150	48	1.9	3.5	1.5
150	100	48	3.2	3.5	1.4
160	160	42	2.3	3.5	1.6
160	160	48	2.2	3.5	1.5
180	180	42	2.9	3.5	1.6
180	180	48	2.8	3.5	1.6
180	120	48	4.9	5	2.2
180	140	48	3.1	3.5	1.6

Dimensiune (mm)			Greutate	Grosime (mm)	
ØA	B	ØC	KG/M	D	D1
180	180	60	2.5	3.5	1.8
200	200	48	3.4	4	2.0
200	150	48	3.9	4	1.6
200	200	60	3.5	4	2.0
200	150	60	4.3	4	1.7
220	220	48	3.8	4	1.8
220	220	60	3.7	4	1.9
230	230	60	3.8	4	1.9
230	170	60	4.5	4	1.7
250	250	60	4.2	4	1.8
250	180	60	7.7	5	2.2
250	250	70	4.1	4	1.9
280	280	60	6.1	5	2.2
280	280	70	5.6	5	2.2
300	300	70	6.6	5	2.3
300	250	70	7.0	5	2.1
300	200	70	8.0	5	2.1
300	300	76	6.4	5	2.3
300	250	76	6.8	5	2.5
350	350	90	8.2	5	2.3



### TOLERANTE GENERALE

INDEX	Tolerantele dimensiunilor (mm)	Tolerantele diametrului exterior	Tolerante ale pasului	Tolerantele diametrului interior
	50mm – 100mm	± 2mm	± 3mm	+ 2/ - 0
	100mm – 150mm	± 2mm	± 3mm	+ 2/ - 0
	150mm – 250mm	± 2mm	± 5mm	+ 2/ - 0
	250mm – 350mm	± 3mm	± 5mm	+ 3/ - 0
	350mm – 600mm	± 5mm	± 20mm	+ 5/ - 0