


zehnder

towel rail




Model	Length mm	Height mm	Connection axes mm	Number of horizontal tubes	Depth mm	Weight kg	Volume dm ³	gms nominal mass flow kg/h	exponent n	Heat emission W 50K	Heat emission W 60K
-------	-----------	-----------	--------------------	----------------------------	----------	-----------	------------------------	----------------------------	------------	---------------------	---------------------

RAL 9016

PBZ-080-045	450	775	406	16	30	5,30	3,4	28,1	1,20	327	407
PBZ-080-050	500	775	456	16	30	5,80	3,6	30,8	1,20	358	445
PBZ-080-060	600	775	556	16	30	6,60	4,1	35,9	1,19	418	520
PBZ-120-045	450	1217	406	22	30	7,70	4,8	40,2	1,23	468	586
PBZ-120-050	500	1217	456	22	30	8,30	5,2	44,0	1,23	512	641
PBZ-120-060	600	1217	556	22	30	9,60	5,9	51,4	1,23	598	749
PBZ-150-045	450	1469	406	28	30	9,60	6,0	49,4	1,24	575	720
PBZ-150-050	500	1469	456	28	30	10,40	6,5	54,2	1,24	631	790
PBZ-150-060	600	1469	556	28	30	11,90	7,4	63,6	1,23	740	927
PBZ-180-045	450	1856	406	34	30	12,00	7,4	61,8	1,24	719	901
PBZ-180-050	500	1856	456	34	30	12,80	8,0	67,7	1,24	788	988
PBZ-180-060	600	1856	556	34	30	14,60	9,1	79,5	1,24	925	1159

Chrome plated

PBCZ-080-050	500	775	456	16	30	5,90	3,6	19,8	1,28	230	290
PBCZ-080-060	600	775	556	16	30	6,70	4,1	23,3	1,25	271	340
PBCZ-120-050	500	1217	456	22	30	8,50	5,2	28,4	1,29	330	418
PBCZ-120-060	600	1217	556	22	30	9,60	5,9	33,5	1,28	390	493
PBCZ-150-050	500	1469	456	28	30	10,50	6,5	35,0	1,29	407	515
PBCZ-150-060	600	1469	556	28	30	11,90	7,4	41,4	1,28	481	608
PBCZ-180-050	500	1856	456	34	30	13,00	8,0	44,1	1,30	513	650
PBCZ-180-060	600	1856	556	34	30	14,70	9,1	52,2	1,29	607	767



Model	Length mm	Height mm	Connection axes mm	Number of horizontal tubes	Depth mm	Weight kg	Volume dm ³	gms nominal mass flow kg/h	exponent n	Heat emission W 50K	Heat emission W 60K
-------	-----------	-----------	--------------------	----------------------------	----------	-----------	------------------------	----------------------------	------------	---------------------	---------------------

RAL 9016

PBTZ-080-050	494	775	450	16	60	5,80	3,63	30,8	1,20	358	445
PBTZ-080-060	595	775	551	16	60	6,60	4,12	35,9	1,19	418	520
PBTZ-120-050	494	1217	450	22	60	8,30	5,20	44,0	1,23	512	641
PBTZ-120-060	595	1217	551	22	60	9,60	5,92	51,4	1,23	598	-
PBTZ-150-050	494	1469	450	28	60	10,40	6,46	54,2	1,24	631	790
PBTZ-150-060	595	1469	551	28	60	11,90	7,37	63,6	1,23	740	927
PBTZ-180-050	494	1856	450	34	60	12,80	7,98	67,7	1,24	788	988
PBTZ-180-060	595	1856	551	34	60	14,60	9,09	79,5	1,24	925	1159

Chrome plated

PBTCZ-080-050	494	775	450	16	60	5,90	3,6	19,8	1,20	230	286
PBTCZ-080-060	595	775	551	16	60	6,70	4,1	23,3	1,19	271	337
PBTCZ-120-050	494	1217	450	22	60	8,50	5,2	28,4	1,23	330	413
PBTCZ-120-060	595	1217	551	22	60	9,60	5,9	33,5	1,23	390	488
PBTCZ-150-050	494	1469	450	28	60	10,50	6,5	35,0	1,24	407	510
PBTCZ-150-060	595	1469	551	28	60	11,90	7,4	41,4	1,23	481	602
PBTCZ-180-050	494	1856	450	34	60	13,00	8,0	44,1	1,24	513	643
PBTCZ-180-060	595	1856	551	34	60	14,70	9,1	52,2	1,24	607	761

Member of Zehnder Group

Export Division
Information Office

7, rue Jean Mermoz - F-91031 Evry Cedex
Tel. +33 169361615 - Fax +33 169361533
export@zehndergroup.com
www.zehndergroup.com

Almweg 34 - D-77933 Lahr
Tel. +49(0)7821 586 392 - Fax +49(0)7821 586 406
zehnderexport@zehndergroup.com
www.zehndergroup.com

