

# DIBAL

# 500 RANGE



THE NEW SCALES CONCEPT



WIND



MISTRAL



TORNADO



STAR

**New 500 RANGE**

- The new **500 RANGE** retail scales of **DIBAL**, brings a new concept in technology and ease of operation. With **4 SERIES** of products, featuring different levels of functionality:



**Amazing functionality**


- Depending on the model, the scales can have up to: **10.000 PLUS, 95 preset keys and 20 vendors**.
- Complete information for each PLU**, including (dep. on model) offer price, prices by weight segments, per kg/100 g, description (up to 3 lines), free texts (up to 20 texts + 1 text of 1.024 characters), profit codes,...
- Sales and management reports:** sales, margins, cash drawer report, last modified PLUs,...
- Stocks management.**
- Fast and reliable communications** among scales, PC and mobile devices including new **DWS (Dibal Web Server)**.

**Capacities**

- Mono-range (3.000 divisions):**  
15 kg - 5g  
30 kg - 10g
- Multi-range (3.000 divisions):**  
6 kg - 2g # 15kg - 5g  
15 kg - 5g # 30kg - 10g
- Mono-range (6.000 divisions):**  
12 kg - 2g  
30 kg - 5g

**Display**

- 500 RANGE** offers a choice of **4 different displays**.
- All of them can show weight, price, total and tare, active vendors and name of the product.
- Additionally, **graphic displays** can show logos, profitability codes (in vendor side), publicity with special dynamic effects\*,... and allow the user to choose between **4 different "screen designs"**.
- Double body format scales, in STAR Series, can incorporate **high resolution 7" COLOUR TFT display\***, in buyer's and vendor's side. This display can show **product pictures** during sale operations, as well as **advertising messages** when the scale is at rest.



**Table of Models**

SERIES	MODEL	FORMAT							DISPLAY				PLUs			MACROS (max. dep. on model and/or format)	VENDORS	PRINTER		SPEED maximum (mm/s)	LINERLESS	INTER-CONNECTION (ETHERNET)* SCALES		COMMUNICATIONS			BATTERY	
		FLAT (F)	TOWER (T)	DOUBLE BODY (DB)	HANGING ABS (HA)	HANG. ST. STEEL (HS)	SELF-SERVICE (SS)	SUPERLUX LCD	GRAPHIC LCD L	GRAPHIC LCD XL	COLOR TFT 7"	TOTAL PLUs	DIRECT PLUs (maximum, dep. on format)	PAPER TYPE	ETHERNET TCP/IP			Wi-Fi IEEE 802.11	HOMEPLUG			SCANNER	CASH DRAWER	USB PORT	HIGH CAPACITY *EXTERNAL BATT. CON.	ANTI BLACK-OUT *EXTERNAL BATT. CON.		
WIND	W-010	•	•					•		2.000	45x2 + 4x2**	-	5	Receipt	80	5	•	OPT.	OPT.*	•		OPT.*						
	W-010 B	•	•	•				•		2.000	45x2 + 4x2**	-	5	Receipt	60	5	•	OPT.	OPT.*	•		•						
	W-015	•	•							2.000	45x2 + 4x2**	-	5	Label or Receipt	80	5	•	OPT.	OPT.*	•		OPT.*						
	W-020	•	•						•	5.000	40x2 + 9x2**	2	10	Receipt	100	10	•	OPT.	OPT.*	•		OPT.*						
	W-020 B	•	•						•	5.000	40x2 + 9x2**	2	10	Receipt	60	10	•	OPT.	OPT.*	•		•						
W-025	•	•						•	5.000	40x2 + 9x2**	2	10	Label or Receipt	100	10	•	OPT.	OPT.*	•		•	OPT.*						
MISTRAL	M-510	•	•	•	•	•		•		2.000	45x2 + 4x2**	-	5	Receipt	80	5	•	OPT.	OPT.*	•		OPT.*						
	M-510 B	•	•	•	•	•		•		2.000	45x2 + 4x2**	-	5	Receipt	60	5	•	OPT.	OPT.*	•		•						
	M-515	•	•					•		2.000	45x2 + 4x2**	-	5	Label or Receipt	80	5	•	OPT.	OPT.*	•		OPT.*						
	M-520	•	•						•	5.000	40x2 + 9x2** (F, T) 70x2 + 9x2** (DB, HA, HS)	2	10	Receipt	100	10	•	OPT.	OPT.*	•		OPT.*						
	M-520 B	•	•						•	5.000	40x2 + 9x2** (F, T) 70x2 + 9x2** (DB)	2	10	Receipt	60	10	•	OPT.	OPT.*	•		•						
M-525	•	•						•	5.000	40x2 + 9x2** (F) 70x2 + 9x2** (DB, HA, HS)	2	10	Label or Receipt (only Label in Self-Service)	100	OPT.	10	•	OPT.	OPT.*	•		OPT.*						
TORNADO	T-530								•	8.000	60x2 + 19x2**	5	20	Receipt	100	16	•	OPT.	OPT.*	•		OPT.*						
	T-530 B								•	8.000	60x2 + 19x2**	5	20	Receipt	60	16	•	OPT.	OPT.*	•		OPT.*						
	T-535	•	•	•	•	•		•	•	8.000	30x2 + 19x2** (F) 60x2 + 19x2** (HA, HS) 90x2 + 19x2** (T) 95x2 + 19x2** (DB) 100-150-208 (SS)	5	20	Label or Receipt (only Label in Self-Service format)	100	OPT.	16	•	OPT.	OPT.*	•		OPT.*					
STAR	S-540								•	10.000	60x2 + 19x2**	60	20	Receipt	100	16	•	OPT.	OPT.*	•		OPT.*						
	S-540 B								•	10.000	60x2 + 19x2**	60	20	Receipt	60	16	•	OPT.	OPT.*	•		•						
	S-545								•	10.000	30x2 + 19x2** (F) 60x2 + 19x2** (HA, HS) 90x2 + 19x2** (T) 95x2 + 19x2** (DB) 100-150-208 (SS)	30 (F) 60 (HA, HS) 90 (T) 95 (DB) 100 (SS)	20	Label or Receipt (only Label in Self-Service format)	100	OPT.	16	•	OPT.	OPT.*	•		OPT.*					
	S-547								•	10.000	60x2 + 19x2**	60	20	2 Printers R and L	100	OPT.	16	•	OPT.	OPT.*	•		OPT.*					

OPT. = Optional.

\* Available soon.

\*\* Using Shift and Vendor keys.

\*\*\* COLOR display available soon and only for Double Body format.

**Printing**

- **High resolution and fast printer:** up to 80 mm/second in W-010/015 and M-510/515, and **up to 100 mm/second** in the rest of models (60 mm/s in models "B" with internal rechargeable battery).

- **Receipts and labels design and information are fully configurable:**

**Receipts:**

- Up to 4 formats.
- 4 logos per receipt.
- Vendor's name.
- 9 payment modes.
- Total in €, old national currency and 2 additional currencies.
- Discounts on line and total.
- Loyalty points (TORNADO and STAR).
- Clients on account (TORNADO and STAR).
- Recipes (TORNADO and STAR).

**Labels (dep. on model):**

- Up to 60 different formats.
- From 30x30 up to 60x150 mm.
- 40 logos (100 in STAR Series).
- 40 fields of information in WIND and MISTRAL Series (60 in TORNADO and STAR) and 100 programmable texts.
- Pre-packing and self-service modes.
- 3 levels of totals (except for W-015 and M-515).
- Continuous printing of a programmed number of copies of a label.

**Cassette (scales with label printer)**

- Immediate change of the paper roll, featuring a **cassette** (except for WIND Series).



Receipt printer

Label printer



- **Linerless (adhesive paper rolls without backpaper):**

- M-525, T-535 and S-545/547 models can be supplied with a "linerless" option, to print adhesive labels/receipts without backpaper.
- The cost of linerless rolls are lower than die cut label rolls. The scale can print labels of variable length -with no waste of paper- or adhesive receipts (that can be used to close the customer bag).
- The linerless system benefits our environment, as there is no backpaper waste.
- The Dibal scales with linerless option can also print conventional receipts or labels, simply changing the "cassette" and the operation mode.



**Barcodes**

- **500 RANGE** scales can print in both receipts and labels **EAN-13** and **GS1 DataBar**. STAR models can also print **EAN-128**.
- Moreover, **500 RANGE** scales also allow the **connection of a scanner\*** to read these barcodes. The scanner can be **powered by the scale**.



\* Except for W-010/015 and M-510/515.

**Generic traceability (labels)**

- Including **EU Bovine Meat Regulations** and, depending on model, up to **10 types of generic traceability** (for meat, fish, fruits, vegetables, ...).

**Models and formats**



Flat and Pole "XL", with receipt printer or label/receipt printer.

Flat and Pole, with receipt printer.

Flat and Pole, with label/receipt printer.


## Easy programming and operation

• **500 RANGE** scales have been designed thinking on the needs of **users** and **service departments**:

- **“Drill-Down” Menus.**
- **Menu can be printed** in the scale.
- **Special keys for direct access to programming menus:** change a price, include a new PLU or vendor, sales reports,...
- **Direct access to 999 PLUs from keyboard.**
- **Programmable “Macros” system:** sequence of keys assigned to a preset key, for direct access to specific functions of the end user: change of batch number, access to programming parameters, receipt reopening, reports, etc...

The number of macros available depends on the model: 2 in W-020/025 and M-520/525, 5 in T-530/535 and as many as direct PLU keys in STAR models (which also have 10 specific macro keys).

- **Security:** configurable password system.



Printing of menus

## Fiscal mode (dep. on countries)

- When this option is activated, the scale will keep a **full copy of all receipts printed**, allows printing a list of them and keeps **consecutive numbers of receipts** throughout the fiscal period.

## Stocks management in the scale


- **Entry of initial stock.**
- **Register of sales**, deducted from stock.
- Display and print **reports of stock by PLU.**
- **Adjustment of stock** after physical inventory.
- **Information can be sent to PC.**




Macros system



Direct keys to programming menus



Direct access to 999 PLUs





“Drill-Down” menus

□ **Double Body**, with receipt printer, label/receipt printer or 2 printers: receipts + labels.

□ **Hanging ABS**, with receipt printer, label/receipt printer or 2 printers: receipts + labels.

## Communications

- Interconnection and computer connection of **500 RANGE** scales is based on **Ethernet TCP/IP**, as standard, and **Wireless (Wi-Fi IEE802.11) or Homeplug**, as an option.
- In Wi-Fi communications, **Access Point is not needed**, as the new Wi-Fi internal module of 500 scales can be configured as Access Point.
- Interconnection** of scales -from 5 to 16 per section, depending on model- operates on a Master+Slaves or Master+SubMaster+Slaves configuration.



## Easy maintenance

- Internal firmware updateable from PC.
- Local/remote, with/without assistance.
- On line checking and modification of technical parameters, by means of optional DWS (Dibal Web Server).
- Access to all non metrological components of the scales **without breaking metrological seals\*** (except WIND Series).

\*Available soon.

## Long-range batteries

- Mains: 110 or 230 VDC.
- "Anti black-out" battery (dep. on models).
- "B" models, supplied with long range internal rechargeable battery.
- Optional external battery connector.

SERIES	MAXIMUM RANGE*
	<b>36 Hours</b> [1.000 receipts, 3 items/receipt]
	<b>52 Hours</b> [1.500 receipts, 3 items/receipt]

\* Backlight off. Load and range of rechargeable batteries can vary substantially depending on temperature, age and general state of batteries, printing frequency, networking, etc.

## DIMENSIONS

Dimensions in mm.

- FLAT & POLE "XL"**  
Plate: 360 x 265  
Dimensions: 365 x 440 x 160 (height to display) / 530 (total height)
- FLAT & POLE (RECEIPT)**  
Plate: 360 x 260  
Dimensions: 370 x 450 x 140 (height to display) / 515 (total height)
- FLAT & POLE (LABEL)**  
Plate: 360 x 260  
Dimensions: 375 x 470 x 180 (height to display) / 565 (total height)
- HANGING STAINLESS STEEL**  
Plate: 360 x 280  
Dimensions: 375 x 470 x 180 (height to display) / 690 (total height)
- DOUBLE BODY**  
Plate: 360 x 280  
Dimensions: 375 x 470 x 547 (height to display) / 690 (total height)
- SELF-SERVICE**  
Plate: 360 x 280  
Dimensions: 375 x 375 x 680 (height to display) / 700 (total height)
- HANGING ABS**  
Plate: 360 x 280  
Dimensions: 395 x 190 x 700 (height to display) / 700 (total height)

Plates (hanging formats):  
 - Half-deep: Ø 310  
 - Deep: Ø 310  
 - Flat: 360 x 280  
 - Italian: 387 x 330

- Hanging stainless steel**, with receipt printer, label/receipt printer. or 2 printers: receipts + labels.



- Self-service**, with label printer.



### Versions (N° of Keys)

	<b>M-525</b>	<b>100</b>
	SELF-SERVICE	
	<b>T-535</b>	<b>100</b>
	SELF-SERVICE	<b>150</b>
		<b>208</b>
	<b>S-545</b>	<b>100</b>
	SELF-SERVICE	<b>150</b>
		<b>208</b>



**PC Software**

- Several applications are available, running on Windows, to connect **500 RANGE** scales to PC:


**RMS: Retail Management Software**  
**DLDD: Dibal Label Designer**

- **RMS + DLDD:** programming the scales, design receipts/labels (DLDD) and **commercial management** of data received from scales (lists, invoices, warehouses, customers, offers, etc).

**DFS: Dibal Friendly Software**  
**DLDD: Dibal Label Designer**

- **DFS + DLDD:** programming the scales, design receipts/labels (DLDD) and reception of data from scales with fully configurable lists. It stands out for its **ease of use, speed of communication** and **simultaneous connection with all scales.**

- Moreover, Dibal supplies **integration tools** running on Windows or Linux, to facilitate the integration with the **"Back-Office" of the customer.**



**RMS**  
**DLDD**  
**DFS**

**DWS: Dibal Web Server**

- 500 RANGE scales** can incorporate **DIBAL WEB SERVER (DWS)**, allowing access to each scale -through the IP address- from any computer or mobile device (telephone, iPad, ...) with web browser. Access is protected by several levels of passwords.
- Thanks to DWS, **many parameters** of the scale can be remotely **checked and/or modified:**

**Technical Service.**





**Consult and modification of technical parameters.**

**Sales information.**

**Consult of total and detailed sales.**

**Information and Management.**

**"On-line" lists and modifications.**



**DWS**  
DIBAL WEB SERVER