



## ZEDENCOTT

Indice : 4  
27/08/99

### COLD GALVANIZING COATING

ZEDENCOTT is a coating rich in zinc allowing a long life anti corrosion protection of ferrous metals.

This kind of coating extends the now conventional protection of ferrous metals with zinc : hot galvanization, zinc metallisation, electrolytic process.

The protection remains even if an accidental breaking in the continuity of the coating happens.

### CHARACTERISTICS :

- |                             |            |
|-----------------------------|------------|
| • Drying out of dust        | 30 mm.     |
| • Manipulability drying     | 1 hour     |
| • Hard drying               | 24 hours   |
| • Resistance to temperature | 410° C     |
| • Using prescriptions       | None       |
| • Aspect                    | Satin-like |

### UTILISATIONS :

- On all ferrous metals where water, dampness, aggressive atmosphere, cause corrosion.
- All metallic frames, pipe and tube assembling, sluices, bolt and nut works, tanks...
- Retouching of iron works, damaged galvanized parts
- Treatment of rust beginnings, cutting edges of the metals
- Motor-car industry, marine, public works, transports, chemistry, etc...
- ZEDENCOTT is to be used on clean surfaces, sanded or degreased, showing no rust traces and carbon free.

*The information contained in this document does not constitute instructions for use nor is it a specification*