(1) GALVANIZED CHAIN LINK FENCE

	MESH	WIRE GAUGE	WIDTH	LENGTH
3/4"	20MM	BWG 15,16	0.5-3M	5M-25M
1"	25MM	BWG 14,15,16	0.5-3M	5M-25M
1 1/2"	40MM	BWG 9-14	0.5-3M	5M-25M
2"	50MM	BWG 8-14	0.5-3M	5M-25M
2 1/2"	60MM	BWG 8-14	0.5-3M	5M-25M
3"	75MM	BWG 8-14	0.5-3M	5M-25M

(2) PVC COATED CHAIN LINK FENCE

MESH	WIRE GAUGE(MM)	WIDTH	LENGTH
60MM	1.8/2.8,2.0/3.0,2.5/3.5	0.5-3M	5M-25M
50MM	1.8/2.8,2.0/3.0,2.5/3.5	0.5-3M	5M-25M
75MM	1.8/2.8,2.0/3.0,2.5/3.5	0.5-3M	5M-25M

PACKING: IN ROLLS, SPECIAL PACKING MAYBE ARR ANGED UPON REQUEST. REMARK: SIZES OTHER THAN THOSE ABOVE MENTIONED MAYBE MADE UPON REQUEST..



HEXAGONAL WIRE NETTING

(1)			
GALVANIZED HEXAGONAL WIRE NETTING IN NORMAL TWIST			
	WIDTH OF 0.5-	·2.0 M	
MES	Wire gauge (Diameter)		
INCH	MM	BWG	
3/8''	10	27, 26, 25, 24, 23,22,21	
1/2''	13	25, 24, 23, 22, 21,20	
5/8''	16	27, 26, 25, 24, 23, 22	
3/4''	20	25, 24, 23, 22, 21, 20, 19	
1"	25	25, 24, 23, 22, 21, 20, 19, 18	
1-1/4''	31	22, 21, 20, 19, 18	
1-1/2''	40	22, 21, 20, 19, 18,17	
2''	50	22, 21, 20, 19, 18,16,15,14	
4''	100	17,16,15,14	

GALVANIZED HEXAGONAL WIRE NETTING IN REVERSE TWIST WIDTH OF 0.5-2.0 M				
MESH		WIRE GAUGE (BWG)	REINFORCE	MENT STRAND
INCH	MM	22, 21, 20, 19, 18	Width(ft)	Strand(piece)
1"	25mm	22, 21, 20, 19, 18	2'	1
1-1/4''	32mm	20, 19, 18	3"	2
1-1/2"	40mm	20, 19, 18	4"	3
2''	50mm	20, 19, 18	5"	4
3"	75mm	20, 19, 18	6"	5

PVC COATED HEXAGONAL WIRE NETTING			
MESH		WIDTH :0.5-2.0 M , LENGTH:10M-50M	
INCH	MM	WIRE GAUGE (MM)	
1/2" to 1"	13-25	0.6/0.9	
1-1/4" to 2"	32-50	0.7 /1.0	
		0.8 /1.2	
		0.9 /1.3	
		1.0 /1.4	



CHAIN LINK FENCE

MATERIAL: Medium or low carbon steel wire, stainless steel wire

WELDED WIRE MESH IS MADE OF HIGH QUALITY STEEL WIRE THROUGH AUTOMATIC PROCESS AND SOPHISTICATED WELDING TECHNIQUE, LAID HORIZONTALLY AND VERTICALLY, INDIVIDUALLY WELDED AT EVERY INTERSECTION. THE END PRODUCTS IS LEVEL AND FLAT WITH STURDY STRUCTURE.

WELDED WIRE MESH IS EXTENSIVELY USED IN INDUSTRY AND AGRICULTURE,
BUILDING, TRANSPORTATION AND MINING FOR ALL SUCH PURPOSES AS POULTRY
HOUSES, EGG BASKETS, RUNWAY ENCLOSURES, DRAINING RACK, FRUIT D RYING
SCREEN, FENCE.

STANDARD MESH	IN ROLL OF 5M,10	M,25M,30M AND 45M LONG AND 0.5M -1.8M WIDE
MESH		WIRE GAUGE
INCH	MM	(BWG)
1/4"*1/4"	6.4MM*6.4MM	22, 23, 24, 25
3/8"*3/8"	10.6MM*10.6MM	19, 20, 21, 22
1/2"*1/2"	12.7MM*12.7MM	16, 17, 18, 19, 20, 21, 22, 23, 24
5/8"*5/8"	16MM*16MM	18, 19, 20, 21
3/4"*3/4"	19.1MM*19.1MM	16, 17, 18, 19, 20, 21
1"*1"	25.4MM*25.4MM	14, 15, 16, 17, 18, 19, 20
1-1/2"* 1-1/2"	38MM*38MM	14, 15, 16, 17, 18, 19
1"*1/2"	25.4MM*12.7MM	16, 17, 18, 19, 20, 21
1"*2"	25.4MM*50.8MM	14, 15, 16, 17, 18, 19
2"*2"	50.8MM*50.8MM	12, 14, 15, 16, 17, 18
3"*3"	75MM*75MM	16, 17, 18
4"*4"	100MM*100MM	12, 14, 15, 16
6"*6"	150MM*150MM	12, 14, 16

Assortments Available::

HOT-DIPPED GALVANISED AFTER WELDING

HOT-DIPPED GALVANISED BEFORE WELDING

ELETRIC-GALVANISED AFTRE WELDING

ELETRIC-GALVANISED BEFORE WELDING

PVC-COATED

IN STAINLESS STEEL

PACKING:1) EACH ROLL PACKED IN WATERPROOF PAPER

2) EACH ROLL SHRINK WRAPPED

*Other packing and sizes available at customers request

