

The Best Hot Water Hand Wash in the World




HANDEMAN®



HANDEMAN®

HM12 & HM24

Breaking NEW ground
in cost saving and
hand hygiene for the
Commercial Vehicle
operator.



- You get MORE with HANDEMAN® and it costs you LESS.
- HANDEMAN® with the 'Waste-Safe' catchment tray costs less to fit - NO waste water piping or additional waste water container needed.
- Being completely self contained and the Smallest unit on the market – it creates MORE useful space in the vehicle and adds LESS weight.
- TEAL jet spray means MORE washes using LESS water. At least TEN twelve second hot washes per filling
- The 2-litre Waste-Safe traps all dirty water in complete security and is removable for emptying and cleaning.



REAL HAND HYGIENE

Unique finger tip controlled tap can't collect dirt and grease. Washing under hot running water - dirty water goes direct to Waste-Safe®.

No bowl to collect suds and grease.

DESIGNED AND BUILT TO LAST

Robust construction of fully moulded, high Impact polyethylene; insulated throughout with expanded polystyrene.

EASY TO INSTALL

Inside or outside your vehicle.

Delivered complete with:-

- 4 fixing screws and polyethylene mounting bracket
- Correct fuse and fuse holder
- Full instructions
- Just connect 2 x 4mm wires directly to the battery and you are ready to roll.

SAFETY AND CONTROL

Automatic electronic control means:-

- Battery safer with NO drain on power
- Ideal water temperature at 45°C +/- 2°C
- Fast water heating NO WATER safety lock-out
- NO separate switch needed.

OPTIONAL EXTRAS

- Soap dispenser and bracket – HM/BB
- Paper towels and holder – HM/TH
- Metal mounting panel – HM/MP



IN CAB USE

HANDEMAN® low power version HMP12 uses a cigarette lighter socket and is fitted with a 1.8m lead and DIN plug. It also has a carrying handle for complete portability.





MAINS VERSION

HANDEMAN® model HMP230 is a mains version for wall mounting. Complete with fitting instructions, 4 wall fixings, mounting bracket, carrying handle and 1.8m lead with 10 amp plug, HMP230 complies with all current electrical and EMC regulations.



PORTABLE UNIT

With the excellent insulation properties of the HANDEMAN® HMIN5, the water will stay hot for up to 5 hours depending on the initial temperature of the pre-heated hot water used. Supplied with 4 fixings, mounting bracket and carrying handle.




12 & 24 volt models are E-marked in compliance with European EMC Automotive Directive 95/54/EC.

SPECIFICATION

Weight empty 3 kg, weight full 5.3 kg
Max. capacity 2.5 litres

HM12	red label	12 volt	180 watt/15 amp
HMP12	purple label	12 volt	120 watt/10 amp
HM24	blue label	24 volt	240 watt/10 amp
HMP230	green label	230 volt	250 watt/1 amp
HMINS	pale blue label		Insulated

HANDEMAN® is a registered Trade Mark No. 2387108 and Design Registration is No. 3020652.



www.modulstor.ro

Modul-Stor Hungary Kft.
8200 Veszprém, Hungary
E-mail: atelieremobile@yahoo.com
Tel.: +4-0745-554786