

2010

Brochure

Manufacturer and Exporter

Basant International is a renowned name for the export of goods such as auto parts, hand tools, garden tools and fasteners. Our production unit M/s Basant Fabricators is a known concern in itself.


For more information, kindly visit www.basantfabricators.com or www.basantinternational.com.

CONTENTS

| | |
|--|--|
| ASSURED AUTO PARTS FROM BASANT® | |
| UTB PARTS AT A GLANCE FROM BASANT® | |
| QUALITY NUTS, BOLTS & FASTENERS FROM BASANT® | |
| HAND TOOLS FROM BASANT® | |
| PIPE FITTINGS, FLANGES, TUBES FROM BASANT® | |
| IMPORTANT INFORMATION | |

BASANT INTERNATIONAL

www.basantfabricators.com
www.basantinternational.com
sales@basantinternational.com



ASSURED AUTO PARTS FROM BASANT®

Basant International recognises and supplies various auto components for replacement market at affordable rates and durable standards. We have wide market recognition and tie ups to procure and deliver the best through our resources to our clients. With Basant you can be sure of delivery, customer satisfaction and secure transaction.

Our List of Auto Parts covers the following:

Suspension Parts

We offer a complete line of quality trailer suspension parts for all types of trailers. Whether you are looking to replace just a bushing in your trailer spring or overhauling your complete suspension, we have the trailer suspension parts you're looking for.



HUB WITH
NUT



LEAF SPRING MOUNTING
KIT



LEAF SPRING MOUNTING
PLATE



BRACKET



PITMAN ARM



TIE ROD END ASSEMBLY



U-BOLT



U-BOLT LOCK
WASHER



BREAK DISC



HANGER



EQUALIZER



HEAVY HUB

We design and supply rubber engine mountings and bushes for automobiles. These rubber engine mountings are highly durable and heat resistant and are carefully engineered so as to prevent engine from shock excitation. These rubber engine mountings also support in isolating engine vibrations caused by the starting engine.




We supply Oil Seals like Rotary Shaft Seal, Multiple Seal, Single Lip Seal, Lip Seal, Metal Rubber Bonded Seals, PTFE Rubber Bonded Seals, and V-Seal.



LEAF SPRINGS OF BPW, ROR, MERCEDES BENZ, HINO, RENAULT, MAN, DAF ETC.

Engine Parts

Major Engine Parts that we supply are Cylinder, Crankshaft, Connecting Rod, Pistons, Gears, Valves and last but not the least Transmission Housing. A typical example of the inter-connection between the various engine parts is shown below.



DIFFERENTIAL



CRANKSHAFT PULLEY



CONNECTING ROD



CYLINDER HEAD



CRANKSHAFT

UTB PARTS AT A GLANCE FROM BASANT®



COVER



COVER D-45MM



FORK



LEVER



SUPPORT



CHICK CHAIN



PTO PULLEY



CLUTCH FORK



GEAR RETAINER



ELBOW



SELECTOR BAR



DIFFERENTIAL CASE



FRONT AXLE TUBE



HYDRAULIC STEERING
ASSEMBLY



TOP LINK



ROTOR WITH SHAFT



CENTER HOUSING

The above are just a few and our range is ever increasing. We urge our buyers to send us the samples of any sort of part that they need and we develop the jigs and fixtures in-house for an assured supply.

QUALITY NUTS, BOLTS & FASTENERS FROM BASANT®

NUTS: Hex Nuts, ASTM Heavy Series (2H) Nuts, Slotted Nuts, Nylock Nuts, Assembly Nuts, Wing Nuts, Lock Nuts, Square Nuts, Dome Nut, etc. as per required specifications and drawing.

BOLT: H.T/F.T. Hex Bolts, Square Bolts, Oval Head Track Shoe Bolts, CSK Bolts, Carriage Bolts, T-Bolts, Flange Bolts, J-U-I Bolts, Carriage Bolts, Hub Bolts, Allen Bolts, Centre Bolts, Grub Screw etc.

STUDS: Standard studs (Double Ended & F.T), ASTM A193B7 Studs, size range : M-6 to M-100

WASHERS: Plain Washers, Spring Washers, Conical Washers, Serrated Lock washers, Star Washers, Internal/External Toothed Washers, Special Washers as per Drawing, Tab Washers, Precision Washers, etc

THREADED BARS: M-6 to M-48 in 1/2/3/4 mtr .Length

ANCHOR FASTENERS: All kind of Anchor Bolts.

MATERIAL: M.S., En-3a, En-8, En-8D, En-9, En-15, En-19, En-24, Spring Steel, Boron Steel, STAINLESS STEEL(202, 304, 316) etc. or as per customer need and specification.

GRADES: 4.6, 6.4, 8, 8.8, 10, 10.9, 12.9, Spring Steel, SS 302, 304, 316, etc

STANDARDS : DIN ,BS, IS, ASTM, AISI, BIS, etc.

SIZES:

Nuts : 2mm to 100 mm (1/8" to 4").

Bolt - Dia: 5mm to 48mm (3/16" to 2").

Length: 10mm to 400 mm.

Washers: All sizes available.

THREADS: BSW, BSF, UNC, UNF, METRIC

HAND TOOLS FROM BASANT®

We export a variety of Hand Tools like spanners, wrenches, vices, pliers, pincers, hammers, hacksaws etc. Given below is our range and product code.

SPANNERS:

We supply a wide variety of spanners like Double Open End Spanners, Ring Spanners, Bi-hexagon ring spanners, combination spanners, moon shaped C-spanners, S-type combination spanners, Drives, Flexible Socket wrench, Box Spanners, Cross-wheel spanners etc.. Our customers may opt for the material, type and finish as per their requirement. However we do suggest the best combination while taking up orders. Given below are the most commonly used spanners.

Double Open End Spanners:-



Sizes: 6-50mm


Finish: Polished Heads, fully polished Chrome Finish, Satin Finish, Coloured Lacquer, Black Phosphate.

Material: Carbon Steel, Chrome Vanadium

Types: Cold Coin Stamped, Elliptical Pattern, Recessed Panel

Available in DIN Standard & inches sizes as well.

Bi-Hexagon Ring Spanners:-



Sizes: 6-50mm

Finish: Polished Heads, Fully polished Chrome Finish, Satin Finish, Coloured Lacquer

Material: Chrome Vanadium

Types: Cold Coin Stamped, Elliptical Pattern, Recessed Panel, Shallow offset & Deep offset

Available in DIN Standard & inches sizes as well.

Combination Spanners:-



Sizes: 6-50mm

Finish: Polished Heads, fully polished Chrome Finish, Satin Finish, Coloured Lacquer, and Black Phosphate.

Material: Carbon Steel, Chrome Vanadium

Types: Cold Coin Stamped, Elliptical Pattern, Recessed Panel

Available in DIN Standard & inches sizes as well.

Other commonly used Spanners:

| | |
|--|---|
|  |  |
| CROSS-WHEEL SPANNER | BOX SPANNER |
|  |  |
| SPLIT RING SPANNER | ADJUSTABLE SPANNER |
|  |  |
| PIPE WRENCH | ALLEN KEY |

METAL WORKING TOOLS:




BENCH VICE, BABY VICE, PIPE VICE, OFF-CENTRE VICE

Material : SG Iron or Cast Iron

Size: As per Requirement

Colour: Painted, Powder Coated, Laquered

Types: Fixed base/Swivel base



Features: Large Anvil, Replaceable Jaws, Furnace Dried Paint, Swivel Base Rotates 360°

STRIKING TOOLS:

Hammer

A **hammer** is a tool meant to deliver an impact to an object. The most common uses are for driving nails, fitting parts, forging metal and breaking up objects.

| | |
|---|---|
|  <u>Ball-peen hammer</u> 8,16,24,32,40 oz |  <u>Claw hammer</u> 8,16,20 oz |
|  <u>Sledge hammer</u> |  <u>Blacksmith's Cross-peen hammer</u> 6,8,12,16 oz |
|  <u>Lump hammer/Club hammer</u> 1.25, 1.5, 2.0 Kgs |  <u>Engineer's Cross-peen hammer</u> |

Other striking tools include chisels, mauls. We also deal in Pliers, Pincers, Plumb Bob, Garden tools. For further information we encourage our buyers to kindly surf our website on a regular basis as our product portfolio is ever increasing.

PIPE FITTINGS, FLANGES, TUBES FROM BASANT®

We export all sorts of pipe fittings in various grades as per customer's specifications. A few types are given below for reference.



Pipe Tee is a type of pipe fitting which is T-shaped having two outlets, at 90° to the connection to the main line. It is a short piece of pipe with a lateral outlet. Pipe Tee is used to connect pipelines with a pipe at a right angle with the line. Pipe Tees are widely used as pipe fittings. They are made of various materials and available in various sizes and finishes. Pipe tees are extensively used in Pipeline networks to transport two-phase fluid mixtures.

Applications of Pipe Tees:

Pipe Tees are widely used in various commercial and industrial applications. Industrial applications include:

- Chemical processing
- Petroleum
- Pulp/paper
- Refining
- Textile
- Waste treatment
- Marine
- Utilities/power generation
- Industrial equipment
- Automotive
- Gas compression and distribution industries

Pipe elbow fittings is a very important pipe fitting. When we talk about a pipe elbow, it means a length of pipe with a sharp bend in it. Pipe elbows are fitting accessories which are used widely in various industrial sectors in pipe fitting. A pipe elbow is frequently used in pressurized applications and is available in various shapes and sizes for use in different applications. A pipe elbow is a fitting installed between two lengths of pipe or tube allowing a change of direction, usually in the 90° or 45° direction.



Applications of Pipe Elbows:

Various applications of pipe elbows are as follows:

They are manufactured to be used in flow lines for gases, fluids in industrial processes, medical, construction and many Pipe Fittings specialized applications.

The elbows are constructed of heavy materials for rigid applications like extreme high/low temperature resistance etc.

The elbows are specifically designed for use on process and control systems, instrumentation, and equipment used in chemical, petroleum, fluid power, electronic and pulp and paper plants.

Types:

- 45° Elbow
- 90° Elbow
- Male Elbow & Female Elbow
- Reducing Elbow Side Outlet Elbow Street Elbow

FLANGES:-

Our clients can avail from us a diverse range of **Flanges** that is durable and ensures hassle free transaction. Our range includes PN Flange, Plate Blank Flanges, Screwed Bars Flange and Spectacle Flanges. These are made using optimum raw material and are known for their corrosion resistance, durability, fine finish & dimensional accuracy. Available in various specifications, our range can also be customized as per the requirements of the clients.

SPECIFICATIONS:

| | |
|-----------------------------|--|
| Stainless Steel | ASTM A 312, A 213, A 249, A 269, A 358, A 240 and A 276 |
| Type | 202, 304, 304L, 304H, 316, 316L, 316Ti, 321, 321H, 317, 317L, 310, 310S, 409, 410, 420 and 430 |
| Carbon Steel | ASTM A 106, A 53, API A 5L Gr A, B, C, ASTM A 333 and Gr 1 to 6 (IBR & NON IBR) |
| Alloy Steel | ASTM A 335, GR P1, P2, P5, P9, P11, P22 and P91 |
| Nickel Alloys | Monel 400 & 500, Inconel 600 & 625, Incolloy 800, 825, Hastelloy 904, Titanium, Tungsten, Silver Nickel, Zirconium, Palladium and Vanadium |
| Copper Alloys | Aluminium, Copper, Brass & Gunmetal |
| Butt weld & Forged Fittings | ASTM A 403, A182, A 234, A 105, A 420, A 350 & LF2 (IBR & NON IBR) |
| Types | Weld neck, Slip-on, Blind, Socket Weld, Lap Joint, Spectacles, Ring joint, Orifcase, Long Weld neck, Deck Flange, etc. |
| Size | 1/8"NB TO 48"NB.(Socket weld & Threaded) |
| Class | 150#, 300#,400 #,600#,900#, 1500# & 2500 # |

IMPORTANT INFORMATION

| | |
|--|--|
| OUR BANKERS | HDFC BANK LTD. |
| EEFC A/C NO. | 00462430000081 |
| IMPORT EXPORT CODE (REGISTERED WITH EXPORT PROMOTION COUNCIL, A GOVT. OF INDIA INITIATIVE) | 3010003404 |
| CORPORATE ADDRESS | 215, MASTER TARA SINGH NAGAR JALANDHAR-144001 PUNJAB, INDIA |
| SISTER CONCERN | M/s BASANT FABRICATORS A-33, INDUSTRIAL ESTATE JALANDHAR-144008 PUNJAB, INDIA |
| CONTACT PERSON | MR. TUSHAR JAIN |
| CONTACT | EMAIL – tushar@basantinternational.com MOBILE - +91-97800-47858 |

Message from the Director “To be the trusted suppliers of automotive components, Hand Tools, Garden Tools to the international buyers and a trusted vendor of the Indian SME’s”