



天豪國際集團 (注册号1174508)

TIANHAO INTERNATIONAL GROUP LIMITED (Register No.:1174508)

Address: Rm1036, Beita, Huizhan Guojibuilding, No.1 Xinyu Road Jinan High-tech Industrial Development zone, Shandong
china

Tel: +86 531 62328100 +86 531 81171828 Fax: +86 531 62328200 +86 531 81171858

Website: www.tianhaogroup.com

Wood Imitation Color Coated Steel Coil /BOBINAS GALVANIZADAS PREPINTADAS

Color coated steel coil:

Thickness: 1.00mm(maximum)

Any Color, Any Pattern

Material for roofing, home appliance, etc.

Color coated steel coil is the best material of decoration.

Specification:

The base material: galvanized steel, ALUZINC steel or cold rolled steel

Thickness: 1.00mm (maximum)

Width: Within 1250mm

Color: Any color and design by buyer's color sample or as per RAL color chart

Coating: PE, PVDF and SMP

Sheets and strips are available

Good adhesive and can be rollformed

Protective film can be provided if needed

Marine seaworthy packing

Usage: For roofing tiles, home appliances, and construction industry

Marble, brick & roofing tile Color Coated Steel Coil
printed pre-painted galvanized steel coil

Anti-finger print coating steel (clear coating)

1) Applications: back panel of refrigerators/freezers, indoor decoration

2) Base metal: as per customer's request

Anti-finger print coating steel (clear coating)

Thickness: 0.286mm to 1.6mm

Width: as per customer's request

Length: as per customer's request

Standard: JIS, ASTM

Substrate: Galvalume, galvanized steel, stainless steel (SUS430, SUS304), aluminum

Coating thickness: top side: as per customer's request, bottom side: service coating

Applications: household appliances (refrigerators, washing machines, dishwashers, microwave ovens), indoor decoration.

Packaging: Export standard packing

Protective film: as per customer's request

origin: china /Taiwan

payment: T/T or L/C

color steel, color coated steel, prepainted steel coil

Applications: cold-room panels, electrostatic partitions, roofing, indoor/outdoor siding, partitions, ceiling, T-bars, U-bars

Color Coated Steel

Thickness: steel and stainless steel: 0.286mm to 1.6mm, aluminum: 0.286mm to 1.2mm

Width: 600mm to 1220mm or as per customer's request

Length: as per customer's request

Standard: JIS, ASTM

Substrate: Steel, stainless steel and aluminum

Zinc coating: as per customer's request

Color options: RAL catalogue or as per customer's request

Paint types: PE, SMP, PVDF, special silver color coating

Paint thickness: top side: 20±2µm, bottom side: service coating, or as per customer's request

Applications: cold-room panels, electrostatic partitions, roofing, indoor/outdoor siding, partitions, ceiling, T-bars, U-bars

Packing: Export standard packing

Protective film: as per customer's request

Characteristics:

Green ROHS production

Good corrosion resistance

Good chemical resistance

Good workability

Good weather and UV resistance

PCM Steel ,color steel,color coated steel

1) Base metal: as per customer's request

2) Dimensions: as per customer's request

3) Applications: household appliances

PCM steel

Thickness: 0.286mm to 1.6mm

Width: 600mm to 1220mm or as per customer's request

Length: as per customer's request

Standard: JIS, ASTM

Substrate: Steel and aluminum

Zinc coating: as per customer's request

Color options: RAL catalogue or as per customer's request

Paint thickness: top side: 25±2µm, bottom side: service coating, or as per customer's request

Applications: electrical home appliances (refrigerators, washing machines, dishwashers, microwave ovens, dvd players & computer casings, water dispensers, vending machines)

Packaging: Export standard packing

Protective film: as per customer's request

Characteristics:

Green ROHS production

High gloss paint

Good workability

Good stain and scratch resistance

Good corrosion resistance

PVC Coated Steel,Laminated Steel,PVC Pre-coated steel,PVC film coated steel (PVC, PET/PVC, VCM)

Applications: cold-room, elevators, doors, kitchen cabinets, interior decoration, roll-up gates, partitions, household apps.

PVC Coated Steel

Film thickness: PVC layer: 100µm-200µm, adhesive layer: more than 10µm.

Applications: cold-room panels, elevators, doors, kitchen cabinets, interior decoration, roll-up gates, partitions.

Packing: Export standard packing.

Protective film: as per customer's request.

Characteristics:

Green ROHS production

Various color and pattern options

High gloss or matt PVC film options

Good workability

Good stain and scratch resistance

VCM Steel,PVC film coated steel (PVC, PET/PVC, VCM)

Applications: household appliances

Base metal: as per customer's request

Dimensions: as per customer's request

VCM Steel

Film thickness: PVC layer: 100µm-200µm, adhesive layer: more than 10µm.

Applications: cold-room panels, elevators, doors, kitchen cabinets, interior decoration, roll-up gates, partitions.

Packing: Export standard packing.

Protective film: as per customer's request.

Characteristics:

Green ROHS production

Various color and pattern options

High gloss or matt PVC film options

Good workability

Good stain and scratch resistance

PCM Steel Sheets

Thickness: 0.3mm-1.2mm

Zinc coating: 80g-100gsm

Painting thickness: 25mic/5-10mic

Standard Width: 1000mm, 1200mm, 1270mm, 914mm, or according to your request.

Coil weight: as per customers' requests.

ID: 508mm-610mm

Colour: RAL, or other series.

Coating sustain 180degree bending

Applications:

side panel of freezers, microwave, washing machine, air-condition, etc.

PCM / PRE-COATED STEEL SHEET,COLOR STEEL/COLOR COILS/PRE-PAINTED GALVANIZED STEEL COILS/PPGI
PREPAINTED STEEL SHEET

COLOR COATED METAL SHEET/ PRE-PAINTED GALVANIZED /

PCM is a kind of compound metal sheet rolled with color coating.

properties.

Can match color according to customers requirements and also can meet customers demands for different colors in a relatively short

Base metal: 0.3mm ~ 1.2mm thickness of cold rolled steel, galvanized steel, or aluminum alloy plate and other metal sheets.

Category: light PCM and matt PCM

Main technical parameters:

BASE METAL: According to customers request:
PROTECTIVE FILM: Self-adhesive protect film

BACK COAT: 3~10 um, and can paint conductive back coat according to customers request
SUPPLYING STATE:

PLATE Dimension: according to customers request,width \leq 1350 mm, length \leq 4000mm:

COILED Dimension: width \leq 1350 mm, N.W. \leq 5 T, Volume diameter ϕ 510 mm.

VCM /COLOR STEEL /PVC LAMINATED SHEET /COLOR DECORATION STEEL SHEET/PPGI/PRE COATED STEEL

VCM metal sheet: is a kind of film laminated metal sheet, based on metal sheet and coated with light or matt PVC film.
Base metal: 0.3mm ~ 1.2mm thickness of cold rolled steel, galvanized steel, or aluminum alloy sheet and other metal sheets.
Category: light VCM and matt VCM

light VCM

Performance advantageshave colorful surface patterns, have high decorative effect
,have a high gloss surface, with wear-resistant, corrosion-resistant,
oil-resistant, easy-wash and good processability properties

Matt VCM

Performance advantagesmatt surface with wear-resistant, corrosion-resistant, high simulation effect and high decorative properties.

Structural diagram: Protective film

PVC film

Adhesion layer

Chemical treatment layer

Base metal

Chemical treatment layer

Back coat

Main technical parameters:

BASE METAL: According to customers requests:

COAT FILM: 0.15~0.18 thickness of PVC film

PROTECTIVE FILM: Self-adhesive protective film

BACK COAT: 3~10 um, and can paint conductive back coating according to customers requests

SUPPLYING STATE:

PLATE PACK: according to customers request, width \leq 1350 mm, length \leq 4000mm:

COIL PACK: width \leq 1350 mm, N.W./COIL \leq 5 T, Inner Diameter: ϕ 510 mm.

rt period..

