


GENESIS®



Scrap Shears



Welcome to a New Dimension of
Performance.

THE PROMISE OF PERFORMANCE

The Sum of Impressive Features.

Body: Closed frame construction protects cylinder completely during cutting cycle! The mixture of Hardox and Weldox materials offers maximum stability and resistance to wear.

Autoguide: Makes it easier to guide the upper jaw. Easy to shim.

Slewing ring: For maximum flexibility. 360° continuously rotating slewing ring is oversized to ensure optimum force distribution.

Regeneration valve: For shorter cutting cycles. Developed by GENESIS for more cutting performance per hour!

Cylinder: For maximum user friendliness. Large-bore cylinder, completely protected by the superstructure and still easy to access.


Main pivot: Extra strong, heavy-duty pivot. The main pivot is protected by the superstructure frame.

Piercing tip: Patented bolt-on piercing tip eliminates welding and is replaced in minutes.

Cutting blades: For maximum cutting power! Four identical cutting blades are four-times usable with four cutting edges per blade.

Front razor blade: Minimises maintenance requirements. Four-times usable, eliminates wear inside the lower jaw.

Guide blades: Maximises operating times. Innovative dual guide-blade system: the guide blades can be shimmed to the XP piercing tip on both sides and are four-times usable.



The optimum solution for all applications:


A perfect synthesis of performance and cost-effectiveness. With GENESIS XP scrap shears, you benefit from maximum power in work applications, fast cutting cycles for high cost effectiveness and minimum maintenance costs. GENESIS XP scrap shears are characterised by the high quality of their materials, solutions which are intelligent in every detail, and maximum care during the manufacturing process. All wear parts are bolted on and can be exchanged in a matter of minutes. It is not necessary to weld on wear parts. You can be sure that in the tough reality of everyday work, GENESIS XP scrap shears keep the promise that we make to you today: capability you can rely on. We call it: THE PROMISE OF PERFORMANCE.

The GENESIS concept:

Technical innovation and across the board customer service are what make GENESIS a leading manufacturer of hydraulic attachments for use in the fields of scrap, demolition and recycling. You benefit from our competence.

Personal service – even after delivery:

With more than 40 sales and service partners in over 30 countries and a sophisticated spare parts supply service, our customer service is fast, competent and comprehensive. Short distances lead to maximum service. GENESIS products pay off – every day.



Technical Data:

GXP-Series Model	Weight (kg)	Max. oil flow (l/min)	Jaw opening A (mm)	Jaw depth B (mm)	Length C (mm)	Excavator weight Boom mounted (t)	Excavator weight Stick mounted (t)
GXP 200R	2.500	303	457	432	2.800	13	21
GXP 300R	3.700	454	584	610	3.250	20	32
GXP 400R	4.400	454	711	737	3.600	24	38
GXP 440R MAXX	5.900	454	711	737	3.600	27	45
GXP 500R	6.200	454	813	813	3.950	34	53
GXP 660R MAXX	6.700	757	813	813	4.250	36	57
GXP 700R	7.600	757	889	889	4.500	41	65
GXP 990R MAXX	8.100	757	889	889	4.900	44	73
GXP 1000R	8.300	757	965	965	4.950	45	75
GXP 1200R	12.000	757	1.067	1.067	5.200	66	108
GXP 1500R	12.800	757	1.118	1.118	5.500	74	120
GXP 2500R	24.900	1.136	1.168	1.219	7.200	Upon request	Upon request

- All GENESIS scrap shears can be continuously rotated through 360°.
- All GENESIS scrap shears (excepting GXP 2500R) are manufactured with a hole pattern. Mounting plates are not included. Various models are available upon request.
- All GENESIS scrap shears are covered by an 18 month warranty on the superstructure and a 12 month warranty on all hydraulic components.
- GXP 200 and 300 shears have a single guide blade system.
- The excavator weight classes given above are standard values. In specific cases, please contact the excavator manufacturer.

Correct as of: 10.2011

GENESIS GmbH

Alpenstraße 71
D-87700 Memmingen / Germany

Tel: +49 (0) 8331-925 98-0
Fax: +49 (0) 8331-925 98-80

info@genesis-europe.com
www.genesis-europe.com