

KATALOG

2012



ECO - containers


Production equipment

Containers for waste



Fuel economy lubricating

Storage

Manipulation technique



New updated design



Download and view the catalog here, 45 pages.

ITEMS in the catalog are manufactured in own shop "Varan-56-Ltd"

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Eco Waste Container

NEW

New updated design





Eco containers for household waste

1.5 -10 m3 ®

Eco specialized container for waste intended for collection, temporary storage and transportation of municipal solid waste.

Eco specialized container for waste intended for collection, temporary storage and transportation of municipal solid waste.

This Eco - bin makes recycling more convenient and effortless. It is very accessible even for children and people with disabilities in the number of doors located at different levels of the ground, making it easy for children using wheelchairs to get to it. Since the container is treated with a tire noise is completely absorbed and also bent on protecting it from corrosion. Design features small cap that can be easily replaced when it breaks down, keeping the entire roof intact. This steel container is lower than the existing container, but is designed to recycle the same amount of waste in other much more reliable way.



Type	Dimensions in mm.			Volume M3	Weight Kg.
	Length / width / height				
5612001-3,0	2550	1600	1000	3 m3	375
5612001-4,0	2300	1600	1300	4 m3	450
5612001-5,0	3000	1690	1450	5 m3	550
5612001-5,5	3000	1690	1500	5,5 m3	635
5612001-7,0	3500	1690	1400	7 m3	700
5612001-10,0	4100	1690	1700	10 m3	900

Duration of work within 5 working days

Warranty 5 years.

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Eco container with lids with spring mechanism



NEW

New updated design


Eco containers for household waste

1.5 cubic meters to 10 cubic meters ®

Eco specialized container for waste intended for collection, temporary storage and transportation of municipal solid waste.

Eco specialized container for waste intended for collection, temporary storage and transportation of municipal solid waste.

This Eco - bin makes recycling more convenient and effortless. It is very accessible even for children and people with disabilities in the number of floors located at different levels of the ground, making it easy for children using wheelchairs to get to it. Since the container is treated with a tire noise is completely absorbed and also bent on protecting it from corrosion. Design features small cap that can be easily replaced when it breaks down, keeping the entire roof intact. This steel container is lower than the existing container, but is designed to recycle the same amount of waste in other much more reliable way.




Type :5612002



Type :5612002

Lids are equipped with handle and locking capability. Once unlocked lid opens itself thanks to the help of spring mechanism. S chain cover can be easily pulled down and closed.



Type :5612002

Type	Dimensions in mm.			Volume M3	Weight Kg.
	Dalzhina/visochina/V1-rab.				
5612002-2.5	2370	1380	860	2,5M3	360
5612002-3,0	2440	1300	710	3 M3	465
5612002-4,0	2830	1240	870	4 M3	510
5612002-5,5	3550	1340	900	5,5 M3	610
5612002-7,0	3800	1570	1050	7 M3	685

Duration of work within 5 working days

Warranty 5 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

NEW

Eco Waste Container

Eco containers for household waste
1.5 -10 m³ ®

Eco specialized container for waste intended for collection,
temporary storage and transportation of municipal solid waste.

New updated design



This Eco - bin makes recycling more convenient and effortless.
Bent on protecting it from corrosion.

Type:	Dimensions in mm.			volum e m ³	Weight Kg.
	Length / width / height				
5612003-3,0	2550	1850	900	3 m ³	475
5612003-4,0	2800	1850	1100	4 m ³	550
5612003-5,0	3000	1850	1200	5 m ³	600
5612003-5,5	3150	1850	1300	5,5 m ³	635
5612003-7,0	3500	1850	1400	7 m ³	715
5612003-10,0	4100	1850	1700	10 m ³	845

®

Type :5612003

®

Type :5612003

Duration of work within 5 working days

Warranty 5 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Containers - 660, 800, 770.1100 liters .

Intended: the collection of solid municipal and industrial waste.

Low dead weight - 80 kg.; 112 kg.; 135 kg., Depending on the type.

Four steering wheel diameter 180 or 200 mm.

Optimum number of grips for easier handling.

Universal structure of the ear.

Recommended weight of waste - 0.5 kg. / L.

Dimensions in EM 840-2, surface treatment - painted or hot dip galvanizing in EM 13th 1461.

Integrated rack plate in combination with holders for dump to normal system dump.

The customer containers can be equipped with other systems


Color painted containers - Custom.

With standard performance - both wheels have brakes.

Upon request we offer containers are equipped with central brake lock lid, with the possibility of foot opening, with the rack plate in oil-impermeable performance suitable for handling trucks.

Open the lid for throwing waste, depending on the type of waste and sorted by customer, staining in combination with adhesive plates with text.

Capacity of the wheels - at 205 kg., Diameter 200 mm, recommended weight of waste - 440 kg.



Period of construction within 15 working days

Warranty 2 years


VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Asymmetric containers for construction waste DIN 30720-1

Asymmetrical containers are manufactured according to DIN 30720-1:2009-10 Bottom-6mm, Country-3mm, 4mm, 5mm. Steel S235, U profil 50h40h4mm, 80h50h4mm, 100h50h5mm. Strong internal and external corners.

Coverage: primer, paint - RAL Custom. Ability to organize one another. Designed for building, industrial and other waste. Initial testing of safety in accordance with BGR 186



Type:	Dimensions in mm			volume M3	Weight Kg.
	Length	width	height		
56001-3,0	2550	1850	900	3 M3	475
56001-4,0	2800	1850	1100	4 M3	550
56001-5,0	3000	1850	1200	5 M3	600
56001-5,5	3150	1850	1300	5,5 M3	635
56001-7,0	3500	1850	1400	7 M3	715
56001-10,0	4100	1850	1700	10 M3	845

Type: 56,001
 Made from 3.0 m3 to 10 m3



Duration of work within 5 working days

Warranty 5 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Asymmetric containers with removable front side on DIN 30720-1

Asymmetric containers with removable front side are manufactured according to DIN 30720-1:2009-10 Bottom-6mm, Countries-3mm, 4mm, 5mm. Steel S235, U profile 50h40h4mm, 80h50h4mm, 100h50h5mm. Strong internal and external corners.

Coverage: primer-RAL paint on request. Ability to organize one another. Designed for building, industrial and other waste. Initial testing of safety in accordance with BGR 186.



Type:	Dimensions in mm.			volume M3	Weight Kg.
	Length / width / height				
56003-3,0	2550	1850	900	3 m3	615
56003-4,0	2800	1850	1100	4 m3	670
56003-5,0	3000	1850	1200	5 m3	700
56003-5,5	3150	1850	1300	5,5 m3	705
56003-7,0	3500	1850	1400	7 m3	785
56003-10,0	4100	1850	1700	10 m3	1000



Type: 56003
 Made from 3.0 m3 to 10 m3



Duration of work within 5 working days

Warranty 5 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Closed containers with lids for waste



Type: 56001 - BDS 4m3



PURPOSE:

Container for household waste four cubic
 Specialized container 4m3 of waste intended for collection, temporary storage and transportation of municipal solid waste.

TECHNICAL CHARACTERISTICS:

-4 cubic meters capacity Covers -4 pc.
 width 1600 mm, length 2300 mm height 1300 mm. Made of black hot rolled steel with wall thicknesses - 3mm

DESCRIPTION OF CONSTRUCTION:

4 cubic meters of container household waste -1 pc. large door and 4. covers the filling, measuring: width 1600 mm, length 2300 mm and height 1300 mm - made of black hot rolled steel with wall thickness, 3 mm primed.

Тип:	Dimensions in mm.			volume M3	Weight Kg.
	Length / width / height				
56001 - BDS -3,0	2550	1600	1000	3 M3	375
56001 - BDS -4,0	2300	1600	1300	4 M3	450
56001-BG-5,0	3000	1690	1450	5 M3	550
56001-BG-5,5	3000	1690	1500	5,5 M3	635
56001-BG-7,0	3500	1690	1400	7 M3	700
56001-BG-10,0	4100	1690	1700	10 M3	900

Type :56001-BG

Made from 3.0 m3 to 10 m3

Container for household waste than 3 -10 cubic meters
 Specializing garbage container intended for collection, temporary storage and transportation of municipal solid waste.



Duration of work within 5 working days

Warranty 5 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Container with a lid dome





- container with lid dome
- waterproof cover and galvanized
- 2 pc. Handles
- stable foundation
- pouring from forklift in any height from the point of cable driver of trolleys
- protection against accidental slip-and-roll
- wheels - optional
- galvanized according to EN ISO 1461



RAL 2000 RAL 3000
 RAL 5012 RAL 6011
 RAL 7005

Accessories:

2 pcs. rotating and 2 pcs. fixed polyamide wheels with a diameter - Ø 180 mm Swivel caster with brakes - 220 mm. height.



type	Dimensions A/B/C	Volume in liters	Payload kg	weight kg
56050-750	1710 x 775 x 1230	750	1000	210
56050-1000	1710 x 975 x 1230	1000	1500	228

Duration of work within 5 working days

Warranty 2 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371



Eco Waste Container

This Eco - bin makes recycling more convenient and effortless. It is very accessible even for children and people with disabilities in the number of doors located at different levels of the ground, making it easy for children using wheelchairs to get to it. Since the container is treated with a tire noise is completely absorbed and also bent on protecting it from corrosion. Design features small cap that can be easily replaced when it breaks down, keeping the entire roof intact. This steel container is lower than the existing container, but is designed to recycle the same amount of waste in other much more reliable way.



Specializing garbage container intended for collection, temporary storage and transportation of municipal solid waste.



Dimensions and volume of the client.

Period of construction within 15 working days

Warranty 5 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371



Container for disposal of waste from fluorescent tubes (neon)

Product Details: Court of galvanized steel and painted for neon tubes
 Rugged construction with metal bottom 100 mm. height to allow the transport of container by forklift or pallet trucks.

Angular alignment with holes for lifting
 Ability to multi-storey arrangement of up to 3 levels
 All containers for fluorescent lamps are locked

Capacity:

1100 tubes with a diameter of 25 mm. Or 500 pipes with a diameter of 37 mm.



Type.	opening	volume liters	Dimensions L x W x H
56022 - L/B	combined	640	1630 x 620 x 970

Duration of work within 5 working days

Warranty 3 years.

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

International transport of solid and pasty substances, ADR / RID / IMDG Code. Packing Groups I, II and III



- ■ Vents around perimeter. Container is protected from water splash
- ■ Water-tight to 100 mm, measured from the floor of the container
- ■ steel construction in accordance with DIN 30741-1
- ■ fork sleeves
- ■ suitable for pallet forklift truck or crane
- ■ reinforced corners with integrated arrangement for crane
- ■ Can be arranged (3 pieces)
- ■ a lid fastener locking
- ■ lid supports the position of 70 °
- ■ automatic locking lid position in 270 °



Type.	Dimensions mm.	Total weight allowed in kg.	Volume in liters	Weight in kg.
56049-800-1	1200 x 1000 x 1235	295	800	170



Performance:
 IBC in accordance with standard DIN 30741, Part 1

solid steel construction
 near Profiling
 maximum density - 1.5 kg / l
 wall - 2 mm, bottom - 2.5 mm.
 continuous forklift pockets
 registered for forklift truck,
 bearing angles with holes for crane lift
 stackable 3-fold
 covering two locks, lockable

Cover seal
 automatic cover 270 °
 Position the lid - Support 70 °
 cover stays at 70 °

galvanizing (EN ISO 1461)
 additional paint (exterior)
 in accordance with the decision of
 RAL color code chart

Type.	Dimensions mm.	Total weight allowed in kg.	Volume in liters	Weight in kg.
56049-450-2	1200 x 1000 x 835	825	450	185
56049-640-2	1200 x 1000 x 1035	1124	640	200
56049-800-2	1200 x 1000 x 1235	1375	800	215



VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Eco Store



Type :56020

- Available in lengths from 1.6 to 6 m according to the client.
- Major options: 1.6, 3, 4, 5, 6 m.
- Option for additional ordering transition or different than the position of the doors.
- On request to the container can be added to hot galvanized trays.



- Galvanized or painted welded construction with lockable doors, slatted floors and safety catchment tub
- Suitable for storage of hazardous substances, waste, etc.
- You do not need provide additional basis alone.
- Move crane or high-lift truck.
- The customer is offered without options catchment tub and a wooden floor, for use as container for materials.
- Variations with side and top opening or electrical.

Type.	dimensions	Weight kg.	Volume of bath catchment
56020-1	1600 x 2350 x 2350	630	450
56020-2	3000 x 2350 x 2350	1000	800
56020-3	4000 x 2350 x 2350	1280	1050
56020-4	5000 x 2350 x 2350	1560	1350
56020-5	6000 x 2350 x 2350	1850	1600




Period of construction within 15 working days


VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

PE-HD for storage of aggressive media



Polyethylene liner, removable



Type: PE-HD56127013



Chemical collection system for storage of highly concentrated acids and alkalis. Made of highly resistant, extruded HDPE plate material. Also suitable for storage of highly concentrated chemicals in Schedule 40 to 1.1 Technology, Berlin!


-96% Sulfuric acid, nitric acid 55%, 95% phosphoric acid, 37% hydrochloric acid chlorine bleach, chromic acid, acetic acid.

- Welded construction of extruded plastic sheet material (HDPE)
- Dimensioned in accordance with structural requirements
- Capacity to 3,000 kg (of load)


Polyethylene liner, removable




Type: PE-HD 56127016



Type: PE-HD 56127017



Type: PE-HD 56127018



Type: PE-HD 56127014



Polyethylene liner, removable



Type: PE-HD 56127015


For storage of aggressive media. - Pursuant to the requirements of the Water Act - Approved for Class of water pollution WKG 1-3, depending on the current operational security agreement - 01:01:03 - Resistance to corrosion, durable and extremely stable. Made of welded structure made of extruded plastic sheet material (HDPE) Working height 100 mm. Up to 1000 liters. Gratings from galvanized steel (standard) or stainless steel (optional at extra charge), Declaration of Conformity according UHP Stawa-R

Duration of work within 5 working days

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

PE-HD for storage of aggressive media



Chemical collection system for storage of highly concentrated acids and alkalis. Made of highly resistant, extruded HDPE plate material. Also suitable for storage of highly concentrated chemicals in Schedule 40 to 1.1 Technology, Berlin!

**-96% Sulfuric acid, nitric acid 55%, 95% phosphoric acid, 37% hydrochloric acid
chlorine bleach, chromic acid, acetic acid.**

- Welded construction of extruded plastic sheet material (HDPE)
- Dimensioned in accordance with structural requirements
- Capacity to 3,000 kg (of load)



For storage of aggressive media. - Pursuant to the requirements of the Water Act - Approved for Class of water pollution WKG 1-3, depending on the current operational security agreement - 01:01:03 - Resistance to corrosion, durable and extremely stable. Made of welded structure made of extruded plastic sheet material (HDPE) Working height 100 mm. Up to 1000 liters. Gratings from galvanized steel (standard) or stainless steel (optional at extra charge), Declaration of Conformity according UHP Stawa-R.

Duration of work within 5 working days

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371



PE-HD for storage of aggressive media



Chemical collection system for storage of highly concentrated acids and alkalis. Made of highly resistant, extruded HDPE plate material. Also suitable for storage of highly concentrated chemicals in Schedule 40 to 1.1 Technology, Berlin!

-96% Sulfuric acid, nitric acid 55%, 95% phosphoric acid, 37% hydrochloric acid chlorine bleach, chromic acid, acetic acid.

- Welded construction of extruded plastic sheet material (HDPE)
- Dimensioned in accordance with structural requirements
- Capacity to 3,000 kg (of load)



For storage of aggressive media. - Pursuant to the requirements of the Water Act - Approved for Class of water pollution WKG 1-3, depending on the current operational security agreement - 01:01:03 - Resistance to corrosion, durable and extremely stable. Made of welded structure made of extruded plastic sheet material (HDPE) Working height 100 mm. Up to 1000 liters. Gratings from galvanized steel (standard) or stainless steel (optional at extra charge), Declaration of Conformity according UHP Stawa-R

Duration of work within 5 working days

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Catchments bath volume 1000 l

Meets requirements for storage of hazardous substances into the waters (WGK 1-3) and combustible liquids (F / F +)

Declaration of Conformity in accordance UHP Stawa-R

Easy transport and lifting equipment. Flexible use - razpolane in different places


Easy cleaning of the tank with galvanized gratings (payload 1000 kg / m²)

Colour: RAL 5010, RAL 2000 and others, or galvanized

Optional: Made of stainless steel and special sizes.



Polyethylene liner, removable



For storage of aggressive media. - Pursuant to the requirements of the Water Act - Approved for combustible and flammable materials from classes of water pollution WKG 1-3, depending on the current operational security agreement - 01:01:03 - Resistance to corrosion, durable and extremely stable. Made of 2 mm. stainless steel 1.4301. Working height 100 mm. Up to 1000 liters. Gratings from galvanized steel (standard) or stainless steel (optional at extra charge), Type ESP capacity of 500 kg / m², in type ETC 1000 kg / m² - Declaration of Conformity in accordance UHP Stawa-R

Duration of work within 5 working days

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Double catchments bath volume 1000 l

Meets requirements for storage of hazardous substances into the waters (WGK 1-3) and combustible liquids (F / F)
 Declaration of Conformity in accordance UHP Stawa-R
 Easy transport and lifting equipment - flexible possible use of different places
 Easy cleaning of the tub, galvanized gratings (payload 1000 kg / m²)
 Colour: RAL 5010, RAL 2000 and others. or galvanized
 Optional: Made of stainless steel and special sizes.

Duration of work within 5 working days



Type :56006



Type :56006



Type :56006



Type :56006

type	A	B	C	D
56006	2720	1650	350	
56006-1	2720	1650	350	830
56006-2	2720	1650	350	1300
56006-3	2720	1650	350	830



For storage of aggressive media. - Pursuant to the requirements of the Water Act - Approved for combustible and flammable materials from classes of water pollution WKG 1-3, depending on the current operational security agreement - 01:01:03 - Resistance to corrosion, durable and extremely stable. Made of 2 mm. stainless steel 1.4301. Working height 100 mm. Up to 1000 liters. Gratings from galvanized steel (standard) or stainless steel (optional at extra charge), Type ESP capacity of 500 kg / m², in type ETC 1000 kg / m² - Declaration of Conformity in accordance UHP Stawa-R

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Catchments bath with grill

Meets requirements for storage of hazardous substances into the waters (WGK 1-3) and combustible liquids (F / F+)

Declaration of Conformity in accordance UHP Stawa-R

Ease of handling and transport of lifting equipment. Possible use of different places.

Easy cleaning of the tub, galvanized gratings (payload 1000 kg / m²)

Colour: RAL 5010, RAL 2000 and others. or galvanized

Optional: Made of stainless steel and special sizes.



For storage of aggressive media. - Pursuant to the requirements of the Water Act - Approved for combustible and flammable materials from classes of water pollution WGK 1-3, depending on the current operational security arrangements - 01:01:03 - Resistance to corrosion, durable and extremely strong - 2 mm.

Stainless steel 1.4301 - Working height 100 mm - Collect up to 1000 liters - Gratings made of galvanized steel (standard) or stainless steel (optional at extra charge), Type ESP capacity of 500 kg / m², in type ETC 1000 kg / m² - Declaration of Conformity in accordance UHP Stawa-R

Duration of work within 5 working days

Type.	A	B	C	capacity	volume
56007-0	700	1200	350	1 x 200 л	168 л
56007-1	860	860	430	1 x 200 л.	216 л
56007-2	1340	850	330	2 x 200 л.	230 л
56007-3	1340	1250	300	4 x 200 л.	335 л
56007-4	2720	850	330	4 x 200 л.	460 л
56007-5	2720	1250	300	8 x 200 л.	680 л



VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Closed catchment tub



Suitable for safe and requirements for storage of flammable and combustible substances **Fire** open.

Easy cleaning of the tub, hot galvanized traveling screens (payload 850 kg / m²)

Declaration of Conformity, Stawa-R

RAL 5010 or galvanized.



Type : 56013-B



Type : 56013-C



Тип: 56013

System standard set of stainless steel.


For storage of aggressive media. According to the Water Act. Approved for flammable and combustible materials from the classes of water pollution WKG 1-3, depending on the current operational security arrangements - 01:01:03. Corrosion resistant, extremely durable and stable. Made of 2 mm. stainless steel 1.4301. Working height 100 mm. Up to 1000 liters. Gratings from galvanized steel (standard) or stainless steel (optional at extra charge), Type ESP capacity of 500 kg / m², in type ETC 1000 kg / m² - Declaration of Conformity in accordance UHP Stawa-R

VARAN-56 Ltd


Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

ARTICLES OF TEXTILE INDUSTRY

Production 5 working days




Stand and fabric shaft




Production 5 working days



Production 5 working days



Working tables with chipboard panels to customer's size



Stand clothes



pallets



Aluminium tanks with wheels

Production 5 working days



From 240 euros. to 1560 evro.bez VAT


Aluminium tanks with wheels the size of the client

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Metal pallets with upgrades for mobile hand-type :56014-25-C

Metal upgrades for pallet-type :56014-25-A




Type : 56014-25 - D

Type : 56014-25 - B

Type : 56014-25 - C

Ability to upgrade up to 4 levels. Capacity - up to 1000 kg.



Type : 56014-25 - A



Type A/B/ C/D	Dimensions mm.			Overall Height
	A- mm	B-mm	H-mm	
56014-21	1200	800	750	900
56014-22	1200	800	1000	1150
56014-23	1200	800	1200	1350
56014-24	1200	800	1500	1650
56014-25	1200	800	2000	2150
56014-41	1200	1000	750	900
56014-42	1200	1000	1000	1150
56014-43	1200	1000	1200	1350
56014-44	1200	1000	1500	1650
56014-45	1200	1000	2000	2150
56014-51	1200	1200	750	900
56014-52	1200	1200	1000	1150
56014-53	1200	1200	1200	1350
56014-54	1200	1200	1500	1650
56014-55	1200	1200	2000	2150



Duration of work within 5 working days

Warranty 5 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Metal upgrades for pallet-Type:5612014-C

Metal upgrades for pallet with removable side :Type:5612014- B



Type :5612014 – C



Type :5612014 – B



Type :5612014 – A

Type A/B /C	Dimensions mm				Payload kg
	A	B	C	D	
5612014 - 1	1200	800	650	65	1000
5612014 - 2	1200	800	800	65	1000
5612014 - 3	1200	1000	930	65	1000
5612014 - 4	1200	1000	650	65	1000
5612014 - 5	1200	1000	800	65	1000
5612014 - 6	1200	1000	1000	65	1000
5612014 - 7	1200	1200	650	65	1000
5612014 - 8	1200	1200	800	65	1000
5612014 - 9	1200	1200	930	65	1000
5612014 - 10	1200	1200	1000	65	1000




Duration of work within 5 working days

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Metal fence pallet-type :5612021-A


Metal fence pallet with removable side :5612021-Type-B



Longitudinal rolling board provides easier loading and unloading of contents. Applicable mainly when working with heavy objects



Type A / B	Dimensions mm.					Payload kg.
	A	B	C	D	E	
5612021-0	1200	800	200	125	75	600
5612021-1	800	600	500	125	75	600
5612021-2	800	600	400	125	75	600
5612021-3	800	400	400	125	75	600
5612021-4	1000	800	650	125	75	600
5612021-5	1000	800	500	125	75	600
5612021-6	1000	800	400	125	75	600
5612021-7	1200	800	400	125	75	600
5612021-8	1200	800	650	125	75	600



- Suitable for storage and transportation of materials;
- Reinforced construction ensures strength.
- Compactness provides maximum utilization of storage premises.
- Reinforced corners with holes suitable for handling by crane.
- Upgrade to four levels.

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Metal fence pallet - reinforced



Metal pallet fence
with payload - 5000 kg.

Type - R	Dimensions mm.				
	A	B	C	D	E
5612023-1	800	600	400	150	65
5612023-2	1200	600	650	150	65
5612023-3	1200	800	500	150	65
5612023-4	1200	600	400	150	65
5612023-5	1200	1000	650	150	65

- Suitable for storage and transportation of materials;
- Reinforced construction ensures strength.
- Compactness provides maximum utilization of storage premises.
- Reinforced corners with holes suitable for handling by crane.
- Upgrade to four levels.



Type - U	Dimensions mm.					Payload kg.
	A	B	C	D	E	
5612022-1	1100	725	600	100	80	1500
5612022-2	1100	725	600	100	80	2000
5612022-3	1450	1100	600	100	80	1500
5612022-4	1450	1100	600	100	80	2000

Duration of work within 5 working days


Warranty 5 years

VARAN-56 Ltd



Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Metal fencing and pallet with a net drop side

Type :56021-D



Metal fence with a pallet network
 type :56021-D



Euro Pool skeleton chassis



Type :5612025

Type D - G	Dimensions mm.					Payload d kg.
	A	B	C	D	E	
5612024-1	900	800	650	130	65	800
5612024-2	1200	800	400	130	65	800
5612024-3	1200	800	650	130	65	800
5612024-4	1200	800	800	130	65	800
5612024-5	1200	800	930	130	65	800
5612024-6	1200	1000	650	130	65	800
5612024-7	1200	1000	800	130	65	800
5612024-8	1200	1000	1000	130	65	800

Type	Dimensions mm.	Weight Kg.	Payload kg.
5612025	1240 x 835 x 973	85	1500



Type :5612024-D



Type :5612024-G

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Cells for product safety

Cells safety products are used for easy transport.

- Bricks, blocks and pallets.

- Gas-bottles, furniture.

They are not designed to carry personnel.

Painted in yellow for caution.

Advantages of cells for product safety.

- Maximum efficiency.
- Improved performance.
- Short intervals of work.
- Small service teams.
- Reduce maintenance costs.



Type: 5612055- on pallet



Type: 5612055-N

Warranty 5 years




Type: 5612055-N



Type: 5612055-P

Period of construction within 15 working days



Type: 5612055-N



Type: 5612055-N

Type	Dimensions mm.			Payload kg.	volume liters
	A	B	C		
5612055 - 1	1356	1356	1356	1500 кг.	1800
5612055 - 2	600	600	400	250 кг.	150
5612055 - 3	1150	1150	912	1500 кг.	1300
5612055 - 4	1398	1398	1307	1500 кг.	1900
5612055 - 5	1370	1370	1210	1000 кг.	1800



VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

CONTAINERS READY Detachable custom size



Period of construction within 10 working days

standard container

External Length - 6009 mm. External Width - 2420 mm.
External Height - 2390 mm. Height ext. - 2200 mm.
Lv.bez VAT Price: 2560 Euro. Equipment included in price:

Frame in gray / white

Walls made of panels with polyurethane -40 mm.
powder-painted steel gray / white.

Ceiling panels with polyurethane - 30 mm. powder-painted steel gray / white.

Floor of -18 mm chipboard. and linoleum.

Aluminum windows, including: 1 pc. door 100h216 cm by 4 mm. glass and vertical astragal, 1 pc. window 105h110 cm - Butterfly

Single-phase electrical system, including: 1 pc. contact 10 A, 1 pc. ceiling with a light bulb of 60 W; 1 pc. differential switch with 10 A, 1 pc. mounting case



VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

production equipment

Period of construction within 15 working days



Тип:56022 – GM



Тип:56022 – GM2



Тип:56022 – GM3



Тип:56022 – BM1



Тип:560221



Тип:56022 – ПД1



Тип:56022 – ПД1



Тип:56022 – BM3



Тип:56067



56022 – P 1



Tilting

Tilting with roller

Type :560221



Type :560221



Type :560221-WC



Type :560221-W



Тип:560221



Тип:560221



Tilting and rolling shutters

Type :560222



Type :560222



Type :560222



Content of 0.3-1.7 m3

- effective load center- Roles can be retrofitted
- and oil-and water-proof available
- Autom. Unlocking the Program

Type.	Dimensions mm.			Volume liters	Payload kg
	L	B	H		
560221-1	1260	770	835	300	750
560221-2	1260	1070	835	600	1000
560221-3	1260	1570	835	900	1000
560221-4	1720	1070	1103	1200	1500
560221-5	1720	1570	1103	1700	1500
560221-6	1720	1870	1103	2100	1500
560221-7	1560	1070	850	600	800
560221-8	1560	1570	850	900	1000
560221-9	2140	1070	1150	1200	1200
560221-10	2140	1570	1150	1700	1200

Type.	Dimensions mm.			Volume liters	Payload kg
	L	B	H		
560222-1	1560	1070	1115	800	800
560222-2	1960	1570	1115	1100	1000

Bulk containers with lids

Of 1 cubic meter to 3 cubic meters

Type:5612006



Warranty 5 years

Period of construction to 5 working days



Type:5612006



Platform for transporting sheets of standard form



Type:5612044



Type:5612044

Period of construction to 5 working days

Warranty 5 years



Type	Dimensions mm.				Size in meters.	Weight kg.
	A	B	C	D		
5612044-1	2264	1264	715	750	1 x 2	275
5612044-2	2764	1514	715	750	1,25 x 2,5	341
5612044-3	3264	1764	715	750	1,5 x 3	416
5612044-4	4264	2270	715	750	2 x 4	582

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Tilting with roller

Inclined container from 600 to 1200 liters, maximum load - up to 2000 kg. Mnogoetazhna structure. Easy to use, the court addressed a rope from the driver's seat.

Type :56022-07

Type :56022-06


Type :56022-06

Type.	Dimensions mm.	Payload kg	Ovolume liters	Payload kg
56022-06-1	1500 x 1200 x 1390	2000	1200	270
56022-06-2	1300 x 970 x 1110	1000	600	183

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Hinged bottom tank



Type:560223

Type:560223

Period of construction up to 5 working days




Warranty 5 years



Type:560221

Type:560223



Optionally can be mounted wheels



Type:560223-M



Type:560223

Type	Dimensions mm.			volume liters	Payload kg
	A	B	C		
560223-1	1260	840	910	600	1000
560223-2	1500	1080	970	1000	1250
560223-3	1500	1080	1320	1500	1500
560223-4	1380	920	690	500	1000
560223-5	1380	920	940	750	1000
560223-6	1380	920	1190	1000	1000
560223-7	1380	920	1440	1250	1000
560223-8	1630	1120	1190	1500	1000
560223-9	1630	1120	1440	1860	1000

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

UNIVERSAL CONTAINER

Ideal for collecting and transporting
-bulk materials.
-conical, compact design
Ranking on each other
-transport by truck, forklift, loaders or cranes



Warranty 5 years

Period of construction up to 5 working days

Type	Dimensions mm.	Payload kg	volume liters	Weight Kg.
56047-500	1200 x 1040 x 680	1000	500	94
56047-750	1200 x 1040 x 955	1500	750	109
56047-1000	1200 x 1040 x 1215	2000	1000	122




VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371


Volume 400 liters

Kontainer with lateral pivot



Type	Dimensions mm.					Payload kg
	A	B	C	D	E	
5612026	1300	1050	910	200	620	1000

Tilting low profile and a favorable tilt angle



Type:	Dimensions mm.					volume liters	Payload kg
	A	B	C	D	E		
5612027-1	1300	820	650	490	530	300	600
5612027-2	1300	920	910	700	750	500	1000
5612027-3	1300	1070	1030	830	800	750	1350
5612027-4	1500	1070	1210	980	920	1000	1700
5612027-5	1500	1320	1210	980	920	1200	2000



Type:5612027



VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Large Capacity Feeder with lateral pivot



Tilting
 Content of 3.0-5.0 m3



Type.	Dimensions mm.			Internal dimensions mm.			volume liters	Weight Kg.
	A	B	C	A	B	C		
560224-G1	2340	2230	1210	1925	2000	920	3000	518
560224-G2	2340	2230	1470	1925	2000	1180	4000	568
560224-G3	2340	2230	1730	1925	2000	1440	5000	604

Period of construction up to 5 working days



Warranty 5 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Safety Cage for Forklifts

Safety Cage for Forklifts is a fully welded work platform, with a removable rear protection panel. Work platforms are designed to safely carry out tasks of "short duration" and "occasional usage", as seeking maintenance. platform is suitable for a maximum of two people.



Type :56030



Type	Dimensions in mm.	Weight Kg.	Payload kg.
56030	1200 X 800 X 2100	175	300


Duration of work within 5 working days

Warranty 5 years

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371


Pallets TRANSPORT AND STORAGE OF MOTORCYCLES



Prices from 175.00 euros. to 550.00 euros.

Type: 56044-55

Duration of work within 15 working days



VARAN-56 Ltd


Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Extension of forks for forklift trucks

Quick and inexpensive solution to unload large amounts of goods from trucks, with insufficient length of the existing forks.? Protection against slipping through bolt lock.

Production is exclusively based on ISO 13284. standard.

БДС ISO 13284:2003



Тип:56044-56

Welded and reinforced design of the box, closed underside.

Suitable for carriage of goods by place of gravity beyond the length of the main forks

Warning: The existing forks must maintain at least 60% of extended length.

CAUTION:

Please follow the nominal capacity and load center of the cart! The nominal capacity of the fork extension is designed to meet the specific fork.

Duration of work within 5 working days

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Paddle for forklift



- Benefits of blade: solid construction, easy to install
- Adjustable in two positions (from left to right) 30 degrees left and right rotation
- Safety chain slip.
- Introduction of the forks quickly and easily



Duration of work within 5 working days

Type:	Dimensions in mm.	Adjustable width, mm	Height in mm	Weight Kg.
56045-1	1500	1500/1300/1100	620	175
56045-2	1800	1800/1600/1300	620	184
56045-3	2100	2100/1800/1500	620	220



Other custom sizes.

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

Office mini container



Dimensions: A-350mm.B-330mm.C-820mm./1650mm.

Срок на изработка до 15 работни дни

Galvanized and powder coating
Order up to 6 levels.



VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
 tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
 E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

CONTAINER TRANSPORT inclined



56022 - P 1



56022 - P 1



56022 - P 2



56022 - P 2

Duration of work within 15 working days



56022 - P 2



56022 - P 2



Type	Size of basket mm.			Dimensions in mm.			volume m3	Weight Kg.	Payload kg.
	A	B	C	A	B	C			
56022 - P 1	1440	1250	705	2500	1370	1145	800	200	560
56022 - P 2	1440	1250	705	2320	1330	1100	800	150	750

Note: Wheels are paid extra

VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

MULTIFUNCTIONAL PLATFORM



Duration of work within 5 working days




VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371



Sheds, warehouses and garages - Width do10m., Height to 6.5 m



VARAN-56 Ltd

Bulgaria 2100 Elin Pelin, square "Nezavisimost" № 5, 2nd floor, office № 2
tel: +359725 99134, +35972595156, tel /fax: +359725 66056; GSM +359888 729 647
E-mail: varan56@abv.bg www.varan56.business.bg VAT IN: BG131574371

