

## E-CATALOGUE (2012 NEW VERSION)

### INDEX

i.	COMPANY BROFILE	2
ii.	INFLATABLE BOAT	3
	a) <i>A Series</i>	3
	b) <i>D Series</i>	4
	c) <i>M Series</i>	5
iii.	RIB (Rigid Inflatable Boat)	6
	a) <i>FQB-R Series RIB</i>	6
	b) <i>FWN-V Series RIB</i>	9
iv.	LEISURE BOAT	10
	a) <i>Speed Boat</i>	10
	b) <i>Catamaran</i>	10
	c) <i>Inflatable Rescue Boat</i>	11
	d) <i>Inflatable Fishing Boat</i>	12
	e) <i>FWS-H Drifting Boat</i>	13
	f) <i>Professional Drift Boat</i>	14
	g) <i>FWS-K KAYAK Boat</i>	14
	h) <i>Inflatable Banana Boat</i>	15
	i) <i>YACHT</i>	15



**WUXI FUNSOR MARINE EQUIPMENT CO., LTD**

**Global optimal inflatable boat supplier**

# WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: [www.funsorboat.com](http://www.funsorboat.com) Email: [kcllee118@gmail.com](mailto:kcllee118@gmail.com)



## COMPANY BROFILE

As a professional supplier of inflatable boats, RIBs, inflatable liferafts and tents, **FUNSOR MARINE** is specialized in OEM & ODM developing and manufacturing, responsible to supply the excellent quality and reasonable price to the reputed customers.

Products Series: Inflatable boats, RIBs, inflatable liferafts, inflatable fishing boats, inflatable banana boats, inflatable kayak, drift boats, tents and some marine products. All products are exported to more than 20 countries and received good comments from foreign customers for top quality, competitive price, timely delivery.

Quality Control: All boats are made from the highest quality 1,100 denier double PVC. This fabric is coated to ensure years of trouble free boating. The seams are handmade, four layered and cold welded for the best join possible. So we can give a 5 years warranty on the hull fabric and 3 years on the hull seams. Before delivery, the clients are invited to consign the Commodity Check Office to check the merchandise prior to accepting them. We believe in that "Quality is remembered long after the price is forgotten".

**WUXI FUNSOR MARINE EQUIPMENT CO., LTD** is willing to build the cooperation with you, welcome your enquiry, and we will provide 7\*24 hours service.



ISO9001:2000



CE For 270




CE For 290



CE For 360



CE For 380



CE For 430

**INFLATABLE BOAT**

**A Series**



This models are specially designed for professional use as work boats or rescue boats with a heavy load capacity, specious deck , V-shape bottom and A-design boats front.

**●Standard equipment**

- 1. Two-two pieces aluminum oars
- 2. Marine grade plywood bench seat
- 3. Foot pump
- 4. Repairing kits
- 5. Carrying bag

**●Optional equipment**

- 1. Inflatable thwart
- 2. Boat cover
- 3. Front bag
- 4. Seat bag

**●Optional Floor**

- 1. Plywood floor
- 2. Aluminum floor
- 3. Air mat floor
- 4. Slatted floor

**●Specifications of A Series**



**●FWS-A Series technical specification and performance**

MODEL	OVERALL	OVERALL	NO.OF CHAMBER	NET	MAXH.P.	MAXLOAD (KG/lbs)	MAX PERSON	PACKAGE
	LENGTH	WIDTH		WEIGHT				SIZE
	(CM/inch)	(CM)		(KG/lbs)				(CM)
FWS-A230	230/7'6"	135/4'6"	3+1	36/79	4	350/772	2	110*60*38
FWS-A270	270/8'10"	151/4'11"	3+1	46/101	10	484/1067	3.5	110*75*40
FWS-A290	290/9'6"	151/4'11"	3+1	52/115	10	510/1124	4	110*75*40
FWS-A320	320/10'6"	151/4'11"	3+1	56/123	15	566/1248	4.5	110*75*40
FWS-A360	360/11'9"	168/5'6"	3+1	68/150	20	689/1519	5.5	126*75*40
FWS-A380	380/12'6"	168/5'6"	3+1	76/168	20	727/1603	6	130*85*40
FWS-A420	420/13'9"	190/6'3"	3+1	88/194	30	1087/2396	7	140*85*40
FWS-A500	500/16'5"	208/6'10"	3+1	118/260	40	1300/2866	10	190*88*53
FWS-A560	550/18'1"	208/6'10"	3+1	130/286	40	1350/2976	10	190*88*53
FWS-A600	600/19'8"	208/6'10"	3+1	145/320	50	1400/3086	12	190*88*53

# WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee118@gmail.com



## D Series



8 models with length from 2.3m to 4.8m which could be divided into two main types: D and M. The main property of this series is aluminum floor. It is economical, maintenance free, less easily damaged than other floor material. These facts are making aluminum floor inflatable boat more popular than other floor boats. Other types of flooring: Plywood, Air mat and Slatted.

### ●Standard equipment

1.Two-two pieces aluminum oars 2.Marine grade plywood bench seat 3.Foot pump 4.Repairing kits 5.Carrying bag

### ●Optional equipment

1. Inflatable thwart 2.Under seat bag 3.Front bag 4.Boat cover 5.Extra seat

### ●Optional Floor

1.Plywood floor 2.Aluminum floor 3.Air mat floor 4.Slatted floor

### ●Specifications of D Series



### ●FWS-D Series technical specification and performance

MODEL	LENGTH	WIDTH	NO.OF	WEIGHT	MAXH.P.	(KG/lbs)	PERSON	PACKAGE
	(CM/inch)	(CM)	CHAMBER	(KG/lbs)				(CM)
FWS-D230	230/7'6"	135/4'6"	3+1	38	4	350	2	110*60*38
FWS-D270	270/8'10"	151/4'11"	3+1	48	10	484	3+1	110*75*40
FWS-D290	290/9'6"	151/4'11"	3+1	52	10	510	4	110*75*40
FWS-D320	320/10'6"	151/5'11"	3+1	55	15	566	4+1	110*75*40
FWS-D360	360/11'9"	170/5'7"	3+1	76	20	689	5+1	126*75*40
FWS-D380	380/12'6"	170/5'7"	3+1	78	20	727	6	130*85*40
FWS-D420	420/13'9"	190/6'3"	3+1	86	30	1087	7	130*85*41
FWS-D480	480/15'9"	190/6'3"	3+1	96	40	1100	7+1	130*85*42

# WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: [www.funsorboat.com](http://www.funsorboat.com) Email: [kcllee118@gmail.com](mailto:kcllee118@gmail.com)



## M Series



8 models with length from 2.3m to 4.2m for outboards up to 22kw/30hp and offered with 4 types of flooring: Plywood, Aluminum, Air mat and Slatted.

### ●Standard Equipment

1.Two-two pieces aluminum oars 2.Foot pump 3.Carrying bag 4.Marine grade plywood bench seat (one piece) 5. Repairing kits

### ●Optional Equipment

1.Inflatable thwart: Round or square 2. Front bag 3.Boat cover 4.Under seat bag 5.Extra seat

### ●Optional Floor

1.Plywood floor 2.Aluminum floor 3.Air mat floor 4.Slatted floor

### ●Specifications of M Series



### ●M Series technical specification and performance

MODEL	OVERALL	OVERALL	NO.OF	NET	MAXH.P.	MAXLOAD (KG/lbs)	MAX PERSON	PACKAGE SIZE (CM)
	LENGTH	WIDTH		WEIGHT				
	(CM/inch)	(CM)		(KG/lbs)				
FWS-M230	230/7'6"	135/4'6"	3+1	38/84	4	350/772	2	110*60*38
FWS-M270	270/8'10"	151/4'11"	3+1	48/106	10	484/1067	3.5	110*75*40
FWS-M290	290/9'6"	151/4'11"	3+1	52/115	10	510/1124	4	110*75*40
FWS-M320	320/10'6"	151/5'11"	3+1	55/121	15	566/1248	4.5	110*75*40
FWS-M360	320/11'9"	170/5'7"	3+1	76/168	20	689/1519	5.5	126*75*40
FWS-M380	380/12'6"	170/5'7"	3+1	78/172	20	727/1603	6	130*85*40
FWS-D420	420/13'9"	190/6'3"	3+1	86/194	30	1087/2396	7	130*85*41
FWS-M480	480/15'9"	190/6'3"	3+1	96/211	40	1100/2425	7+1	130*85*42

**RIB (Rigid Inflatable Boat)**

**FQB-R Series RIB**




FQB-R350  
FQB-R430



FQB-R390



FQB-R400



FQB-R480A



FQB-R480B



FQB-R480C



FQB-R480D



FQB-R520



FQB-R530



FQB-R550

# WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: [www.funsorboat.com](http://www.funsorboat.com) Email: [kcleee118@gmail.com](mailto:kcleee118@gmail.com)



FQB-R580



FQB-R600



FQB-R680



FQB-R700



FQB-R730



FQB-R760



FQB-R850



FQB-R900



FQB-R960



# WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kclee118@gmail.com



This **rigid-hulled inflatable boat (RHIB)** or **rigid-inflatable boat (RIB)** is a light-weight but high-performance and high-capacity boat constructed with a solid, shaped hull and flexible tubes at the gunwale. The design is stable and seaworthy. Deep-V fiberglass hull offers stable and comfortable driving; Unique and eye-catching design bring you more exciting journey; Spacious deck assures easy circulations.

## ●Standard equipment

1.A pair of oars 2.Foot pump 3.Repair kit 4.Boat cover 5.Fore cabin with cushion 6.Back cabin with cushion 7.Standard fiberglass anchor tray 8.Center console 9. Standard steering system

## ●Optional Equipment

1. Fiberglass step end 2.Stainless steel or fiberglass roll bar(with navigation lights) 3.Sunshade 4.Teak floor 5.Oil tank 6.Stainless ladder 7.Life jacket 8.Anchor 9.Anchor rope 10.Bandage 11.Sewage pump 12.Battery (with battery box) 13. Electric air pump 14.Shower (built-in water tank, clean water pump) 15. drop dining table 16.Hydraulic steering system 17.GPS 18.Trailer

## ●FQB-R Series (BIG SIZE) technical specification and performance

Model	Overall	Overall	Hull	Hull	Tube	Chamber	Max	Max	Max	Packing Size (cm)	Boat
	Length	Width	Length	Width	Dia		Power	Load	Capacity		Weight
	(cm)	(cm)	(cm)	(cm)	(cm)		(HP)	(KG)	(Person)		(KG)
FQB-R350	350	170	283	107	41	3	25	716	5	300*125*55	114
FQB-R390	390	173	315	107	41	3	30	864	6	350*130*60	125
FQB-R400	400	175	348	108	42	3	40	921	6	396*110*79	148
FQB-R430	430	200	334	134	48	3	40	1051	7	380*150*65	198
FQB-R480	480	200	408	134	48	3	50	1198	8	410*150*65	216
FQB-R520	520	196	430	160	50	5	70	1403	8+1	460*180*100	400
FQB-R530	530	246	480	176	54	5	115	1673	10	520*200*110	430
FQB-R550	550	246	505	176	54	5	115	1788	10	520*200*110	490
FQB-R580	580	268	500	185	54	5	90	1788	9+1	520*195*60	472
FQB-R600	600	256	560	193	54	5	150	1980	9+1	560*190*110	590
FQB-R680	680	272	590	229	54	6	225	1924	12	590*232*110	740
FQB-R700	700	288	660	205	54	6	225	2343	15	660*230*110	800
FQB-R730	730	288	660	205	54	7	225	2416	15	680*220*120	836
FQB-R760	760	289	682	229	54	7	250	2489	15	750*232*120	879
FQB-R850	850	288	705	226	62	6	250	2750	16	760*230*140	1000
FQB-R900	900	307	775	226	58	7	200*2	2850	17	930*230*150	2000
FQB-R960	960	320	786	180	60	7	200*2	2850	20	980*230*150	2000



**FWN-V Series RIB**

FWN-V230  
FWN-V250



FWN-V270



FWN-V300



FWN-V330



**•FWN-V Series technical specification and performance**

Model	Overall	Overall	tube	Chamber	Max	Max	Max	Boat	
	Length	Width	diameter		Power	Load	Capacity		Weight
	(cm)	(cm)	(cm)		(HP)	(KG)	(Person)		(KG)
FWN-V230	230	155	38	2	6	350	2	29	
FWN-V250	250	155	38	3	8	400	3	35	
FWN-V270	270	164	40	3	10	450	3	64	
FWN-V300	300	164	40	3	12	550	4	69	
FWN-V330	330	164	40	3	15	650	5	74	

**Standard equipment:** Two pieces aluminum oars; Wood bench seat; Foot pump; Repairing kits

**Optional equipment:** Under seat bag; Front bag; Boat cover; Inflatable thwart

**LEISURE BOAT**

**Speed Boat**



The speed of the speed boat is faster than other inflatable boat. For individual fishing Easy storage, handling easy, cleaning comfortable and convenient

- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea
- 4.warranty:3-5years

**Standard equipment**

- 1. Two-two pieces aluminum oars
- 2. Foot pump 3. Repairing kits 4. carry bag 5.Seat

**Optional equipment**

- 1.carry bag 2.optional floor 3.plywood floor

**•FQB-S Series technical specification and performance**

Model	Length	Fore Beam	Back Beam	Tube Dia.	Weight	Max. Power	No. of Chamber	Max. Person	Package Size
FQB-S380	380cm	175cm	192cm	45cm	80kg	50HP	4+2	3	150*80*50cm
FQB-S410	410cm	175cm	192cm	50cm	92kg	60HP	4+2	4	150*80*50cm
FQB-S450	450cm	186cm	206cm	52cm	101kg	70HP	4+2	5	160*80*62cm
FQB-S480	480cm	186cm	206cm	52cm	110kg	80HP	4+2	6	160*80*62cm

**Catamaran**



# WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee118@gmail.com



- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea
- 4.warranty:3-5years

### Standard equipment

- 1.Two-two pieces aluminum oars
- 2.Marine grade plywood bench seat
- 3.Foot pump
- 4.Repairingkits
- 5.Carrying bag


### Optional Equipment

- 1.Slat floor
- 2.Air mat floor

### ●FWS-C Catamaran technical specification and performance

MODEL	OVERALL	OVERALL	NO.OF CHAMBER	NET	MAXH.P.	MAXLOAD	MAX
	LENGTH	WIDTH		WEIGHT		(KG/lbs)	PERSON
	(CM)	(CM)		(KG)			
FWS-C230	230/7'6"	131/4'7"	3+2+1	36	4	350/772	2
FWS-C270	270/8'10"	152/4'11"	3+2+1	40	10	484/1067	3+1
FWS-C290	290/9'6"	151/4'11"	3+2+1	47	10	510/1124	4
FWS-C320	320/10'6"	151/5'11"	3+2+1	51	15	566/1248	4+1
FWS-C360	320/11'9"	168/5'6"	3+2+1	56	15	689/1519	5+1
FWS-C380	320/12'6"	168/5'7"	3+2+1	64	30	727/1603	6
FWS-C430	430/14'1"	190/6'3"	3+2+1	69	30	1087/2396	7
FWS-C480	480/15'9"	190/6'3"	3+2+1	77	40	1100/2425	7+1
FWS-C-520	520/16'5"	208/6'10"	3+2+1	118	50	1300/2866	10

### Inflatable Rescue Boat



Easy storage, easy handling, cleaning comfortable and convenient. The boat is mostly used to army, Fire station.

- 1.CE certification
- 2.OEM manufacturer
- 3.PVC materials from Korea
- 4.warranty:3-5years

### ●Standard equipment

- 1.oars;
- 2.carry bag;
- 3.repairing kits;
- 4.foot pump

# WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kclee118@gmail.com



## Inflatable Fishing Boat

### FWS-F Boat



#### ●Standard equipment

1. Two pieces aluminum oars
2. Marine grade plywood bench seat
3. Foot pump
4. Repairing kits
5. Carrying bag
6. Oar holder /oar holder
6. Life line
7. Middle D-ring
8. Rubbing strake fender

#### ●Optional equipment

1. Under seat bag (round or square)

#### ●Optional Floor

1. Slat floor
2. Air mat floor

#### ●FWS-F Series technical specification and performance

MODEL	OVERALL	OVERALL	NO.OF CHAMBERS	TUBE	MAXLOAD (KG)	MAX	PACKAGE
	LENGTH	WIDTH		(CM)		PERSON	SIZE
	(CM)	(CM)					(CM)
FWS-F180	180/5'9"	118/3'9"	2	32	200	1	100*60*30
FWS-F200	200/6'7"	120/3'11"	2	35	250	2	102*60*38
FWS-F235	235/7'8"	132/4'4"	2	37	400	2	102*60*38
FWS-F265	265/8'8"	132/4'4"	2	37	400	3+1	110*60*38
FWS-F280	280/9'2"	148/4'10"	2	37	455	4	110*60*38

### FWS-U Series



For individual fishing

#### ●FWS-U Series technical specification and performance

MODEL	OVERALL LENGTH	OVERALL WIDTH	NO.OF CHAMBER	NET WEIGHT	MAX H.P.	MAX LOAD	MAX PERSON
FWS-U	120/3'11"	103/3'4"	1	6.5/14.3	---	---	1

# WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcleee118@gmail.com



## FWS-O Series



### ●Standard equipment

1.Two pieces aluminum oars 2.Marine grade plywood bench seat 3.Foot pump 4.Repairingkits 5.Carrying bag

### ●Optional Equipment

1.Slat floor 2.Air mat floor

### ●FWS-O Series technical specification and performance

MODEL	OVERALL LENGTH (CM/inch)	OVERALL WIDTH (CM/inch)	NO.OF CHAMBER	NET WEIGTH (KG/1bs)	MAX H.P.	MAX LOAD (KG/ids)	MAX PERSON
FWS-O200	200/6'7"	120/3'11"	2	20/44	3.5	250/551	1.5
FWS-O235	235/7'8"	132/4'4"	2	29/64	5	350/772	2
FWS-O265	265/8'8"	132/4'4"	2	32/71	10	484/1067	3.5
FWS-O280	280/9'2"	148/4'10"	2	38/84	10	510/1124	4

## FWS-H Drifting Boat



### ●Standard equipment

1.Two-two pieces aluminum oars 2.Inflatable seats 3.Foot pump 4.Repairing kits 5.Carrying bag

### ●FWS-H Series technical specification and performance

MODEL	OVERALL LENGTH (CM/inch)	OVERALL WIDTH (CM/inch)	NO.OF CHAMBER	NET WEIGTH (KG/1bs)	MAX H.P.	MAX LOAD (KG/ids)	MAX PERSON	PACKAGE SIZE (CM)
FWS-H330	330	161	4+1+1	52	/	410	3	120*60*40
FWS-H380	380	180	4+2+1	58	/	500	4	120*70*40
FWS-H400	400	190	4+2+1	60	/	580	5	120*75*40
FWS-H440	440	212	4+3+1	64	/	730	6	120*85*40
FWS-H460	460	212	4+3+1	68	/	860	7	140*70*40
FWS-H500	500	212	4+3+1	75	/	960	8	140*75*40

**Professional Drift Boat**



- 1. CE certification 2.OEM manufacturer 3.PVC materials from Korea 4.warranty:3-5years

**●Standard feature and components**

- 1.Hi-pressure hull and floor (patent pending ) 2.Bow keel and rear skeg for excellent tracking 3.Splash guard
- 4.Two molded carrying handles 5.Two drain vales 6.bow bumper rail

**●Professional Drift Boat technical specification and performance**

MODEL	OVERALL	OVERALL	WEIGHT	NO.OF	MAX	MAXLOAD	Air pressure	Storage
	LENGTH	WIDTH		CHAMBER	PERSON	(KG/lbs)		Dimensions (with pump attached)
Drift-244	244cm	84cm	7kg/15Lbs	2	1	102kg/225Lbs	6.5psi/.45bar	71x38x53cm
Drift-275	275cm	85cm	8kg/18Lbs	2	1	113kg/250Lbs	6.5psi/.45bar	71x38x53cm

**FWS-K KAYAK Boat**



- 1.CE certification 2.OEM manufacturer 3.PVC materials from Korea 4.warranty:3-5years

**●Standard equipment**

- 1.Two-two pieces aluminum oars 2.Foot pump 3.Repairing kits 4.air mat floor

**●FWS-K Series technical specification and performance**

Model	OVERALL	OVERALL	NO.OF CHAMBER	MAX	TUBE
	LENGTH	WIDTH		PERSON	(CM)
	(CM)	(CM)			
FWS-K370	370	110	3	2	30
FWS-K320	320	105	3	1	30

**Inflatable Banana Boat**



FWS-B is water sled, and sometimes was called banana boats which consists of side stabilizing pontoons and large main tube. 3 models available with 3 persons, 5 persons and 6 persons.

**•Standard equipment**

1. Foot pump 2. Repairing kits 3. Carrying bag

**•Banana boats technical specification and performance**

MODEL	OVERALL LENGTH (CM/inch)	NO.OF CHAMBER	NET WEIGHT (KG/1bs)	PACKAGE SIZE (CM)	MAX PERSON
FWS-B3P	340/11'2"	3	15/33	102*60*36	3
FWS-B4P	400/13"	3	18/40	102*60*36	4
FWS-B5P	500/16'5"	3	20/44	102*65*40	5
FWS-B8P Two tubes	500/16'5"	5	46	110*65*45	8
FWS-F6P FLY FISH	380/12'6"	10	68.5	140*80*40	6
FWS-F12P FLY FISH	450/13'5"	10	85	140*80*40	12

**YACHT**



Deep-V fiberglass hull offers stable and comfortable driving. Perfect for water sports. Material: 100% fiberglass

**•Yacht technical specification and performance**

MODEL	LENGTH	WIDTH	GW	MAX HP	MAX PERSON	PACKING CBM
YACHT 270	2.70M	1.33M	85KG	15	5	2.2